



LJMU Research Online

Wakefield, C, Roberts, J and Wood, G

Eye-movements support chronometric imagery performance even when the task is occluded

<http://researchonline.ljmu.ac.uk/id/eprint/13182/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Wakefield, C, Roberts, J and Wood, G (2020) Eye-movements support chronometric imagery performance even when the task is occluded. Visual Cognition, 28 (4). pp. 285-291. ISSN 1350-6285

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

RUNNING HEAD: EYE-MOVEMENTS AND IMAGINED MOVEMENT TIME

TITLE: Eye-movements support chronometric imagery performance even when the task is occluded

Wakefield, C.J¹., Roberts, J.W.¹ & Wood, G²

1. School of Health Sciences, Liverpool Hope University, Taggart Avenue, Liverpool, L16 9JD, UK
2. Research Centre for Musculoskeletal Science and Sports Medicine, Department of Sport and Exercise Science, Manchester Metropolitan University, UK

Corresponding author: Caroline J Wakefield, wakefic@hope.ac.uk

This is an Accepted Manuscript of an article published by Taylor & Francis in Visual Cognition on 22/06/2020, available online: <http://www.tandfonline.com/>

Word count: 3435

Abstract

Mental chronometry has often been used to provide a temporal comparison between executed and imagined movements, with smaller discrepancies indicating more accurate image production and better imagery performance. In this study, we examined the importance of retinal and extra-retinal information in the performance of simple, sequential movements. After physical practice of four activities of daily living (Southampton Hand Assessment Procedure), nineteen participants imagined completing the same tasks with: 1) free eye-movements and visible objects, 2) free eye-movements and no visibility of the objects and 3) constrained eye-movements and visible objects. Results suggested imagery performance was slower/less accurate compared to physical execution, when the eyes were constrained. Conversely, chronometric imagery performance was unaffected with free eye movements, even when task-specific visual information was occluded. This study highlights the crucial role that eye-movements play in the regulation of the temporal aspects of imagery even when retinal information is absent, suggesting that temporal sequencing of imagined actions is largely dependent on extra-retinal information sources.

Keywords: Mental Imagery; Mental Simulation; Mental Chronometry; Gaze; Oculomotor

1 **Introduction**

2 Motor imagery - the active process during which the representation of a specific action is
3 internally reproduced without any overt output (Decety & Grèzes, 1999) - has been shown to
4 be effective at improving motor performance (Smith, Wright, Allsopp & Westhead, 2007;
5 Wright & Smith, 2009). This improvement has been attributed to a shared motor
6 representation between imagery and execution so that the mere imagination of movement can
7 utilise a similar neural network as physical execution (Hardwick, Caspers, Eickhoff, &
8 Swinnen, 2018). This shared representation has been frequently evidenced at the behavioural
9 level by the physical and mental chronometry of movements, where the factors underpinning
10 physically executed movement time correspond with imagined movement time (Decety &
11 Jeannerod, 1995; Malouin, Richards, & Durand, 2012; Roberts, Welsh, & Wakefield, 2019;
12 see Guillot & Collet, 2005 for a review).

13 The functional role that eye-movements play in image generation and retrieval is well
14 documented. Studies suggest that the generation of a mental image is acted out by the eyes in
15 a process where a mental search of internal memory is accompanied by an oculomotor search
16 of external space (Spivey & Geng, 2001). In explanation, Causer et al., (2013) suggested that
17 during imagery, the object recognition system (occipital areas and ventral stream) are primed
18 causing a pattern of neural reactivation (the visual image) to be generated that is assisted by
19 an oculomotor-based coordinate system. Given this evidence, it is unsurprising that the eye-
20 movements that underpin the execution of object manipulations are somewhat congruent with
21 the eye-movements exhibited during the imagery of these same object manipulations. For
22 instance, Heremans, Helsen and Feys (2008) showed 89% of participants exhibited task-
23 relevant eye-movements during imagery and this was similar (84%) even when participants
24 imaged with their eyes closed (see also, McCormick, Causer & Holmes, 2013 for similar
25 findings). Despite the similarity in oculomotor activity across conditions, there is generally
26 less time devoted to fixating the key target properties during the imagery of visually guided
27 movements (McCormick, Causer & Holmes, 2012), which will inevitably have a negative
28 influence on the temporal aspect of these actions when imagined.

29 Unsurprisingly, the time course of eye movements has also been shown to support
30 imagery performance (Gueugneau, Crognier & Papaxanthis, 2008; Heremans, Helsen, De
31 Poel, Alaerts, Meyns & Feys, 2009) and, furthermore, the manipulation of information from
32 the visual system impairs the temporal judgment of imagined actions. For example, it has

1 been shown that imagined movement time becomes slower, and thus less accurate, when eye-
2 movements are constrained (Gueugneau et al., 2008) and when the visibility of the
3 surrounding task environment is no longer permitted (Heremans et al., 2009). These findings
4 suggest that both retinal information (e.g., visibility of the environment) and extra-retinal
5 information (e.g., efference copies of motor commands and proprioceptive information from
6 moving the eyes) seem to support chronometric imagery performance. What is not clear is the
7 relative contribution, and relative importance, of each source of information for the
8 production of temporally comparative imagery.

9 The aim of the present study was therefore to distinguish the contribution of retinal
10 and extra-retinal information for the temporal sequencing of imagery performance. Thus, we
11 had participants execute or imagine a standardised upper-limb movement featuring a number
12 of functional daily targets (e.g., key, zip, handle). The imagery conditions involved free eye-
13 movements with target visibility, free eye-movements with no target visibility and
14 constrained eye-movements with target visibility. Based on previous evidence, we predicted
15 that the imagined movement time would be less accurate (relative to the baseline-executed
16 time) when the eye-movements were constrained regardless of the target visibility.

17 **Materials and Methods**

18 **Participants**

19 Nineteen right-handed participants were recruited (male = 8, aged 18-25years). None
20 of the participants had previously undertaken imagery training and all had normal or
21 corrected-to-normal vision. All participants gave written informed consent to take part in the
22 study, which was ethically approved by institutional ethics committee prior to testing.

24 **Measures**

25 *Eye-Movements*

26 Eye-movements were measured with a Mobile Eye XG gaze registration system
27 (Applied Science Laboratories, Bedford, MA) that measures eye line of gaze at 30 Hz with
28 respect to eye and scene cameras mounted on a pair of glasses. The system consists of a
29 digital recording device and a laptop (Dell Inspiron 6400, Texas, United States) with Eye-
30 vision software installed (ASL; Bedford, MA).

31

32 *Chronometric Imagery Performance*

1 Tasks were taken from the Southampton Hand Assessment Procedure (SHAP; Light,
2 Chappell, & Kyberd, 2002), which is an assessment tool to measure hand dexterity. For the
3 purpose of the present study, we used the key turn task (requiring a key to be turned
4 clockwise within a door lock); the horizontal zip task (requiring a zip to be opened and fastened
5 from right to left); the door handle task (requiring a door handle to be turned down and up)
6 and then a combination of all the tasks together in the order outlined (Light, 2000). The order
7 remained consistent to ensure that participants had familiarity with each of the discrete tasks
8 before completing these in combination. The SHAP test has been shown to have repeatability
9 on normal subjects and interrater reliability demonstrated at the 95% confidence level (Light
10 et al., 2002).

11
12 *Procedure*

13 Prior to the experiment, the imagery ability of participants was assessed using the
14 Movement Imagery Questionnaire-3 (MIQ-3; Williams, Cumming, Ntoumanis, Nordin-
15 Bates, Ramsey & Hall, 2012) and handedness was assessed using the Edinburgh Handedness
16 Inventory (Oldfield 1971). Participants who were predominantly right-handed and scored
17 above the mid-point threshold for both visual and kinaesthetic imagery continued with
18 participation in the study. Participants were then calibrated to the eye-tracker and performed
19 the four SHAP tasks. As per the SHAP procedure, participants were required to press a
20 stopwatch that was located to the right of the box (see Figure 1) upon the start and end of
21 each trial, which provided the measure of actual movement time.

22 After the physical execution trials, participants undertook stimulus and response
23 training based on the work of Lang, Kozak, Miller, Levin and McLean (1980). This involved
24 focusing the participants upon their physiological and behavioural responses to each of the
25 four SHAP tasks (e.g., the touch sensations of the handle or the sub-maximal contractions of
26 the index finger and thumb grasping the key). These responses were used to produce
27 individualised imagery scripts and participants referred to their script at the start of each
28 imagery condition and attempted to incorporate as many as possible during their imagery
29 performance.

30 Following this training, participants were required to complete the SHAP tasks under
31 three different imagery conditions. The imagery conditions were: (1) free eye-movements and
32 visible target objects (free+visible) where participants were encouraged to move their eyes
33 naturally while the SHAP objects were visible; (2) constrained eye-movements and visible
34 target objects (fixate+visible) where their eyes were fixated on a marked location while the

1 SHAP objects were visible and (3) free eye-movements and no visibility of the target objects
2 (free+non-visible) were participants were encouraged to move their eyes freely while the
3 SHAP objects were covered by a white screen. Participants completed all conditions in one
4 sitting and these were counterbalanced to reduce the likelihood of fatigue/practice effects
5 from task repetition. Like the physical execution condition, participants were required to
6 press a stopwatch to mark the start and end of the imagined task, which provided a measure
7 of the imagined movement time (e.g., Papaxanthis, Pozzo, Skoura, & Schieppati, 2002;
8 Rozand, Lebon, Papaxanthis & Lepers, 2015; Gueugneau et al., 2008). Each of the four
9 SHAP tasks were executed and imaged over three separate trials.

10

11 *Data analysis*

12 Gaze data were analysed as a manipulation check in order to ensure compliance with
13 the eye-movement instructions in each of the imagery conditions. Thus, we computed the
14 percentage fixation duration on the key, zip and handle using ASL GazeMap software
15 (Applied Science Laboratories, Bedford, MA) during each of the task conditions by
16 conducting an Areas of Interest (AOI) analysis (Figure 1). Chronometric imagery
17 performance was computed using baseline-referenced comparison scores by subtracting
18 participants' mean execution time from their mean imagery time during each of the imagery
19 conditions (slower imagined movements are indicated by more positive scores). Repeated-
20 measures ANOVAs were used to analyse the data (gaze: task [key, zip, handle, combination]
21 x condition [physical execution, free+visible, free+non-visible, fixate+visible] x location
22 [key, zip, handle]; chronometry: task [key, zip, handle, combination] x condition
23 [free+visible, free+non-visible, fixate+visible]). Effect sizes were reported using partial eta
24 squared statistics, while significant effects featuring more than two means were decomposed
25 using Bonferroni pairwise comparisons. Significance was declared at $p < .05$.

26

27 **Results**

28 *Eye-Movements*

29 A significant task x condition x location interaction was found, $F(3,68) = 103.9, p <$
30 $.001, \eta_p^2 = .82$. A repeated-measures ANOVA on each of the tasks indicated that there a was
31 similar condition x location interaction (key: $F(3,68) = 103.9, p < .001, \eta_p^2 = .82$; zip:
32 $F(2.46,41.86) = 1072.42, p < .001, \eta_p^2 = .98$; handle: $F(9,153) = 1646.05, p < .001, \eta_p^2 = .99$;
33 combination: $F(3.42,58.16) = 403.70, p < .001, \eta_p^2 = .96$). Bonferroni corrected pairwise

1 comparisons revealed that participants in the fixate+visible condition fixated significantly
2 less on the target objects within each of the tasks compared to physical execution of the task
3 ($p < .001$), free+visible ($p < .001$) and free+non-visible ($p < .001$) conditions, which were
4 not significantly different from each other ($p > .5$). Thus, it appears that participants
5 followed the initial experimenter instructions surrounding the manipulation of eye-
6 movements. These data are presented in Figure 2.

7 *Chronometric Imagery Performance*

8 A significant task x condition interaction was found, $F(6,108) = 6.42, p < .001, \eta_p^2 =$
9 $.26$. Follow-up repeated measures ANOVAs for each task revealed that chronometric
10 imagery performance was not significantly different in the key, $F(1.52, 27.34) = .09, p =$
11 $.913, \eta_p^2 = .05$, zip, $F(2, 36) = 1.00, p = .91, \eta_p^2 = .05$, or handle tasks, $F(2,36) = 1.57, p =$
12 $.222, \eta_p^2 = .08$ (see Figure 3). However, a significant difference was found in chronometric
13 imagery performance during the combination task, $F(2, 36) = 5.75, p = .007, \eta_p^2 = .24$. Post
14 hoc Bonferroni corrected pairwise comparisons revealed that participants' chronometric
15 imagery performance was significantly slower in the fixate+visible condition compared to
16 both free+visible ($p = .034$) and free+non-visible ($p = .046$) conditions, which were not
17 significantly different from each other ($p = 1.00$). These data are presented in Figure 3.

18 **Discussion**

19 Previous research has shown that the chronometry of imagined movements becomes
20 slower, and thus less akin to physical movements, when eye-movements are constrained
21 (Gueugneau et al, 2008) and when the visibility of the task environment is restricted
22 (Heremans et al., 2009). The present study aimed to examine the relative contribution of
23 these retinal and extra-retinal sources in order to understand the information that supports
24 mental chronometry performance during the imagery of movements. The results showed that
25 the time taken during participants' imagery performance for a combination of functional tasks
26 was closer to the physically executed times (as represented by zero in Figure 3) during the
27 free+visible and free+non-visible imagery conditions, while the fixate+visible imagery
28 conditions was slowest and least accurate compared to the other imagery conditions. Put
29 simply, when participants were allowed to freely move their eyes, they generated visual
30 search patterns and imagined movement times that were not significantly different from their
31 physical practice performance – even when task specific visual information was occluded.
32 Conversely, when participants imagined the same task with their vision constrained, the

1 timing of their imagery performance was impaired. Specifically, their temporal error was
2 ~500ms longer compared to their baseline performance.

3 Firstly, the similar times for execution and imagery attest to a shared representation,
4 where the neural codes that are responsible for execution are correspondingly activated
5 during imagery (Jeannerod, 2001). Moreover, the finding of superior imagery performance
6 when there were free eye movements, which coincided with a similar visual search pattern as
7 physical execution shows how task-specific eye movements support imagery (Heremans et
8 al., 2009; Flanagan & Johansson, 2003; McCormick et al., 2012). This process did not appear
9 to require direct exposure to the target objects themselves following the enhanced imagery
10 performance during the non-visible condition. Taken together, it could be argued that
11 imagery performance relies on accessing a previously stored representation by undertaking a
12 visual search of external space that is specific to the task at-hand (Spivey & Geng, 2001).
13 This extra-retinal information may awaken a visual image of the intended target, as well as a
14 representation that is also responsible for physical execution (see also, Causer et al., 2013).

15 Notably, the difference between imagery conditions appeared to be restricted to the
16 combined task as there were few differences on the tasks that were performed on their own.
17 In other words, it appeared that the differences unfolded in the more complex sequence task
18 of a longer duration (combined $M = 6648$ ms vs. key/zip/handle grand $M = 3214$ ms). In this
19 instance, the differences were primarily related to a more prolonged time within the fixation
20 condition, which would align with previous evidence of an extended imagined compared to
21 executed time for more complex tasks (Calmels et al., 2006; see also, Guillot & Collet, 2005).
22 This feature has been attributed to the recruitment of additional cognitive resources when
23 mentally simulated tasks afford an enhanced level of control or adjustment, which
24 consequently delays the indexing response (i.e., pressing the stopwatch) (Glover & Dixon,
25 2013; Glover & Baran, 2017). With this in mind, it could be argued that the benefit of eye
26 movements in imagery performance are most abundant when there is some level of difficulty
27 in mentally simulating the task. Future research should examine the relationship between
28 mental chronometry, task duration and eye movements.

29 A few other explanations of these impairments in mental chronometry when eye-
30 movements were constrained are also worthy of consideration. First, participants could have
31 resorted to using peripheral vision of the task specific targets in order to attempt to maintain
32 chronometry during imagery during the combination task. Interestingly, it has been proposed

1 that targets focused on in the periphery suffer distortions in size and distance (Newsome,
2 1972) and this may provide an alternative explanation for their impaired imagery
3 performance in this condition. A second explanation may be that participants were
4 susceptible to disruption in goal-directed attentional control and suffered lapses in attention
5 when eye-movements were constrained. It is well established that it is very difficult
6 dissociate attention from eye-movements (Shinoda, Hayhoe, & Shrivastava, 2001) when they
7 are moving in a task specific manner (as in both free eye-movement imagery conditions), but
8 that constraining the eyes increases the susceptibility to lapses in goal directed attention and
9 is synonymous with mind-wandering (Uzzaman & Joordens, 2011). This again could explain
10 why participants over-estimated the movement time when their eyes were constrained during
11 tasks of increased duration.

12 In conclusion, the study highlights the crucial role of eye-movements in the regulation
13 of the temporal aspects of sequential movements, even when task specific visual information
14 is absent. It suggests that extra-retinal information produced by these eyes allows access to a
15 shared neural network and provides a temporal framework on which imagined actions can be
16 more easily mapped. This provides further evidence of the task specific goal-directed nature
17 of imagery, and specifically the importance of the ocular system in generating effective
18 imagery of complex, sequential actions.

19

20 **Declaration of interest statement: None**

21

22

23

24

25

26

27

28

29

30

31

32

33

1 **References**

- 2 Causer, J., McCormick, S.A. & Holmes, P.S. (2013). Congruency of gaze metrics in action,
3 imagery and action observation. *Frontiers in Human Neuroscience*, 7, 604.
4 <https://doi.org/10.3389/fnhum.2013.00604>
- 5 Decety J, & Grèzes J. (1999). Neural mechanisms subserving the perception of human
6 actions. *Trends in Cognitive Sciences*. 1999;3(5):172–178.
- 7 Decety, J. & Jeannerod, M. (1995). Mentally simulated movements in virtual reality: does
8 Fitt's law hold in motor imagery? *Behavioural Brain Research*, 72(1-2), 127-134.
- 9 Flanagan, J.R. & Johansson, R.S. (2003). Action plans used in action observation. *Nature*,
10 424, 769-771.
- 11 Gueugneau, N., Crognier, L., & Papaxanthis, C. (2008). The influence of eye-movements on
12 the temporal features of executed and imagined arm movements. *Brain Research*,
13 1187, 95-102.
- 14 Guillot, A., & Collet, C. (2005). Duration of mentally simulated movement: a review.
15 *Journal of Motor Behavior*, 37(1), 10–20. <https://doi.org/10.3200/JMBR.37.1.10-20>
- 16 Harwick, R.M., Caspers, S., Eickhoff, S.B., & Swinnen, S.P. (2018). Neural correlates of
17 action: Comparing meta-analyses of imagery, observation, and execution.
18 *Neuroscience & Biobehavioural Reviews*, 94, 31-44.
19 <https://doi.org/10.1016/j.neubiorev.2018.08.003>
- 20 Heremans, E., Helsen, W. F., De Poel, H. J., Alaerts, K., Meyns, P., & Feys, P. (2009).
21 Facilitation of motor imagery through movement-related cueing. *Brain Research*,
22 1278, 50–58. <https://doi.org/10.1016/j.brainres.2009.04.041>
- 23 Heremans, E., Helsen, W.F., & Feys, P. (2008). The eyes as a mirror of our thoughts:
24 Quantification of motor imagery of goal-directed movements through eye movement
25 registration. *Behavioural Brain Research*, 187, 351-360.
26 <https://doi.org/10.1016/j.bbr.2007.09.028>

- 1 Jeannerod, M. (2001). Neural simulation of action: a unifying mechanism for motor
2 cognition. *NeuroImage*, *14*(1 Pt 2), S103-109.
3 <https://doi.org/10.1006/nimg.2001.0832>
- 4 Lang, P. J., Kozak, M. J., Miller, G. A., Levin, D. N., & McLean, A. (1980). Emotional
5 imagery: conceptual structure and pattern of somato-visceral response.
6 *Psychophysiology*, *17*(2), 179–192.
- 7 Light, C.M. (2000). Southampton Hand Assessment Procedure: User Manual. Department of
8 Electronics and Computer Science, University of Southampton
- 9 Light, C.M., Chappell, P.H., & Kyberd, P.J. (2002). Establishing a standardized clinical
10 assessment tool of pathologic and prosthetic hand function: Normative data,
11 reliability, and validity. *Archives of Physical Medicine and Rehabilitation*. *83*, 776-
12 783. [10.1053/apmr.2002.32737](https://doi.org/10.1053/apmr.2002.32737)
- 13 Malouin, F., Richards, C.L., & Durand, A. (2012). Slowing of Motor Imagery after a Right
14 Hemispheric Stroke, *Stroke Research and Treatment*, 297217,
15 <http://dx.doi.org/10.1155/2012/297217>
- 16 McCormick, S. Causer, J. & Holmes, P.S. (2013). Active Vision during Action Execution,
17 Observation and Imagery: Evidence for Shared Motor Representations. *PLoS One*,
18 <https://doi.org/10.1371/journal.pone.0067761>
- 19 McCormick, S. A., Causer, J., & Holmes, P. S. (2012). Eye gaze metrics reflect a shared
20 motor representation for action observation and movement imagery. *Brain and*
21 *Cognition*, *80*(1), 83–88. <https://doi.org/10.1016/j.bandc.2012.04.010>
- 22 Newsome, L.R. (1972). Visual angle and apparent size of objects in peripheral vision.
23 *Perception & Psychophysics*, *12*(3), 300–304. doi:10.3758/BF03207209
- 24 Oldfield, R. C. (1971). The assessment and analysis of handedness: the Edinburgh inventory.
25 *Neuropsychologia*, *9*(1), 97–113.

- 1 Papaxanthis, C., Pozzo, T., Skoura, X., & Schieppati, M (2002). The influence of eye-
2 movements on the temporal features of executed and imagined arm movements.
3 *Behavioural Brain Research*, 134, 209-215.
- 4 Roberts, J., Welsh, T., & Wakefield, C.J. (2019). Examining the equivalence between
5 imagery and execution – do imagined and executed movements code relative
6 environmental features? *Behavioural Brain Research*, 370, 111951
7 <https://doi.org/10.1016/j.bbr.2019.111951>
- 8 Rozand, V., Lebon, F., Papaxanthis, C., & Lepers, R. (2015). Effect of mental fatigue on
9 speed–accuracy trade-off. *Neuroscience*, 297, 219-230.
- 10 Shinoda, H., Hayhoe, M. M., & Shrivastava, A. (2001). What controls attention in natural
11 environments? *Vision Research*, 41(25-26), 3535-3545.
- 12 Smith, D., Wright, C., Allsopp, A., & Westhead, H. (2007). It’s All in the Mind: PETTLEP-
13 Based Imagery and Sports Performance. *Journal of Applied Sport Psychology*, 19(1),
14 80–92. <https://doi.org/10.1080/10413200600944132>
- 15 Spivey, M., & Geng, J. (2001). Oculomotor mechanisms activated by imagery and memory:
16 Eye-movements to absent objects. *Psychological Research*, 65, 235-241.
- 17 Uzzaman, S., & Joordens, S. (2011). The eyes know what you are thinking: eye movements
18 as an objective measure of mind wandering. *Consciousness and cognition*, 20(4),
19 1882-1886.
- 20 Williams, S. E., Cumming, J., Ntoumanis, N., Nordin-Bates, S. M., Ramsey, R., & Hall, C.
21 (2012). Further validation and development of the movement imagery questionnaire.
22 *Journal of Sport & Exercise Psychology*, 34(5), 621–646
- 23 Wright, C. J., & Smith, D. (2009). The effect of PETTLEP imagery on strength performance.
24 *International Journal of Sport and Exercise Psychology*, 7(1), 18–31.
25 <https://doi.org/10.1080/1612197X.2009.9671890>

26

27

1 Figure 1. The SHAP task setup and the areas of interest (AOI) used for the gaze analysis. Showing the
2 task display for the free+visible and fixate-visible conditions (A) and the same display for the
3 free+non-visible condition (B). The + in the centre represents the fixation cross where all participants
4 was asked to fixate prior to commencing each condition

5

6 Figure 2. Eye-movement data showing the allocation of visual attention (% fixation time) in each task
7 across each imagery condition.

8

9 Figure 3. Baseline-referenced chronometric imagery performance scores for each imagery condition.
10 A positive score signifies a longer duration compared to baseline and a negative score signifies a
11 shorter time.

12

13

14

15

16

17

18

19

20

21

22

23

24

25



26

27





28

29


30



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



1