

LJMU Research Online

Ortega-Martorell, S, Pieroni, M, Johnston, BW, Olier, I and Welters, ID

Development of a Risk Prediction Model for New Episodes of Atrial Fibrillation in Medical-Surgical Critically III Patients Using the AmsterdamUMCdb

https://researchonline.ljmu.ac.uk/id/eprint/16860/

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Ortega-Martorell, S ORCID logoORCID: https://orcid.org/0000-0001-9927-3209, Pieroni, M, Johnston, BW, Olier, I and Welters, ID (2022) Development of a Risk Prediction Model for New Episodes of Atrial Fibrillation in Medical-Surgical Critically III Patients Using the AmsterdamUMCdb. Frontiers in

LJMU has developed LJMU Research Online for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.


For more information please contact researchonline@ljmu.ac.uk



Supplementary Material

1 Dynamic features conversion into tabular representations

Dynamic features such as heart rate were converted into tabular representations (Figure S1). For this, we first calculated the mean or the recorded events per hour (in case there were multiple records in one specific hour but not as many in another hour). Then, we calculated the mean of the hourly averages (the ones that were calculated previously).



Supplementary Figure 1. Example of how dynamic features such as heart rate were converted into tabular representations. Firstly, the mean was calculated per hour, and then the mean of the hourly averages was calculated. Top: The recorded heart rates of one of the patients during admission. Bottom: Details of the recorded heart rates in the selected 4 hours interval (zooming in the area marked with a red rectangle on the top plot), showing how the averages per hour were calculated.

2 List of variables included in the study

Table S1. List of variables included in the study and their level of missingness.

Variables	% missingness	
Location	0.3	
Jrgency	0.0	
Admission year group	0.0	
Gender	0.0	
Age group	0.0	
Weight group	3.3	
Height group	5.5	
Average ALAT	22.0	
Average Anion Gap	23.9	
Average APTT	6.0	
Average Breath Rate	6.2	
Average Ca Ion	23.8	
Average Calcium	12.7	
Average CK	15.7	
Average Creatinine	0.3	
Average CRP	12.9	
Average Diastolic Blood Pressure	5.8	
verage Glucose	0.1	
verage Hb	0.0	
Average Heart Rate	0.7	
Average Inspiration Min Volume	30.6	
Average Leucos	3.2	
verage Magnesium	8.4	
Average O2 concentration	22.7	
Average O2 L/min	14.9	
Average O2 saturation	0.1	
verage Systolic Blood Pressure	5.7	
Average Temperature	1.1	
Average Thrombo	0.2	
Average Urine CAD	5.5	
verage PEEP	26.3	

Average pH	1.3
Average Phosphate	11.4
Average PO2	1.5
Average Potassium	0.0
Average Prothrombin Time	5.7
Average ST segment	3.1

3 Comparison with outcome prediction scores

Table S2. Model performance comparisons as measured using the area under the ROC curve (AUC) for the established outcome prediction scores (APACHE II and SOFA) and our novel AF prediction model. Confidence intervals are included (in brackets).

	APACHE II	SOFA	Our model
Total cohort	0.746 (0.740-0.752)	0.712 (0.700-0.724)	0.836 (0.833-0.838)
Ventilated cohort	0.719 (0.712-0.725)	0.690 (0.684-0.697)	0.820 (0.818-0.823)
Non-ventilated cohort	0.825 (0.804-0.847)	0.766 (0.705-0.827)	0.912 (0.883-0.942)