

LJMU Research Online

Wilkinson, C

Towards painless and productive research relationships: Reflections on study design by a researcher with chronic pain for participants with chronic pain

http://researchonline.ljmu.ac.uk/id/eprint/25136/

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Wilkinson, C (2025) Towards painless and productive research relationships: Reflections on study design by a researcher with chronic pain for participants with chronic pain. Frontiers in Pain Research, 5.

LJMU has developed LJMU Research Online for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk



11

12

13

14

15

18

19

20

21

22

23

24

25

26

2.7

28

29

31

32

33

35

36

37

38

40 41

42

45

46

48

49

50

51

53

54

55

67

70

73

90 91

96

101

106



58 59 60

Q2

Q1

O3

77

83

111 112



OPEN ACCESS

EDITED BY

Line Caes,

University of Stirling, United Kingdom

REVIEWED BY

Emma Meehan.

Coventry University, United Kingdom Abbie Jordan,

University of Bath, United Kingdom

Angeline Traynor. University of Galway, Ireland

Catherine Wilkinson

Q4 🗵 c.wilkinson@ljmu.ac.uk

RECEIVED 17 June 2024 ACCEPTED 22 November 2024 PUBLISHED XX XX 2024

Wilkinson C (2024) Towards painless and productive research relationships: reflections on study design by a researcher with chronic pain for participants with chronic pain. Front. Pain Res. 5:1450667 doi: 10.3389/fpain 2024 1450667

COPYRIGHT

© 2024 Wilkinson. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use. distribution or reproduction is permitted which does not comply with these terms.

Towards painless and productive research relationships: reflections on study design by a researcher with chronic pain for participants with chronic pain

Catherine Wilkinson*

School of Education, Liverpool John Moores University, Liverpool, United Kingdom

Building flexibility into the research design of a study allows for responsiveness to the embodied and fluctuating nature of participants' chronic illnesses, which may be shaped, for instance, by flare-ups and periods of remission of acute pain. Whilst the methodology literature has, to some extent, considered how to accommodate the pain of research participants when designing a study, consideration of how methodological choices are responsive to the researcher's pain needs has not to date been foregrounded. From the perspective of a researcher with Ankylosing Spondylitis (AS), a form of inflammatory arthritis characterized by chronic pain, and Crohn's disease, a type of inflammatory bowel disease, characterized by stomach and joint pain, this paper provides insight into pain and researcher-participant relationships, from the perspective of a researcher in pain, designing a study to accommodate her own pain needs, as well as anticipating the needs of prospective participants in pain. This paper proposes the use of flexible, remote, and asynchronous research methods as ways to make studies inclusive for researchers living with pain, whilst fostering the most fruitful research relationships with participants who also live with pain, thereby moving towards a position of shared vulnerability. It also highlights the relative absence of the researcher's needs and possible vulnerability in ethics forms and considered by research ethics committees, in comparison to the needs and vulnerability of participants.

ankylosing spondylitis, Crohn's disease, ethics, pain, participant, research relationships, researcher

1 Introduction

In academic studies considering how to design and undertake research studies in order to produce the most fruitful researcher-participant relationship, it is the participants' needs that are often articulated and catered to. For instance, ensuring the participants feel comfortable in a location where interviews are to be conducted (1), and catering to Q7 participants regarding timings of study visits and interview lengths (2). But there has been very limited consideration of, or at least articulation of in published materials, designing research studies to meet the researcher's needs which, as I argue with this paper, are also important. This lack of acknowledgement in published literature also maps onto institutional ethics forms which are heavily concerned with a proposed

study being appropriate (i.e., non-burdensome) for research participants, with many questions asked to ensure the study design is ethically sound in line with the participant's assumed vulnerability (3), yet with limited questioning to determine the appropriateness of the study design from the researcher's perspective. Further, whilst institutional ethics may be concerned with protecting the researcher from harm that may come with lone working when undertaking interviews (4), or from distress caused by an emotional research topic (5), there is little to no consideration of the researcher's physical health needs and how a study has been designed to meet these needs, which may be particularly important for researchers with a chronic illness or disability.

This paper is written from the perspective of a researcher living with two chronic illnesses: AS, a form of inflammatory arthritis characterized by chronic pain, and Crohn's disease, a type of inflammatory bowel disease, characterized by stomach and joint pain. It provides insight into pain and researcher-participant relationships from the perspective of a researcher in pain, designing a study "Inflammatory Bowel Disease (IBD), School and Me: An Exploration of the Emotional, Embodied and Affective Experiences of Everyday School Life for Children with Crohn's Disease and Ulcerative Colitis" to accommodate my own pain needs, as well as anticipating the needs of prospective participants in pain. This paper has two key premises. It proposes the use of flexible, remote, and asynchronous research (an approach in which the respondent records their response on their own time - within a given time frame) as a way to make studies inclusive for researchers living with pain, whilst fostering the most fruitful research relationships with participants who also live with pain. It also highlights the relative absence of the researcher's needs and possible vulnerability in ethics forms and considered by research ethics committees, in comparison to the needs and vulnerability of participants.

This paper is structured as follows. I will first provide more insight into the nature and context of the proposed study, and will outline also my positionality in relation to this study. Then, I provide an insight into key debates concerning research relationships and the different framings of researcher-participant relationships, before moving on to review studies concerned with researching when disabled or chronically ill. The paper then explores the decisions I made surrounding the research design and methods of data collection in the study referred to herein as "IBD, School and Me" to accommodate both my own pain, and the anticipated pain needs of prospective research participants, in order to foster the most productive research relationships. Moving towards a position of shared vulnerability, this paper concludes by calling for a centering of the researcher, alongside the participant, both in study design and research ethics.

1.1 The nature and context of the proposed study

The aim of the research study on which this paper is based "IBD, School and Me" is to provide insight into the emotional,

embodied and affective experiences of everyday school life for children with IBD, specifically Crohn's Disease and Ulcerative Colitis. This study will seek to recruit up to 20 school children and young people (aged 5–16 years) with IBD as participants.

The following research questions were developed to guide the study:

- 1. How do children and young people with IBD use and experience spaces at school?
- 2. How do children and young people with IBD manage their bodies and identities in the school setting?
- 3. In what ways are creative, cathartic and care-full methods beneficial in exploring everyday school life for children and young people with IBD?

Crohn's and Colitis can cause severe stomach pain, an urgent need to use the toilet, diarrhea (with or without bleeding), joint pain, extreme tiredness, nausea, loss of appetite. Some children with IBD may also have delayed growth, weight loss, eye problems, mouth ulcers and anemia (6). IBD symptoms can fluctuate between periods of remission and acute flare-ups (7). Owing to the range of symptoms experienced, the school environment poses some significant challenges to children with Crohn's or Colitis, including but not limited to: urgency to use the toilet, anxiety around eating school dinners or packed lunches, taking medication amongst peers, and long school days and the associated fatigue (8). Whilst important, existing research into IBD and school has not focused on the emotional, embodied and affective experiences of IBD in this setting. This is an important neglect that the proposed study aims to address, because improving children and young people's relationships with space, place and their bodies in the school setting has the potential to improve their attendance and thus their academic achievement long-term.

1.2 Positionality

I have AS, an autoimmune condition and type of inflammatory arthritis characterized by chronic pain. Whilst the symptoms of AS can vary from person to person, I experience severe spinal pain (including neck pain), lower back pain and stiffness, and also peripheral joint pain, including hip, knee, and elbow. With the peripheral joint pain, I experience pain and swelling caused by inflammation where a tendon joins a bone. Accompanying the pain is also fatigue. It took four years of persistent doctors' appointments, physiotherapy, and Accident and Emergency hospital visits before I was finally diagnosed with AS following a human leukocyte antigen B27 blood test and magnetic resonance imaging scan in 2019. I also have Crohn's disease, sharing this health condition with some of the potential research participants in the proposed study. I was diagnosed in 2023 yet had experienced symptoms (frequent loose stools, weight loss, abdominal pain and fatigue) for around a year prior to diagnosis, and was diagnosed following two colonoscopies, which found a stricture in the terminal ileum. As well as the key bowel symptoms, I also experience pain in the joints in my back, hands, feet, arms and legs, as well as stomach pain. Whilst I am currently receiving biologic treatment which helps to control some of the everyday symptoms for both my AS and Crohn's, I still experience frequent painful flare-ups. Since I draw on my own personal situation, first person has been used in instances throughout this paper to allow the centering of myself as the researcher, something I claim is necessary in wider research practice.

2 Research relationships

Research of any variety pulls the researcher into relationships; these relationships shape the setting in which emotions are expressed or suppressed (9). A researcher holds various

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248249

250

251

252

253

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

277

278

279

280

Research of any variety pulls the researcher into relationships; these relationships shape the setting in which emotions are expressed or suppressed (9). A researcher holds various relationships with multiple groups, including their institution and their research participants (10). The researcher-participant relationship, the focus of this paper, has been conceptualized in numerous ways, by different scholars across diverse disciplines. One recurring debate is centered on power relations, with many researchers acknowledging the asymmetry of power between participant and researcher, where the researcher is often thought to be dominant and the participant positioned as vulnerable (10). Many studies have discussed attempts by researchers to minimize the power differentials; for instance, through the way researchers dress when undertaking interviews (12), through the settings they choose to undertake their interviews in, particularly in research with children where certain spaces can be skewed towards adult power and authority (1), and through the manner in which they pose interview questions, for instance asking questions in a friendly conversational tone, promoting a two-way exchange, as opposed to a stringent question and answer structure (13).

Writing about producing knowledge with care, Sander (14) discusses the importance of building mutually caring researcherparticipant relationships, with specific reference to Gilligan's (15) ethics of care theory. According to Gilligan (15), there are two ways of thinking ethically. The first connects to the ethics of justice and rights and emphasizes what is right, good and just. The second relies on the ethics of care and focuses on maintaining healthy relationships and on questions of what is needed, when, where and by whom to do so. Butcher (16) likewise discusses emotionally engaged approaches when researching with vulnerable participants, taking consideration the researcher's positionality, personal experience and proximity to the field. These studies do not, however, consider how relationships with participants may be developed from the choice of methods a researcher selects at the point of designing their study. Certain research, namely fieldwork (17), ethnographic research (18) and participatory research (19) involves prolonged and often personal interaction between the researcher and participants, and in research of this nature, more intimate relationships are more likely to be formed. Much literature has focused on how to foster the most productive research relationships, recognizing that research relationships can be friendly, professional, or somewhere in between. For instance, some argue that intimacy between researcher and participants can lead to long-term genuine friendships, whilst other researchers have concluded they were "not, and could not, be friends" with their participants [see Wilkinson and Wilkinson (12), p. 4, see also Blackman (20)]. Sometimes the line between participant and friend becomes blurred, causing the researcher to step back and reflect on the nature of this relationship (21), and even to take stock of whether a participant is indeed telling them a piece of information as a researcher or a friend [see Wilkinson (22)]. Kraft et al. (23) discuss bridging the researcher-participant gap to build effective research relationships, with a focus on processes of introducing a study to potential participants and gaining their consent. However, whilst important, this commentary does not consider the decisions made by the research team that precede the design of study materials, for instance concerning research design, and how these may help to bridge the researcher-participant gap.

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

298

300

301

302

303

304

305 306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

333

334

335

336

2.1 Researching when disabled/chronically ill

So often, the default assumption is that disabled or chronically ill people will only be involved in research as participants, or worse still, as disempowered subjects. In these papers there often appears to be a significant gap in the relationship between the omnipotent "well" researcher and the vulnerable "unwell" participant. There is important work underway as part of the Disability Matters study (24). Asking "What kinds of research methodologies represent disabled people and their health priorities?" this project will produce a critical interdisciplinary literature review assessing the use of research methodologies undertaken previously on disability and health. Findings from this review will feed into online methodology workshops undertaken with disabled researchers. Until this literature review is published, it is difficult to locate work whereby researchers centre their own illnesses and disabilities when undertaking empirical research.

Some work located includes Ciotti's (25) autoethnographic research. Ciotti (25) utilizes reflexivity as a method to explore their experience of Lyme disease while holding co-occurring identities as a health professional, mother, and researcher investigating the embodied experience of being a Lyme disease patient. The author moves towards a position of shared vulnerability with her participants, disclosing that she too has a chronic illness. Ciotti (25) reflects on how her insider membership may result in greater candor between some research participant(s) and herself as the researcher, leading to richer data collection. Ciotti (25) encourages other health researchers to engage in ongoing reflexive practice, recognizing the value that

¹For an exception, I refer the reader to Bashir (11) who discusses researcher encounters that unfold in such a way that the researcher becomes the "vulnerable", fearful of being on unfamiliar territory, anxious about the unpredictability of participants; and feelings of being powerless to help.

her perspective as both researcher and patient offers to experiences of chronic illness. Whilst only a temporary condition, discussing researching with a broken arm, Ho (26, p. 78) discusses "finding sisterhood" with participants in her study. For Ho (26), her broken arm highlighted her vulnerability as a researcher and opened doorways to navigate different research methods, documentation and presentation of lived experiences. Ho (26, p. 80) believes her broken arm allowed for "identification through injury", and served as an invitation for participants to share their vulnerabilities in their everyday Methodologically, she considers autobiography through documentary films as one way of validating suffering and aestheticizing pain through the sharing of experiences.

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

Existing work on go-along interviews (interviews where the researcher accompanies a participant on the move through the environment) has reflected on the challenges of undertaking this method of data collection as a disabled researcher (27-29). Most recently, Larrington-Spencer et al. (29, p. 1) discuss go-along interviews as "emotionally, cognitively and physically demanding". The authors emphasize the importance of care in go-along interviews, noting that these interviews can be both physically and cognitively tiring. They argue that that care has been largely neglected in previous research on this method, particularly the relational aspects of care, such as the well-being of the researcher. Importantly, the authors report that one of the researchers, Harrie, found it difficult to balance her enteric feeding regime with the anticipated amount of walking, which totaled more than 200 miles between the research team over the course of the interviews. Further, Harrie, reflects on how a participant gave her a bottle of water, which she refers to as an act of care stemming from a "mutual disability solidarity" (29, p. 15). Through the framing of "care-full encounters", the authors highlight the important role of reciprocity, solidarity and mutual understanding.

Further, promoting thinking beyond the participant-research division, Komorowska-Mach, Zieliński, and Wojdat (3) centre the experiences of academic co-author Konrad, writing about cocreating ethical relationships through care and rapport. The authors write specifically about post-laryngectomy (larynx removal) communication. Konrad, like participants in his study, is also a person living without a larynx, and experiences disturbed ability to produce speech, and other anatomical changes related to breathing and eating. Konrad firmly rejects the label "vulnerable" and claims that many participants would not feel respected if they were considered in that way. The authors note that from the methodological point of view, the project underwent important changes, yet attribute this to findings from initial data collected as opposed to Konrad's insight. The authors do however tell that, through Konrad's insight into this supposedly vulnerable population, their thinking shifted from a somewhat stereotypical treatment of both the research group and the researcher-participant relationship to an emphasis on building relationships founded on mutual care and rapport. The authors found that this revised perspective fostered ethical collaboration that is beneficial for all parties involved. Whilst the papers discussed here center the researcher's injury, illness or disability, they do not reflect specifically on the pain needs of the researcher. It is this gap that the proposed study aims to fill. This paper now turns to outline the proposed study design.

394

395

396

397

398

399

400

401

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

3 The proposed study design

Most studies focused on IBD and school have adopted a quantitative methodology, using tools such as surveys to determine school attendance rates (30) and academic performance (31, 32). When research has adopted a qualitative methodology, this has typically been via traditional research methods such as interviews [e.g., (33) who undertakes individual interviews to explore the school experiences of children with IBD]. Gordon's (33) study highlights the value in seeking the first-hand perspectives of children with IBD about their school experiences. An exception to this is a study exploring friendships and IBD (34, 35). In this study, face-to-face interviews, friendship maps, and photographs were used within a participatory framework to explore whether young people tell or do not tell friends about their IBD, and how friendships form or fail. The authors reflect on how they developed a sensitively and carefully prepared topic guide with guidance from young people, the literature, and researcher experience and in collaboration with experts from clinical practice, owing to the sensitivity of the topic.

Recognizing the relative lack of qualitative research undertaken into the school experiences of children and young people with Crohn's and Colitis, the proposed project will employ a qualitative methodology. Specifically, this methodology will be creative, cathartic and care-full. Creative cathartic methodologies is a term used by Madge (36) in her study of living through, with and on from breast cancer. Madge (36, p. 207) argues that employing a creative cathartic methodology can prompt an "opening into learning" that provokes emotional enquiries about what it means to be taught by the experience of others. I extend this term to include the notion of "care-full" research. Care-full qualitative research is a term used by Budworth (37), drawing on the feminist ethics of care literature, to promote a flexible response to the complex lives of research participants with chronic illness, also reducing ableist and exclusionary research encounters. Creative, cathartic and care-full methods are of value as they allow for responsiveness to the embodied and fluctuating nature of participants' chronic illnesses (37), which may be shaped, for instance, by flare-ups and periods of remission of acute pain.

Flexible research approaches have been utilized by Crip² Theorists and Critical Disability Scholars (37). Such methods prioritize the "comfortabilities and capacities" of chronically ill

²The term "cripple" has historically been used to arouse pity or disdain for a disabled figure. Crip is a reclaimed term which has been used as a marker of proud identification, resisting attempts to diminish or devalue disability or disabled people (38).

participants (37, p. 1). For instance, children with IBD may be concerned about locating the nearest toilet if research is conducted at an unfamiliar venue. Further, if face-to-face workshops were held, for instance, children who are on biologic or steroid treatment for their IBD and are immuno-compromized may be put at unnecessary risk of infection. However, whilst not acknowledged in any research I have come across, these things matter for the researcher too – for instance, I too would have concerns about where to locate the nearest toilet if researching at a venue I was unfamiliar with, and I too am on biologic treatment and therefore at greater risk of infection.

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

Sander (14) raises a valuable point that while traditional qualitative methodologies aim to minimize the distance between the researcher and participants, they presume that they belong to two different worlds. In my research, the participants and I exist in some ways in the same world, living with the same chronic illness and managing similar symptoms, including those related pain. Many researchers [e.g., (39-41)] have posed methodological considerations when researching illness and injury, including those characterized by pain. Literature has focused on how to design studies to accommodate the participant's pain (42) and to reduce the burden of participation for chronically ill participants (43). Informed by my own personal lived experience supported by academic literature, and also shaped by feedback from Public and Patient Involvement and Engagement (PPIE) feedback from children and young people with a bowel condition (n = 4) and parents of a child or young person with a bowel condition (n = 4), the final informed study design for "IBD, School and Me" is detailed below. It is important to note that data collection has not yet taken place, and thus there may be new learning, accommodations and adaptations to these methods that would be useful to reflect on in the future.

3.1 Remote virtual interviews

Remote methods cover a broad range of methods and include videoconferencing interviews, referred to herein as virtual interviews. Videoconferencing as a research platform for conducting interviews has been praised for its flexibility, convenience and authenticity (44). Whilst reported limitations of remote methods include a failure to capture nonverbal cues of the wider body (beyond facial expression), and a greater risk of participant no 'shows' [see Khan and MacEachen (45)], I argue that the benefits outweigh the limitations, particularly when considering that remote methods have been recognized as supportive of what is referred to as "Crip Time" (46, p. 27). Crip Time acknowledges the need for extra time when living as a disabled person, whilst also highlighting the importance of flexible time to meet the needs of the body, as opposed to forcing the body to fit normative clocks and practices (47). This connects to Miserandino's (48) Spoon Theory which promotes the limited number of spoons (energy) available each day to chronically ill people, which are used when completing everyday mundane tasks, such as taking a shower, getting dressed,

preparing food etc. Considering the limited number of spoons a chronically ill person may have, it would be unfair to expect them to participate in research which may deplete these spoons needlessly. For instance, it would not be acceptable to hold an interview in a city center venue which requires a participant, or indeed the researcher, to take multiple modes of transport to access a venue, when the same interview could be held virtually and attended from the comfort of their home.

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

535

536

537 538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

In the "IBD, School and Me" study, remote interviews will be undertaken via Microsoft Teams with children and young people with IBD, accompanied by a parent/carer for those under the age of sixteen. Remote interviews prioritize, as discussed above, the "comfortabilities and capacities" (37:1) of both the participant and the researcher IBD. Many virtual interviews have employed additional approaches or techniques within the interviews to effectively gather data with the identified participant group, for instance Carter et al. (49) used photo-elicitation within remote videoconferencing interviews with young adults with chronic pain. Within the remote interviews in the proposed study, a Persona Doll approach will be utilised to explore the everyday school lives of the younger children with IBD³. Ground rules will be outlined at the beginning of the interview to note that both participants and the researcher will have the option to pause the interview at any time for a break. Discussing the potential use of virtual interviews with the PPIE group of children and young people with a bowel condition and parents of a child or young person with a bowel condition helped to shape the use of this method. For instance, suggestions included allowing use of the chat function to type either all or some responses, including those a participant may feel more embarrassed to share verbally, and permitting participants to turn the camera off, again either for the full duration of the interview, or for responses a participant may feel more embarrassed to share.

3.2 Participant diaries

One burgeoning area of research interest, partly stemming from the Covid-19 pandemic and restrictions put in place to face-to-face research, concerns asynchronous methods including internet meditated focus groups (51, 52) and email interviews (53). However, not all asynchronous research approaches have to be virtual/electronic. Asynchronous research is a simply an approach in which the respondent records their response on their own time, within a specified time frame. Benefits of this approach for participants with pain include having no pressure to participate in a research study at a pre-determined time and date, when their pain may not allow for this on the day itself.

³Persona Dolls are fabric dolls that are used as part of a specific approach (The Persona Doll approach) to encourage inclusion and to challenge inequality and discrimination. I am trained in the Persona Doll approach by Persona Doll UK [see Wilkinson and Wilkinson (50)].

Reflecting on the use of asynchronous focus groups for researching culturally sensitive issues, MacNamara et al. (51) recognize that asynchronous focus groups allow participants to provide responses at a time and pace that is conducive to their own needs. They conclude that this research approach provides participants with a safe space, more time, and to contribute at their own pace to a research study. These features – safety, time and pace – are important features of a research space not only for participants, but also for a researcher living with pain.

561

562

563

564

565

566

567

569

570

571

572

573

574

575

576

578

580

581

582

583

584

585

586

587

588

589

590

591 592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

In the IBD, School and Me study, participant diaries will be used as an asynchronous research tool, recognizing its value in the terms MacNamara et al. (51) has discussed above. Feedback from the PPIE group of children and young people with a bowel condition and parents of a child or young person with a bowel condition provided insight into the familiarity of keeping a diary for many children and young people with IBD, for instance food diaries, tracking symptoms and recording of possible medication side effects. The participant diary will allow for what I term nocturnal research participation. Many people with chronic pain experience pain which interrupts their sleep. "Painsomnia" is a term created by patients to describe difficulty falling or staying asleep due to chronic pain. A participant diary would enable a participant who could not sleep due to their pain, or was awoken due to their pain to participate in research in this time, should they wish and feel able to. This is in contrast to some other research which tends to take place during the researcher's own working day (mostly 9am-5pm). It should be noted, however, that since the Covid-19 pandemic, academics are increasingly working outside of the traditional "9-5" work day (54), with many Higher Education institutions placing emphasis on flexible working and compressed hours working, and therefore this 9-5 model of research participation is arguably no longer truly reflective of academic working practices, and research practices should be too be flexible.

Solicited diaries have been used in previous research to access everyday experiences (55, 56). The usefulness of diaries as a methodological tool is attributed to their ability to facilitate access to emotional spaces and situations (55) and for eliciting the "felt, touched and embodied constitution of knowledge" (57, p. 501). Beneficially, the solicited diary is a portable method (58), and therefore can engage with a variety of spaces. Whilst much literature incorporating the use of diaries as a research method have reflected on their benefits to the research study, as noted above, there has been scarce reflections on the benefits for this approach for the researcher. For instance, as a researcher living with pain, the participant diary is a relatively "hands-off" research method, in the sense that beyond handing the diary out and collecting it in at the end of the data collection period, and some "checking in" communication throughout the duration of completing the diary (which can be done via telephone or email communication), there are no further physical demands on the researcher's body, giving it time to rest and recuperate. This makes it an appropriate method for a researcher living with pain, in contrast, for instance travelling to scheduled in-person interviews or coordinating focus groups.

4 Conclusion: towards painless and productive research relationships

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

This paper has provided insight into pain and relationships from the perspective of a researcher with chronic pain designing a research study for participants with chronic pain. In a move towards shared vulnerability, I have explored the decisions I made surrounding research design, ensuring this was creative, cathartic and care-full, and the chosen methods of data collection (virtual interviews and participant diaries) to accommodate both my own pain, and the anticipated pain experienced by the research participants, to foster the most productive and inclusive research relationships. These methods were recognized as flexible, being able to take place in a safe space (likely in the researcher and participants own homes or another location identified as safe) and being able to be undertaken at the participant's own pace, which is undoubtedly beneficial for a participant who is living with pain. However, these methods were also recognized as being appropriate for a researcher living with pain - for instance, the virtual interviews meant that there was no over-exertion caused by travelling to venues when in pain. Further benefits for myself living with multiple chronic illnesses include the removal of anxiety that comes with searching for toilets in a public space, or no additional threat of illness to an immunocompromised body. Further, the diary method was recognized as a "hands-off" method, requiring little physical intervention from the researcher, therefore allowing for rest and recuperation when living with pain.

However, more than this, through this paper I have reflected on how there is, understandably, a centering of participant's needs during the design of a research study, with institutional ethics forms and the respective research ethics committees concerned about how a proposed study is appropriate for the proposed participants. Whilst not denying the importance of this, this paper has argued that the researcher's needs must be center-stage too. Whilst there is some existing evidence of this in relation to keeping researchers safe (e.g., questions around lone working), and concerns around minimizing distress to the researcher when researching a sensitive subject, the physical impact of undertaking research for the researcher and the demands on the researcher's body have not been given due attention. This paper recommends that institutional ethics committees and protocols, guidance and frameworks for research ethics issued by funders and other field and disciplinary organizations, need to widen their focus to give due attention to ethical issues related to study design from the researcher's perspective, as well as that of the participant, believing that this will help to foster the most productive and inclusive researcher-participant relationships. For instance, including prompts in ethics applications to justify if the proposed methods have been chosen to allow for reasonable adjustments for the researcher, for instance. As such, this article offers an important shift in thinking which will allow research to be undertaken in ways that are mutually supportive of participants and researchers. Indeed, attending to the researchers needs may also be relevant for those managing other health and wider conditions including neurodiversity, mental illness, and pregnancy. I therefore end this paper with a call for other researchers to center themselves, alongside their participants, in study design and research ethics in a move towards shared vulnerability.

Data availability statement

The original contributions presented in the study are included in the article/Supplementary Material, further inquiries can be directed to the corresponding author.

Q11 Author contributions

CW: Conceptualization, Methodology, Writing – original draft, Writing – review & editing.

Funding

The author declares that no financial support was received for the research, authorship, and/or publication of this article.

Q14 References

- 1. Jones K. "It's well good sitting in the storecupboard just talking about what we do": considering the spaces/places of research within children's geographies. *Child Geogr.* (2008) 6(3):327–32. doi: 10.1080/14733280802184047
- 2. Brayda WC, Boyce TD. So you really want to interview me?: navigating "sensitive" qualitative research interviewing. *Int J Qual Methods*. (2014) 13(1):318–34. doi: 10. 1177/160940691401300115
- 3. Komorowska-Mach J, Wojdat A, Zieliński K. Beyond the participant-researcher division: co-creating ethical relationships through care and rapport in studies of post-laryngectomy communication. *Diametros.* (2024) 21(80):23–37.
- 4. Parker N, O'Reilly M. "We are alone in the house": a case study addressing researcher safety and risk. *Qual Res Psychol.* (2013) 10(4):341–54. doi: 10.1080/14780887.2011.647261
- 5. Nguyen M, Goldsamt L, Mazibuko N, Zondo S, Fielding-Miller R. Emotional distress among frontline research staff. *Soc Sci Med.* (2021) 281:114101. doi: 10. 1016/j.socscimed.2021.114101
- 6. CICRA. What is IBD? (2023). Available online at: https://www.cicra.org/what-is-ibd/crohns-disease/ (accessed October 18, 2023).
- 7. Crohn's and Colitis UK. Understanding Crohn's and Colitis (2023). Available online at: https://crohnsandcolitis.org.uk/info-support/information-about-crohns-and-colitis/all-information-about-crohns-and-colitis/crohns-disease (accessed October 18, 2023).
- 8. Crohn's and Colitis UK. Children and Young People with IBD: A guide for schools (2017). Available online at: https://www.saffronvalleycollegiate.co.uk/_site/data/files/documents/springboard/teachers/AF0BA88272E35AF289F4013E21672C34. pdf (accessed November 04, 2023).
- 9. Bondi L. The place of emotions in research: from partitioning emotion and reason to the emotional dynamics of research relationships. In: Davidson J, Bondi L, Smith M, editors. *Emotional Geographies*. Aldershot: Ashgate Publishing Limited (2005). p. 231–46.
- 10. Oyinloye B. Reimagining the researcher-participant ethics relationship: a participant-centred, values-based ethics approach in comparative and international education. *Compare*. (2023):1–15.
- 11. Bashir N. The qualitative researcher: the flip side of the research encounter with vulnerable people. $\it Qual~Res.~(2020)~20(5):667-83.~doi: 10.1177/1468794119884805$
- 12. Wilkinson S, Wilkinson C. The role of positionality in research "gone wrong": critical reflections on research involving young people. *Child Geogr.* (2023):1–7.
- 13. Longhurst R. Semi-structured interviews and focus groups. In: Clifford NJ, Valentine G, editors. *Key Methods in Geography*. London: Sage Publications (2003). p. 117–32.
- 14. Sander A. Producing knowledge with care. Building mutually caring researcher-research participants relationships. *Femina Politica*. (2021) 30(1):70–81. doi: 10.3224/feminapolitica.v30i1.07
- 15. Gilligan C. In a Different Voice: Psychological Theory and Women's Development. Cambridge: Harvard University Press (1983).

Conflict of interest

The author declares that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

- 16. Butcher. Qualitative research methods I: emotionally engaged approaches to working with vulnerable participants. *Prog Hum Geogr.* (2022) 46(3):907–14. doi: 10.1177/03091325221083212
- 17. Franco P, Yang Y. Exiting fieldwork "with grace": reflections on the unintended consequences of participant observation and researcher-participant relationships. *Qual Mark Res.* (2021) 24(3):358–74. doi: 10.1108/QMR-07-2020-0094
- 18. Anderson C, Henry M. "Listen and let it flow": a researcher and participant reflect on the qualitative research experience. *Qual Rep.* (2020) 25(5).
- 19. Wilkinson C, Wilkinson S. Principles of participatory research. In: Coyne I, Carter B, editors. Being Participatory: Researching with Children and Young People—Co-constructing Knowledge Using Creative, Digital and Innovative Techniques. Switzerland: Springer (2024).
- 20. Blackman SJ. "Hidden ethnography": crossing emotional borders in qualitative accounts of young people's lives. *Sociology.* (2007) 41(4):699–716. doi: 10.1177/0038038507078925
- 21. Hall SM. "Private life" and "work life": difficulties and dilemmas when making and maintaining friendships with ethnographic participants. Area. (2009) 41 (3):263–72. doi: 10.1111/j.1475-4762.2009.00880.x
- 22. Wilkinson C. Case 3.2 are you telling me this as a researcher or a friend? Ethical issues for a UK doctoral researcher. In: Banks S, Brydon-Miller M, editors. Ethics in Participatory Research for Health and Social Well-Being. Oxon: Routledge (2018). p. 66–7.
- 23. Kraft SA, Duenas DM, Lewis H, Shah SK. Bridging the researcher-participant gap: a research agenda to build effective research relationships. *Am J Bioeth.* (2020) 20(5):31–3. doi: 10.1080/15265161.2020.1745936
- 24. The University of Sheffield. Methodologies: What kind of research methodologies represent disabled people and their health priorities. (2024). Available online at: https://www.sheffield.ac.uk/ihuman/disability-matters/methodologies (accessed September 2, 2024).
- 25. Ciotti S. "I get it, I'm sick too": an autoethnographic study of one researcher/practitioner/patient with chronic illness. *Qual Health Res.* (2023) 33(14):1305–21. doi: 10.1177/10497323231201027
- 26. Ho PSY. Researching with a broken arm: finding sisterhood in injury. *Sexualities*. (2013) 16(1–2):78–93.
- 27. Andrews J. Wheeling uphill? Reflections of practical and methodological difficulties encountered in researching the experiences of disabled volunteers. *Disabil Soc.* (2005) 20(2):201–12. doi: 10.1080/09687590500059341
- 28. Parent L. The wheeling interview: mobile methods and disability. *Mobilities*. (2016) 11(4):521–32. doi: 10.1080/17450101.2016.1211820
- 29. Larrington-Spencer H, Verlinghieri E, Lawlor E, Aldred R. Troubling go-alongs through the lens of care. Qual Res. (2024):1-21.
- 30. Mackner LM, Bickmeier RM, Crandall WV. Academic achievement, attendance, and school-related quality of life in pediatric inflammatory bowel disease. *J Dev Behav Pediatr.* (2012) 33(2):106–11. doi: 10.1097/DBP.0b013e318240cf68

8 766

31. Singh H, Nugent Z, Brownell M, Targownik LE, Roos LL, Bernstein CN. Academic performance among children with inflammatory bowel disease: a population-based study. *J Pediatr*. (2015) 166(5):1128–33. doi: 10.1016/j.jpeds.2014. 12.010

- 32. Malmborg P, Mouratidou N, Sachs MC, Hammar U, Khalili H, Neovius M, et al. Effects of childhood-onset inflammatory bowel disease on school performance: a nationwide population-based cohort study using Swedish health and educational registers. *Inflamm Bowel Dis.* (2019) 25(10):1663–73. doi: 10.1093/ibd/izz040
- 33. Gordon M. The school experiences of children with inflammatory bowel disease. In: Challenges Surrounding the Education of Children with Chronic Diseases. IGI Q10 Global (2015). p. 1–11.
 - 34. Carter B, Rouncefield-Swales A, Bray L, Blake L, Allen S, Probert C, et al. I don't like to make a big thing out of it"; factors affecting whether young people tell or do not tell their friends about their IBD. *Int J Chronic Dis.* (2020) 11.
 - 35. Rouncefield-Swales A, Carter B, Bray L, Blake L, Allen S, Probert C, et al. Sustaining, forming, and letting go of friendships for young people with inflammatory bowel disease (IBD): a qualitative interview-based study. *Int J Chronic Dis.* (2020) 1.
 - 36. Madge C. Living through, living with and living on from breast cancer in the UK: creative cathartic methodologies, cancerous spaces and a politics of compassion. *Soc Cult Geogr.* (2016) 17(2):207–32. doi: 10.1080/14649365.2014.990498
 - 37. Budworth P. Care, comfort, and capacity: the importance of being flexible in research with disabled and chronically ill people. SSM Qual Res Health. (2023):100352. doi: 10.1016/j.ssmqr.2023.100352
 - 38. McRuer R, Cassabaum E. Crip Theory. Oxford Bibliographies (2021). Available online at: https://www.oxfordbibliographies.com/display/document/obo-9780190221911/obo-9780190221911-0109.xml (accessed June 4, 2024).
 - 39. Morse JM. Researching illness and injury: methodological considerations. $Qual\ Health\ Res.\ (2000)\ 10(4):538-46.$ doi: 10.1177/104973200129118624
 - 40. Maes B, Nijs S, Vandesande S, Van Keer I, Arthur-Kelly M, Dind J, et al. Looking back, looking forward: methodological challenges and future directions in research on persons with profound intellectual and multiple disabilities. *J Appl Res Intellect Disabil.* (2021) 34(1):250–62. doi: 10.1111/jar.12803
 - 41. Winfield TP. Vulnerable research: competencies for trauma and justice-informed ethnography. *J Contemp Ethnogr*. (2022) 51(2):135–70. doi: 10.1177/08912416211017254
 - 42. Birnie KA, Noel M, Chambers CT, von Baeyer CL, Fernandez CV. The cold pressor task: is it an ethically acceptable pain research method in children? *J Pediatr Psychol.* (2011) 36(10):1071–81. doi: 10.1093/jpepsy/jsq092
 - 43. Barned C, Dobson J, Stintzi A, Mack D, O'Doherty KC. Children's perspectives on the benefits and burdens of research participation. *AJOB Empir Bioeth.* (2018) 9 (1):19–28. doi: 10.1080/23294515.2018.1430709

44. Janghorban R, Roudsari RL, Taghipour A. Skype interviewing: the new generation of online synchronous interview in qualitative research. *Int J Qual Stud Health Well-being*. (2014) 9(1):24152. doi: 10.3402/qhw.v9.24152

- 45. Khan TH, MacEachen E. An alternative method of interviewing: critical reflections on videoconference interviews for qualitative data collection. *Int J Qual Methods.* (2022) 21.
- 46. Kafer A. Feminist, Queer, Crip. Bloomington: Indiana University Press (2013).
- 47. Evans B, Allam A, Bê A, Hale C, Rose M, Ruddock A. Being left behind beyond recovery: "crip time" and chronic illness in neoliberal academia. *Soc Cult Geogr.* (2024):1–21. doi: 10.1080/14649365.2024.2410262
- 48. Miserandino's. The Spoon Theory. (2003). Available online at: https://balanceanddizziness.org/pdf/TheSpoonTheory.pdf (accessed November 9, 2023).
- 49. Carter B, Jordan A, Forgeron P, Qualter P, Saron H. A shared love: reciprocity and hopefulness in romantic relationships of young adults with chronic pain. *Front Pain Res.* (2023) 4:1179516. doi: 10.3389/fpain.2023.1179516
- 50. Wilkinson C, Wilkinson S. Using persona dolls in research with children to combat the insider/outsider researcher status dilemma. *Child Geogr.* (2022) 20 (3):375–80. doi: 10.1080/14733285.2022.2051433
- 51. MacNamara N, Mackle D, Trew JD, Pierson C, Bloomer F. Reflecting on asynchronous internet mediated focus groups for researching culturally sensitive issues. *Int J Soc Res Methodol.* (2022) 24(5):553–65. doi: 10.1080/13645579.2020. 1857969
- 52. Hallam KF. Moving on from trials and errors: a discussion on the use of a forum as an online focus group in qualitative research. Int J Soc Res Methodol. (2022) 25 (4):429–39. doi: 10.1080/13645579.2021.1888402
- 53. Amri M, Angelakis C, Logan D. Utilizing asynchronous email interviews for health research: overview of benefits and drawbacks. *BMC Res Notes*. (2021) 14:1–5. doi: 10.1186/s13104-021-05547-2
- 54. Alsulami A, Mabrouk F, Bousrih J. Flexible working arrangements and social sustainability: study on women academics post-COVID-19. *Sustainability.* (2022) 15 (1):544. doi: 10.3390/su15010544
- 55. Morrison CA. Solicited diaries and the everyday geographies of heterosexual love and home: reflections on methodological process and practice. Area.~(2012)~44~(1):68-75.~doi:~10.1111/j.1475-4762.2011.01044.x
- 56. O'Donnell SC, Marshman Z, Zaitoun H. 'Surviving the sting': the use of solicited diaries in children and young people with oral mucosal disease. *Int J Paediatr Dentistry.* (2013) 23(5):352–8. doi: 10.1111/ipd.12028
- 57. Crang M. Qualitative methods: touchy, feely, look-see? Prog Hum Geogr. (2003) $27(4){:}494{-}504.$ doi: $10.1191/0309132503\mathrm{ph}445\mathrm{pr}$
- 58. Bijoux D, Myers J. Interviews, solicited diaries and photography: "new" ways of accessing everyday experiences of place. *Grad J Asia-Pac Stud.* (2006) 4(1):44–64.

Frontiers in Pain Research 08 frontiersin.org