



LJMU Research Online

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M

Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories

<http://researchonline.ljmu.ac.uk/id/eprint/166/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. TELEMEDICINE AND E-HEALTH, 19 (3). pp. 173-185. ISSN 1530-5627

LJMU has developed [LJMU Research Online](http://researchonline.ljmu.ac.uk/) for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

Monitoring and Reducing Sedentary Behaviour in the Elderly with the Aid of Human Digital Memories

Chelsea Dobbins¹, Paul Fergus¹, Gareth Stratton², Michael Rosenberg³, Madjid Merabti¹

¹*School of Computing & Mathematical Sciences
Liverpool John Moores University,
Byrom Street,
Liverpool L3 3AF,
United Kingdom
Email: C.M.Dobbins@2006.ljmu.ac.uk*

²*Sport and Health Portfolio,
942c, Talbot Building,
College of Engineering,
Swansea University,
Singleton Park,
Swansea,
SA2 8PP
United Kingdom
Email: g.stratton@swansea.ac.uk*

Telephone: +44(0)1792-606544

³*Health Promotion Evaluation Unit,
The University of Western Australia,
35 Stirling Highway,
Crawley WA 6009,
Australia
Email: michael.rosenberg@uwa.edu.au*

Monitoring and Reducing Sedentary Behaviour in the Elderly with the Aid of Human Digital Memories

Abstract

A healthy lifestyle has the ability to not only give you more energy and help you look and feel better but it also has the ability to help you live longer and prevent disease, such as obesity and pressure ulcers. This is particularly important for the elderly population, as a healthier lifestyle would enable independent living to occur, for a longer period of time. However, providing a direct link between increasing physical activity and positive health outcomes is a problem. The effect of leading an increasing sedentary lifestyle is also not evident straightaway. Effects of this behaviour often occur years and decades, as opposed to days or months. Therefore there is very little willingness to change, if instant results are not seen. There is a need to provide a mechanism, which is able to monitor an individual and provide a visual indication of their behaviour. It is envisioned that the area of human digital memories is capable of providing such a system. This paper explores how sedentary behaviour and journey information can be collected, from different environments, so that an illustration of a user's habits can be seen and changes can occur. A successful prototype has also been developed, which evaluates the applicability of the approach.

Keywords: Human Digital Memory, Life logging, Sedentary Behaviour, Sensor Networks, Monitoring, Sensors

1. Introduction

Sedentary behaviour is identified as a class of behaviours characterized primarily by sitting, with associated low levels of metabolic energy expenditure [1]. In other words, it relates to the amount of time we spend doing non-physical activities, such as sitting, lying down and watching TV. Whilst this behaviour doesn't seem particularly dangerous in our younger years, over a significant period time, it can attribute to excess weight gain and other diseases, such as metabolic disorders and memory loss [2]. As we get older and more accustomed to our routines, the evidence of this behaviour can be seen, albeit not straight away. These changes occur over decades, as opposed to being evident over a number of days, weeks or months. As the life expectancy of adults in Great Britain, and the USA, is increasing so is the occurrence of illness and disability [3], [4]. As a result, research into sedentary behaviour is growing rapidly. Early results have indicated an important correlation between various markers of sedentary behaviour and negative health outcomes [5].

As we reach our later years, a lifetime of bad habits is hard to change. As a result, the elderly are particularly at risk for developing such afflictions that are associated with this behaviour. In particular, one side-effect of being sedentary for too long is the development of pressure ulcers. Pressure ulcers are formed when sustained pressure is placed on a particular part of the body and interrupts the blood supply, eventually leading to infection [6]. As well as being extremely painful, pressure ulcers can cause severe social and financial consequences for individuals, health services and the community [7]. Extended hospital stays and/or extra nursing care is often needed, resulting in severely increasing the healing time and cost of care. Dealing with pressure ulcers is estimated to cost 4% of the total NHS expenditure (between £1.4 and £2.1 billion annually) [8]. In America, this figure is even higher, with the annual cost reaching \$11 billion [9]. However, in most cases they are preventable, with the correct amount of patient assessment and monitoring. Nevertheless, given that the workload placed on nurses, in the UK, has increased [10], dedicating a set amount of one-on-one time is not feasible. In a recent survey [10], it was revealed that 98% of UK nurses stated time constraints prevented them from spending as much time with individuals as they thought necessary. With 97% thinking that more time with patients would have a significant impact on their health. In order to reduce the risk of patients developing pressure ulcers, or any other disease attributed to an increase in sedentary behaviour, remotely monitoring and measuring their behaviour is essential. It is important to reduce this type of behaviour, so that the onset of these diseases can be prevented.

The area of human digital memories places a considerable focus of documenting our entire lives from the things we do, to the places we visit and even the thoughts we think [11]. This process allows us to capture a

variety of data, not only about ourselves but about our surrounding environment [12]. This provides an ideal platform to monitor a patient's health and wellbeing, over a significant amount of time. Monitoring and measuring sedentary behaviour, with the aid of human digital memories, allows a visual illustration of a user's habits and state of their health to be observed, at any time. It also allows a continuous flow of information, about the patient, to be collected and used to help determine the impact that their lifestyle choices are having on their health. Therefore, by providing this instant gratification of how positive changes can affect their health, patients would be more inclined to change their behaviour. Ouellette *et al.* [13] support this argument and state, "*It is through lack of uncertainty and immediate evidence that people fail to adopt a healthier lifestyle. To maintain intentions to adopt a healthier lifestyle, change strategies should ensure that some immediate, positive consequences emerge from the new healthy behaviour*". It is envisioned that digital memories would provide the "positive consequences" that are needed to change behaviour. Presenting an individual with a visual depiction of their health and how positive changes would impact them is an incentive to change behaviour. In turn, resulting in the prevention of sedentary related diseases, particularly pressure ulcers, and would be a great benefit to caring staff.

Due to the increasing sophistication of mobile devices, and their prevalence within our environment, it is reasonable to assume that they would play a key role in creating human digital memories. A multitude of data, such as photos, location and biometric data, can be captured on these devices, and reasoned over accordingly. These machines now fit seamlessly into the human environment, instead of forcing us to enter their world, a concept first envisioned by Weiser [14]. However, processing the data and classifying behaviour, from this disjointed set of information, is a challenge. Therefore, a new and novel platform is needed, which addresses this and provides a way to bring together and extract relevant information from information accumulated over a lifetime. In this sense, the memories that are created are comprised of a much smaller amount of more meaningful information, which can be used to reason over behaviour. This paper considers the difficulties and possible solutions for achieving this. As a result, the DigMem system is presented, which aims to address the challenges identified so that rich human digital memories can be created and used to monitor sedentary behaviour.

2. Capturing Human Digital Memories

When we think of creating memories the first thing that usually comes to mind is purposely taking photos or videos. However, in recent years there has been a shift in the data that we can capture and the fashion in which it

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

is being done. Nowadays, content about ourselves is increasingly being obtained from mobile devices and sensor equipment. These devices offer a new, and less obtrusive, method into capturing content ubiquitously and can be used to capture our entire lives.

One such initiative that has revolutionised this area has been Microsoft's *SenseCam* [15]. This wearable device triggers, automatically, to capture photos and is capable of storing up to 30,000 images. It contains a digital camera and multiple sensors, including sensors to detect changes in light levels, an accelerometer to detect motion, a thermometer to detect ambient temperature, and a passive infrared sensor to detect the presence of people [16]. Although this device was originally developed as a retrospective memory aid [15] it has also been used in various studies to monitor behaviour and capture memories [16–24]. Although this device is paving the way for lifelogging technologies, its application within the healthcare industry, particularly focusing on sedentary behaviour, has been relatively unexplored. Nevertheless, a few studies have been undertaken and are opening up a whole new way in which memories can impact our health. One such approach has been Lindley *et al.*'s [20] study on creating 'small stories' based around the *SenseCam* images. By reflecting upon the images and discussing and re-creating memories, associated with the photos, these helped the users to reflect upon daily life and to identify periods of sedentary behaviour. This study was supported by Doherty *et al.* [19] who stated that "after participants looked at their images, they were prompted to change their lifestyle by, for example, cycling instead of driving, taking up exercise, and spending more time interacting with their children". This study also emphasizes the importance that visual illustrations of behaviour play on changing our habits. Taking an opposing view, Kelly *et al.* [22] have used the *SenseCam* within the area of travel research. Their study used the device to investigate its effectiveness in tracking journeys. Initial results indicated that when users recollected their journey times, in self-reported diaries, they tended to over-report them. They found that in order to accurately track sedentary behaviour the *SenseCam* was a useful tool, as it provided the visual 'back-up' data that was needed to identify errors in the self-reported diaries.

Whilst the technologies and methods discussed are a useful starting point in monitoring behaviour novel solutions are needed that include much richer data capturing capabilities and require a less obtrusive approach. Although the methods discussed have produced exciting results, in terms of how memories can be used to influence behaviour, they are quite user dependent. The user has to remember to wear a special device each day and go through the effort of downloading the *SenseCam* images each night, and in Kelly *et al.*'s [22] also keep a diary of all of their journeys. Although these methods are acceptable for short term studies, in terms of a long term solution are quite cumbersome. A new approach is needed which can use technologies that people are

familiar with that can capture this information and reason over it, with as little human interaction as possible. This would be particularly beneficial in the case of monitoring users with limited mobility, such as the elderly, as they wouldn't need to learn a new system and their behaviour can be remotely monitored by nurses. In terms of the data that is required, simply reviewing images that were taken the week before can easily bring back memories of those times; however, extending this period to years and decades is not such an easy task. More data sources are needed, which can add a finer degree of context to our memories and can support the quantitative requirements that are needed to monitor sedentary behaviour, as we shall see in the following section.

3. Measuring Behaviour

Sensor-based systems are quickly emerging as a new way to capture our every move and to monitor our health and wellbeing. The development of smaller sensing devices and wireless communications is revolutionising the way in which a subject can be monitored, ubiquitously [25]. As well as monitoring our wellbeing, this data can also be used to enhance our digital memories, by providing another source of information, which can be reasoned upon. These devices can also be used to quantify different aspects of human behaviour and reduce the limitations of self-reporting.

One such device, which can be used to measure movement, is the *activPAL* system [26]. This single-axis accelerometer, placed on the thigh and the upper body, has been used in [26] to measure various transitions, such as sitting, lying or standing and walking, in healthy and community-dwelling older people, without impairment. This system has also been used to determine the routine behaviour of users, whilst also determining the relationship between sedentary behaviour and periods of physical activity [27]. However, the results from both studies indicated that accommodating slow gait was difficult, due to the small amount of amplitudes that were generated. Therefore, its use with older age groups can be more difficult. Nevertheless, it can still be adapted to monitor sedentary behaviour. Prolonged periods of a particular position could be measured to establish how long the user has been in the same state. For example, the system could determine that for 10 hours; the patient was constantly lying down, as no other transitions were recorded. This information could then be used to determine a user's routines and, for example, identify that they could be at risk of developing pressure sores.

Similarly, pedometers have also been used to measure physical activity [28], [29]. For example, as demonstrated in [29], the physical activity of patients, with cystic fibrosis, was monitored using these devices.

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

In this study, adherence to exercise was monitored, as cystic fibrosis patients are encouraged to participate regularly in exercise sessions, as part of their treatments. The study identified a number of limitations. Pedometers are primarily designed to detect vertical movement [30], such as walking. Therefore they are insensitive to sedentary behaviour, isometric activity, arm movements, including slow or fast walking velocities [31]. Furthermore, since they do not have any internal clock or data storage, the analysis of activity patterns is difficult to achieve [32].

Armbands are another device that has also been developed that can be used to collect physiological data. The *SenseWear Armband (SWA)* is one such example. The *SWA* collects data from a bi-axial accelerometer, galvanic skin resistance (sweat rates), heat flux (heat dissipated from the body), and skin and near body temperature, to estimate energy expenditure (EE) and step count [33]. The device has been used within Dwyer *et al.*'s [33] work to determine its accuracy for estimating energy expenditure (EE) and step count during treadmill walking in cystic fibrosis (CF) patients, compared to healthy adults. In this instance, the *SWA* provided a reasonably accurate measure of step count compared to manual counting during tread mill walking and diagnosis of CF didn't affect its accuracy [33]. The *SWA* has also been used to monitor adherence in women with rheumatoid arthritis in a similar way to measuring decreases in sedentary behaviour [34]. The results from this study concluded with an 89% adherence rate and that the *SWA* is a viable method of quantifying physical activity and may be useful to monitor effectiveness of interventions to increase activity in people with rheumatoid arthritis [34].

The literature shows that the use of technology to measure sedentary behaviour is mostly positive, yet it is reasonable to say that advanced solutions are needed. However, there are still a number of shortcomings in current approaches. Simply recording one piece of information is not enough to reason over human behaviour. These technologies need to work together in order to create more dynamic memories, which can be used to reason over human behaviour, as we shall see in the following section.

4. Sedentary Behaviour Management System

As it can be seen, many systems exist that are capable of capturing and measuring different aspects of human behaviour. However, the limitation is that they are very separate. One system is needed to record visual data, another is needed to record physiological data and many others are needed to record other pieces of information. In order to form a better-rounded snapshot of our lives these technologies need to work together, so that we can visually recap our experiences and the feelings and changes our bodies were going through when these events

were occurring. Another drawback is that physiological data can be ambiguous and can require extensive data analysis. Combining this data with visual items would enhance the level of context associated with a memory. Another issue is that memories are not isolated static events, but rather a continuous sequence of experiences contextually linked and created within and across different geographical areas within the environments we occupy. Therefore their digital counterparts should be the same. A limitation to current systems is that, as we move through different environments we have to adjust our devices. For instance, recording GPS data is not feasible indoors. Any system that used GPS would be rendered useless in this environment. As we move between outside and inside settings, the devices and services that we have access to would need to adapt and change. In this sense, the memories that are being created will never be the same. Therefore, as we move through different environments the data that we have access to will change, and this will be reflected in the memories that are created.

This paper expands on the technologies and ideas, described above, to measure sedentary behaviour, with the aid of human digital memories, with the aim of reducing sedentary behaviour within the elderly population. The new platform aims to address the limitations, identified above, by automatically gathering a variety of data, from distributed sources, to form a “memory box”. In this context, a memory box could contain visual items, i.e. photos, as well as various sensor readings, ranging from the temperature of the room to changes in physiological data. As the data sources that we have access to changes so will the memories that are being created. Therefore, no two memories will be same. The ability to create memories that are reflective of our current environment is one novel aspect of the system. These “boxes” are of particular use for monitoring sedentary behaviour in elderly users, who might not be aware of how much time they spend in one position. By granting their doctor remote access to their memories allows the patient to be reassured that someone is always watching over them. Since the system is also capable of being used within indoor and outdoor environments this is advantageous to the user because they can use the same system without switching to a different one. The following section outlines the current system that is being developed to create these “boxes” and how it can be used for monitoring and preventing sedentary behaviour.

4.1 The Proposed DigMem Scheme

As it can be seen, several schemes exist that can be used to measure sedentary behaviour. Sensors, like *activPAL* and *SWA* can be used to measure physiological data, whilst *SenseCam* can be used to reflect upon our daily routines. Body sensors are important mechanisms to use for gaining access to a patients physiological data,

so that their general health and well-being can be understood better. However, it is important to be able to include additional contextual information to these readings. Incorporating digital memory technologies, together with a suitable sensing platform, has the ability to create dynamic memories that can be used to assess behaviour and warrant change.

Using wireless sensor networks, custom-built sensors and lifelogging applications a user's day-to-day activities, both inside and outside their home, can be captured. This approach is also flexible enough to be applied to a variety of environments, such as residential nursing homes, hospitals or the workplace. The proposed DigMem scheme has three distinct components (see Fig. 1).




Fig. 1 System Design

Lifelogging information (e.g. photos and GPS data) will be collected from a variety of mobile devices, such as smartphones. These devices will be running the Mobile DigMem application (MoDM) [35]. This application provides services to access the hardware of ubiquitous devices and to process the data streams that they provide. Information abstracted from these data sources enhances the development of human digital memories. This aspect of the system is used to gather information in an outside environment. The physiological data will be gathered using our custom built sensor system [36]. This system works indoors and, using sensor networks, is able to track the location of people inside of their home and to determine specific body positions. Once the data is collected it is then transferred, using the Internet and Cloud Computing services, to the DigMem system [37]. DigMem is able to retrieve the information from the cloud and store it within a number of data stores. From here

the data can be queried using “smart” queries. This idea takes the data and links it together so that a memory box can be created (see Fig. 2).




Fig. 2 DigMem Memory Box Design

In this sense, the events of any time can be brought back and prolonged periods of sedentary behaviour can be identified. The goal is to incorporate multiple data sources so that the context under which a certain type of behaviour occurred can be determined. For example, an increase in heart rate due to someone breaking into your home, or you being attacked, whilst producing the same or similar results, would produce a different classification to say a person who is playing a boxing game on a game console. This information, used in conjunction with other information (obtained from other data streams), may provide contextual information about why this is happening [38–40].

4.1.1 Approach Overview

The idea of integrating human digital memories and sensing platforms together has the potential to revolutionise how behaviour can be measured and understood. Current work aims to create memory boxes that are composed of a variety of data, from distributed sources, and contain vivid structures and varied information sources that emerge through the semantic clustering of content and other memories [35]. By combining and linking various data sources together, to create a “mash-up” memory, a greater level of detail can be achieved. Once this has been achieved the execution of “smart” queries, which have the ability to search data in a multi-dimensional fashion, can be achieved. Therefore, the user is able to see exactly where they were, what they were doing and how they felt, at the time. Memory boxes are distinctively useful within the healthcare field because

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

they provide a way for carers to monitor patients remotely. They are particularly beneficial to patients with conditions, like pressure ulcers, where the problem does not present itself until it's too late. Monitoring patients 24 hours a day to establish how often they move is unrealistic and an alternative method is required. Memory boxes offer a way of providing this information remotely.

It is these reasons that are propelling the research forward so that an open, extensible and fully configurable solution can be achieved. The design goals provide the system requirements for a suitable scheme. The principle goals are as follows.

- To use an open, cheap and extensible sensor platform, capable of sensing a rich set of sedentary behaviour data.
- Provide a set of open source software tools to support existing sensing functionality and the addition of custom developed sensors and functionality.
- Develop a framework for sedentary behaviour practitioners to access and process data, using a rich set of commercially and open source tools.
- Enable the incorporation of memory boxes into the framework to allow a greater level of detail to be recorded and reasoned upon.
- Build additional middleware services, to achieve the memory structures required. Thus, enabling a plug and play platform for memory data sources that can be exploited by any digital life memory middleware service.

So far, a number of ways to extract relevant information about sedentary behaviour have been highlighted. However, these systems are proprietary, and do not allow their functionality to be changed or extended. Nonetheless, it is appropriate to build on these existing technologies to address this limitation. In the next section, a scheme is provided that moves towards a fully extensible platform, for measuring sedentary behaviour. It explains how the principal goals have been incorporated, within the framework, and highlights the novelty of the approach.

4.2 Technical Description

The platform, posited in this paper, incorporates sensors, sensor networks, photos and GPS data to collect lifelogging and physical activity information, about an individual. The MoDM application is capable of tracking a user's outside movements by using the GPS and camera services; whilst the sensor network works indoors and

provides location tracking to room precision and allows human behaviours to be determined. The following section describes each component of the system in more detail.

4.2.1 Sensor Network Description

Sensor networks, installed in the home environment, are used to track the location of people by calculating the frequency of RSSI values between a mobile node, fitted to a person, and static nodes, installed in specific locations in the home. In the study, several static TelosB sensors were fitted, at fixed points, in a home environment. They were used to transmit information between each other and to calculate the signal strength between the static sensor nodes, and the mobile node, which was fitted to the resident of the home. A base station (TelosB) sensor is plugged into a TrimSlice™ Linux box, which acts as a server, or data collection point, for all packets of data sent within the sensor network. These packets include the signal strength indicator, and the values of the tilt switches used, to measure sitting, standing and lying down positions. Finally, a mobile TelosB, with two tilt switch sensors, is used for location tracking and to determine specific body positions. Figure 3 illustrates all of the TelosB sensors that comprise the complete system, including the TrimSlice™, with the server node already plugged in.



Fig. 3 Complete Sedentary Behaviour System

The mobile node is illustrated, in more detail, in Figure 4 below. In Figure 4 a), the TelosB mobile node is housed in a box with two mono jack interfaces. This set-up allows the tilt switches to be easily plugged in and unplugged. Internally, both mono jacks are directly wired to the TelosB general IO. The mobile node is designed to be fitted to a person's hip, either via a mobile phone case, attached to a person's belt, or by simply placing the device in the trouser pocket, as illustrated in Figure 4 b). The tilt switches are designed to be attached to a person's chest, to detect upper-body inclinations, and the right thigh, to detect lower body inclinations. Using a combination of the tilt switch values, it is possible to detect standing, sitting and lying down positions as illustrated in Figure 4 b), c) and d).



a)



b)



c)



d)

Fig 4 Measuring Standing, Sitting and Lying Positions

The system was installed in an apartment and the elderly resident of that apartment was monitored. Various static nodes were located throughout the apartment (see Fig 5) and the server node was located in a central location in the living room.

As the user moves around the apartment, the mobile node, which is attached to them periodically, broadcasts data, to the static nodes, within the sensor network. When a static node receives a message, it extracts the Received Signal Strength Indicator (RSSI) value from the packet (message), along with the values for both tilt switches, and creates a new packet. This packet is then routed to the server node (base station), via the sensor network. Each packet, received by the server node, is processed using a Python script. This script reads the data directly from the USB port and inserts the data into a MySQL™ database, on the TrimSlice™ device. A second Python script is run as a CRON job, within Linux, to extract data from the database every n minutes. For this evaluation n was set to 15 minutes. The data is serialised, as a comma delimited file, and stored in a Dropbox [41] folder. Using the Dropbox Cloud software enables data to be distributed across many stores, and accessed from anywhere in the world. In our study, a server within LJM University in the UK is used to collect the data

and store it in a secondary MySQL database. This is a very simple and effective way of using Cloud Computing technology to send data, via the Internet, to different locations.




Fig. 5 Layout of the Apartment with Various Sensors Fitted

Using this configuration, it is possible to calculate where in the home the person is and what they are doing, i.e. standing, sitting or lying down. For additional information regarding the system please see [36]. However, it is not possible to see what the user is doing. The context of the behaviour is unknown. In order to fully understand the situation the MoDM and DigMem aspects of the system are needed. The next section discusses the features of these components, in more detail.

4.2.2 DigMem Description

The Mobile DigMem (MoDM) middleware platform has been developed in order to connect and access the hardware and services that distributed devices have to offer. The purpose of this is so that data can start to be collected, for the memory boxes. This aspect of the system creates a mobile ad-hoc network, using JXTA and Android technology. It is then used to seek out devices and the services that they have to offer. The prototype consists of a mobile device, Samsung Galaxy tablet, which is used to collect the data required. For initial purposes GPS and photo data was collected, at specific time intervals. The user carried around the device for a week and every time they made a journey, i.e. they were outside, the application was activated. Photos were taken every 5 minutes (see Fig. 6 a)) and GPS data was collected every time a new location was reached (see Fig. 6 b)).




Fig 6 Data Obtained on the Mobile Device

After the user had completed their journey, and the device was connected to Wi-Fi (for example, when they had gotten home or to work), the data was then automatically transferred to the user's Dropbox [41] folder. Again, like the sensor network, Dropbox was chosen as a means to extract the information from the device to the cloud, so that more complex processing of the information could be done. Once the data was in the cloud a number of python scripts were developed and executed, which process the data and periodically transfer it to a MySQL database, located on a server within LJM University in the UK.

Once the data was transferred to the database the DigMem aspect the system was used to transform the data into a memory. As the data is saved in a MySQL database it is relatively easy to extract it and import it into Excel, SPSS, MatLab or even transform it into RDF. For this evaluation the data was transformed into RDF so that linked data concepts can be applied. Saving the information as RDF allows links to be set between data items, from different data sources, and also permits the execution of "smart queries". The memories being created, in this way, will be a "mash-up" of all the relevant data of an event. Therefore, for initial purposes a sample of the generated data has been converted into RDF tuples. A simple web interface was also constructed, to demonstrate the applicability of the design. Once logged in, the user is able to choose what type of query they want to perform, on the data (see Fig. 7).




Fig 7 DigMem Web Interface

For the purposes of this evaluation, the SPARQL (the query language for RDF [42]) query is the only one that will be applicable for these purposes. Once the “SPARQL” link has been clicked the user is then taken to the SPARQL Endpoint (see Fig. 8). This endpoint has been implemented using ARC2 [43]. ARC2 was chosen as a means to query the RDF data because it is open-source, runs in most web server environments and it is able to parse and serialise RDF/XML files [43].




Fig. 8 SPARQL Endpoint

At this point the SPARQL query can be inputted and the output format chosen (see Fig. 8). The query, “Where was I on 8th March 2012 at 5:30pm?” has been inputted, into the endpoint, and all of the related data from that time has been brought back (see Fig. 9).

time	latitude	longitude	file	timetaken
08-03-2012-17-30-00		53.39734230117466		-2.95873051709244
08-03-2012-17-30-01		53.39737221952471		-2.958536992021692
08-03-2012-17-30-02		53.3974007734832		-2.9583462585928526
08-03-2012-17-30-03		53.39742848520424		-2.95816311963232
08-03-2012-17-30-04		53.397452608479384		-2.958002296224465
08-03-2012-17-30-05		53.39747441740346		-2.9578564533727034
08-03-2012-17-30-07		53.3975160573051		-2.9575785353655566
08-03-2012-17-30-09		53.39755481592788		-2.957338652423139
08-03-2012-17-30-11		53.39758311131865		-2.9571718152148008
08-03-2012-17-30-32		53.3976164235232		-2.956988556485659
08-03-2012-17-30-34		53.397655870882474		-2.9568071408823915
08-03-2012-17-30-36		53.397697094639696		-2.956582708022319
08-03-2012-17-30-38		53.39774047473093		-2.9562960917092074
08-03-2012-17-30-39		53.39776015881197		-2.956133967631844
08-03-2012-17-30-40		53.397779257896374		-2.9559606551452178
08-03-2012-17-30-41		53.39779849754216		-2.9557890923772425
08-03-2012-17-30-42		53.39782128665551		-2.9556169436955773
08-03-2012-17-30-43		53.397846059735635		-2.955437801939633
08-03-2012-17-30-44		53.39787606138966		-2.955247478583345
08-03-2012-17-30-45		53.397908089213104		-2.9550499082738106
08-03-2012-17-30-46		53.39794171069476		-2.954844827637231
08-03-2012-17-30-47		53.397976700100195		-2.9546340877972592
08-03-2012-17-30-48		53.39801305744675		-2.9544185533230394
08-03-2012-17-30-49		53.39805357472894		-2.9541980965224353
08-03-2012-17-30-50		53.398094504547075		-2.9539751238071075
08-03-2012-17-30-51		53.398136173709496		-2.9537475546126366
08-03-2012-17-30-52		53.398176732469345		-2.953520740993123
08-03-2012-17-30-53		53.39821340860221		-2.9532953686112937
08-03-2012-17-30-54		53.39824965758771		-2.9530750023514685
08-03-2012-17-30-55		53.39828794132787		-2.952860757030365
08-03-2012-17-30-56		53.398325220087905		-2.9526544642686017
08-03-2012-17-30-57		53.39835933398753		-2.9524661149638964
08-03-2012-17-30-58		53.39839253017662		-2.952281131341431
08-03-2012-17-30-59		53.398425420379496		-2.952100028426797
http://java.cms.livjm.ac.uk/homepage/staff/cmpcdobb/cmpcdobb/photos/08				

Fig. 9 Results from the SPARQL Query

However these results don't really mean that much. They are simply a collection of coordinates and a file name. In order for these results to 'mean' something to the user they need to be visually depicted. Figure 10, below, illustrates how the results, from Figure 9, have been taken and visualised into a memory box of the query. As it can be seen, the GPS data is visualised and all the photos, taken at that time, are displayed. The results indicate that on 8th March 2012, at 5:30pm, the user was in a car, travelling along the A562, in Liverpool. In order to demonstrate the design, only GPS and photo information is incorporated. Once the data has been visualised it is easier to comprehend. The system has taken a complex set of results and transformed it into a smaller amount of more meaningful information. It is much easier to look and understand a map and photos than it is to understand a set of coordinates.




Fig. 10 Visualisation of SPARQL Results

Using this configuration it is possible to accurately track journeys and add additional contextual information to those occurrences. Nonetheless, this system only works outside and doesn't provide any additional information about the user when they are indoors. If there is significantly less data about journeys it is reasonable to assume that the user spends a lot of time indoors. However, the details of what happens indoors are unknown. By combing the sensor network, which tracks users inside, and the MoDM application, which tracks users outside, a greater representation of a user's complete day can be tracked and transformed into a memory.

5. Evaluation

This section details the results from both the sensor network and the DigMem studies. The results from both studies have produced an extravagant amount of data. Over a period of five days DigMem produced 4,348 samples, whilst, over four days, the sensor network produced 216,654 samples of data. Whilst the sensor network was run between fixed periods of the day (between 10am and 5pm), the DigMem system was only run

when the user made a journey, therefore producing a significantly less amount of data. Nonetheless a significant image of the user's week was captured.

As it can be seen, in the case of discerning the events of a particular time, the query, "Where was I and what was I doing on 8th March 2012?" has been successfully executed (see Fig. 11). The query searches the RDF documents to establish that, on the day in question; the user was travelling around Liverpool. At it can be seen, the photo and GPS data supports this conclusion. The photos give a visual illustration of the surroundings. At the same time, the GPS data adds more detail to the memory, about the specific locations.




Fig. 11 Memory Box of Case Study Query

In terms of monitoring and preventing sedentary behaviour, in the elderly, the results of the memory boxes could be used to interpret how long the user was out of the house for and how many journeys they made. For example, a doctor could view the data, accumulated over a week, and see that the user didn't make that many trips out. By presenting this information to them could be enough incentive to try harder. As the next week's data is analysed it could be seen if the user has improved, and gone out more. However, there is still the problem

of not knowing what was happening when they were indoors. This is where the sensors network would be useful, as we shall see in the next section.

In regards to monitoring the user in doors, the evaluation the complete data set for the four-day study. Figure 12 shows the analysis, using the filtered data (RSSI values are between ± 15 dB), extracted from the complete 216,654 samples produced over the duration of the study. Figure 12 a) shows filtered normalised RSSI values over time, while Figure 12 b) allows the determination of the specific sensors, which generated the RSSI values at Time (t). Again, more interestingly, the data shows that the sensor transitions, between the dominant sensors, over the four-day study. It illustrates the key locations, within the apartment, the resident visits and more importantly the duration that they spent at each location. From this data, it is possible to determine the resident's behavioural patterns, in terms of how the home environment is used. While, this data is from only fixed times, within a particular day, it demonstrates that remotely monitoring the behaviour of residents, in real-time, is technically possible.




Fig. 12 Combined Signal Strength and Transitions for Study

Now that we have established how the resident's environment is used it is also important to understand the occurrence of specific sedentary behaviours, which occur in those spaces. Two tilt switch sensors, fitted to the resident's right leg and chest, were linked to a TelosB sensor. They were used to measure three distinct body positions; standing, sitting, and lying down. Note that a single individual tilt switch value is not considered in isolation. Combining both values allows the position of the user to be determined. In the sensing system, the values produced by both tilt switches when the resident is standing, is 0,0. When they are sitting the values are 0,1 and when they are lying down the values are 1,1. For all non-identifiable positions, the values are 1,0.

Using the complete data set, Figure 13 shows analysis of the data extracted from the complete 216,654 samples. Figure 13 a) shows the frequency of the position transitions. Figure 13 b) illustrates what position the resident is in at Time (t), to be determined. More interestingly, the data shows the transitions between different

positions, over the entire study. It illustrates the key behaviours associated with the resident being monitored, and this allows different kinds of sedentary behaviour to be quantified. Nonetheless, the problem with identifying lying down positions is evident in the data observations. While, interviews with the resident suggest that minimal lying down was done, the nature of the transitions, particularly the non-identifiable positions, would suggest that at least small amounts of lying down would be identified in the observational data. It is possible that because the study recordings relate to daytime activities, this kind of behaviour could not be seen. On reflection, night-time data collection, in the study, should have been included. This will be the focus of future research.




Fig. 13 Combined Frequency and Transition of Positions

As it can be seen, the results from both studies are encouraging. Not only are journeys, with added context, able to be tracked but tracking and identifying periods of sedentary positions, indoors, are also possible. However, in order to build up a complete picture of a user's day, and life, combining these two systems is essential. It is through these promising results that the research is progressing into the amalgamation of both systems.

6. Discussion

In this paper a variety of platforms are used to demonstrate how behaviour and human digital memories can be tracked and created, for the purpose of measuring sedentary behaviour. Creating memory boxes allows for any time in an individual's life to be visually displayed, whilst the sensor network allows for any changes and behaviours, that their bodies were experiencing, to be captured.

In terms of measuring behaviour, there are several notable features that make this system viable alternative. The custom interface, to the TelosB sensor, enables additional functions, such as an inclinometer or accelerometer, to be used. Secondly, the sensing platform is built on the open-source Contiki operating system.

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

This allows the software to be freely accessed, changed and extended to meet the unique requirements of individual applications. With regards to the DigMem side of the system, this has also been developed using open-source tools. The use of Android enables the hardware features of the device to be accessed, whilst the data that is obtained is not encoded in a proprietary format. The use of ARC2 also enables the RDF data to be manipulated and serialised in a number of different ways. This is a very important, and useful, feature as the same results can be easily be transformed into a variety of formats, without too much hassle.

The purpose of this research was to investigate the effectiveness of using human digital memories to *monitor and prevent sedentary behaviour*. Arguably, the studies and the amount of data collected were limited. However, the results do support the use of sensors and human digital memories, in more complex studies, designed to understand sedentary behaviour. The approach was not designed to replace human observations, but to support and complement existing data collection solutions, particularly in residential homes and clinical settings.

The development of this framework allows human digital memories to be created, in any environment. The incorporation of the sensing platform and the ability to extract information, from distributed resources, enables a better-rounded representation of our lives to be constructed. The development of this system allows the user to keep track of their entire lives and to reflect on how experiences made them, and others, feel. This work is of particular benefit to the healthcare field, as we shall see in the next section.

6.1 Case Study

One way it is envisaged that the system could be used is for monitoring the health of patients. This section discusses a possible scenario to illustrate how the utilization of human digital memories can aid in the prevention of developing pressure ulcers. In this sense, memories can be extracted and used to monitor the patient, for any period of time and from any location.

The case study focuses on how prolonged periods of sedentary behaviour, which can lead to the development of these ulcers, can be identified. As it can be seen in earlier research, monitoring and preventing sedentary behaviour is considered essential to improve a patient's quality of life, particularly as they grow older [12].

Previous research has indicated that using lifelogs, or digital memories, presents an accurate representation of sedentary behaviour. These logs provide evidence of periods of inactivity that would otherwise get overlooked or over-reported, by an individual [22].

In the following scenario an elderly patient has just suffered a stroke and is recovering in hospital. They are unable to move around freely, the ward is particularly busy and understaffed. Sensors attached to their body are monitoring any movements and physiological data, whilst static sensors, attached to the bed, monitor the pressure being exerted in particular pressure point hotspots. A camera is hanging around their neck that is capturing photos every x minutes and there are sensors in the room that are monitoring the state of the room, i.e. temperature, humidity etc. Next to their bed is a laptop that is broadcasting messages for the retrieval of services, from these devices prevalent within their environment. The data collected, from the services and the sensors, is serialised as RDF triples and inserted into the MySQL database. From this location, the information is extracted every x minutes and stored within the DigMem application. It is now available worldwide to anyone that is affiliated with the patient's account. The execution of SPARQL queries can now be performed on this data and memory boxes created.

Reiterating back to the current scenario, it's the weekend and the patient's doctor is out of the country on a short break. However, with the use of this system, their doctor can log onto DigMem and perform a query on the patient's memory data. They can see how the patient was feeling and what happened while they are away. For example, the doctor can ask "How was Joe feeling on Saturday (today), how much has he moved around and how often was he checked on by staff?" The use of SPARQL, RDF and linked data allows this query to be successfully executed. It can be established that on Saturday Joe wasn't feeling too good, his heart rate was high and a lot of pressure was exerted on a particular area of his body, for a long time. It can also be determined, through photos taken on the same day that he was only checked on twice. The doctor can now see exactly what Joe is feeling, what he's doing and what is happening around him, even from another country. The doctor can then phone the ward and alert the staff to the fact that Joe has been in a sedentary position for too long and that he should be moved around to stimulate blood flow, in order to prevent pressure sores developing.

As it can be seen, obtaining and linking data from a variety of sources provides a greater level of detail in the creation of human digital memories. Adding as much detail as possible enables the execution of smart queries, which have the ability to search data in a multi-dimensional fashion. Human memories are infinite and their digital counterparts shouldn't be any different. The system can track our entire lives and monitor a patient for any amount of time; something that current systems are unable to do.

7. Conclusion and Future Work

Sedentary behaviour is a growing problem, among all age groups. Preventing the onset of certain diseases and generally improving our life, by monitoring and measuring sedentary behaviour, using human digital memories, has been the focus of this paper. The system that has been proposed offers a new way to, as unobtrusively as possible, monitor a user, for potentially their entire lives. The benefit of this approach is that the components that have been used are relatively cheap (sensing network) and also use items that most people have (smartphone). There is no need to go out and buy expensive, specialist, equipment. By providing visual evidence that a user has been spending too much time in sedentary positions it is hoped that this is all that they will need to change their behaviour. Human digital memories provide information to medical practitioners and individuals about themselves and their behaviour patterns. This information can then be used to implement compensatory changes and view the impact this has on specific medical outcomes. The prototype system, and the results from observational data, provides a strong argument for the use of this technology.

However, as promising as these results are, further research is still required. Integrating the components discussed, so that a fully deployable system is able to be used, is the main aim of future work. Once this has been achieved making the memory boxes “interactive” will need to be considered. Presenting a user with a lot of information is not a very good way to present the data. For the purpose of this evaluation it was enough to demonstrate the idea. However, future work aims to build on this so that the user can “drill-down” into their memory. The unique aspect of this system is that a lifetime of data is able to be captured and linked together. Therefore, when it comes to querying this information, a lifetime of information is not feasible to display. The system should be able to reason over this data and present an overview of the memory, whilst enabling the user to drill-down and see other various pieces of information. In this sense, the user would be able to go “inside” of their memory and see how their lifestyle choices have affected them. Using human digital memories in this way offers a greater insight into the health and well-being of a user.

References

- [1] N. Owen, T. Sugiyama, E. E. Eakin, P. A. Gardiner, M. S. Tremblay, and J. F. Sallis, “Adults’ Sedentary Behavior: Determinants and Interventions,” *American Journal of Preventive Medicine*, vol. 41, no. 2, pp. 189–96, Aug. 2011.
- [2] B. K. Clark, T. Sugiyama, G. N. Healy, J. Salmon, D. W. Dunstan, and N. Owen, “Validity and Reliability of Measures of Television Viewing Time and Other Non-Occupational Sedentary Behaviour of Adults: A Review,” *Obesity Reviews : An Official Journal of the International Association for the Study of Obesity*, vol. 10, no. 1, pp. 7–16, Jan. 2009.

- Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627
- [3] Office for National Statistics, "Healthy Life Expectancy: Living Longer In Poor Health," 2010. [Online]. Available: <http://www.statistics.gov.uk/cci/nugget.asp?id=2159>.
- [4] S. L. Murphy, J. Xu, and K. D. Kochanek, "National Vital Statistics Reports Deaths : Preliminary Data for 2010," *National Vital Statistics Reports*, vol. 60, no. 4, 2012.
- [5] S. J. H. Biddle, N. Pearson, G. M. Ross, and R. Braithwaite, "Tracking of Sedentary Behaviours of Young People: A Systematic Review," *Preventive Medicine*, vol. 51, no. 5, pp. 345–51, Nov. 2010.
- [6] NHS, "Pressure Ulcers - Causes." [Online]. Available: <http://www.nhs.uk/Conditions/Pressure-ulcers/Pages/Causes.aspx>.
- [7] T.-Y. Wang, S.-L. Chen, H.-C. Huang, S.-H. Kuo, and Y.-J. Shiu, "The development of an intelligent monitoring and caution system for pressure ulcer prevention," in *2011 International Conference on Machine Learning and Cybernetics*, 2011, pp. 566–571.
- [8] G. Bennett, C. Dealey, and J. Posnett, "The cost of pressure ulcers in the UK," *Age and Ageing*, vol. 33, no. 3, pp. 230–235, May 2004.
- [9] Agency for Healthcare Research and Quality (AHRQ), "Evidence-based Practice Center Systematic Review Protocol Pressure Ulcer Risk Assessment and Prevention: A Comparative Effectiveness Review," 2012.
- [10] International Council of Nurses (ICN) and Pfizer Inc., "A Global Survey of Nurses (May 2009)," *Nurses in the Workplace: Expectations and Needs*, 2009. [Online]. Available: http://www.icn.ch/images/stories/documents/news/advocacy/nurses_in_the_workplace/survey.swf.
- [11] C. Dobbins, M. Merabti, P. Fergus, and D. Llewellyn-Jones, "Towards a Framework for Capturing and Distributing Rich Interactive Human Digital Memories," in *Proceedings of 12th Annual PostGraduate Symposium on the Convergence of Telecommunications, Networking and Broadcasting (PGNet'11)*, Liverpool, UK, 2011.
- [12] C. Dobbins, P. Fergus, M. Merabti, and D. Llewellyn-Jones, "Monitoring and Measuring Sedentary Behaviour with the Aid of Human Digital Memories," in *Proceedings of The 9th Annual IEEE Consumer Communications & Networking Conference (CCNC'12), 2nd IEEE International Workshop on Consumer eHealth Platforms, Services and Applications (CeHPSA), Las Vegas, NV, USA, 2012*, pp. 395–398.
- [13] J. A. Ouellette and W. Wood, "Habit and Intention In Everyday Life: The Multiple Processes By Which Past Behavior Predicts Future Behavior," *Psychological Bulletin*, vol. 124(1), pp. 54–74, 1998.
- [14] M. Weiser, "The Computer for the 21st Century," *ACM SIGMOBILE Mobile Computing and Communications Review*, vol. 3, no. 3, pp. 3–11, Jul. 1999.
- [15] S. Hodges, L. Williams, E. Berry, S. Izadi, J. Srinivasan, A. Butler, G. Smyth, N. Kapur, and K. Wood, "SenseCam: A Retrospective Memory Aid," *UbiComp 2006: Ubiquitous Computing*, vol. 4206, pp. 177–193, 2006.
- [16] H. Lee, A. F. Smeaton, N. E. O'Connor, G. Jones, M. Blighe, D. Byrne, A. Doherty, and C. Gurrin, "Constructing a SenseCam Visual Diary As A Media Process," *Multimedia Systems*, vol. 14, no. 6, pp. 341–349, Jul. 2008.
- [17] A. R. Doherty, C. J. A. Moulin, and A. F. Smeaton, "Automatically assisting human memory: A SenseCam browser," *Memory*, pp. 1–11, Sep. 2010.

Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627

- [18] A. Sellen, A. Fogg, M. Aitken, S. Hodges, C. Rother, and K. Wood, "Do Life-Logging Technologies Support Memory for the Past? An Experimental Study Using SenseCam," *Conference on Human Factors in Computing Systems, CHI '07, Irvine, CA, (2007)*, pp. 81–90, 2007.
- [19] A. R. Doherty, N. Caprani, C. Ó. Conaire, V. Kalnikaite, C. Gurrin, A. F. Smeaton, and N. E. O'Connor, "Passively Recognising Human Activities Through Lifelogging," *Computers in Human Behavior*, vol. 27, no. 5, pp. 1948–1958, Sep. 2011.
- [20] S. E. Lindley, D. Randall, W. Sharrock, M. Glancy, N. Smyth, and R. Harper, "Narrative, Memory and Practice: Tensions and Choices in the Use of a Digital Artefact," *Proceedings of the 23rd British HCI Group Annual Conference on People and Computers: Celebrating People and Technology*, pp. 1–9, Sep. 2009.
- [21] V. Kalnikaite, A. Sellen, S. Whittaker, and D. Kirk, "Now Let Me See Where I Was: Understanding How Lifelogs Mediate Memory," *Proceedings of the 28th International Conference on Human Factors in Computing Systems - CHI '10*, p. 2045, Apr. 2010.
- [22] P. Kelly, A. Doherty, E. Berry, S. Hodges, A. M. Batterham, and C. Foster, "Can We Use Digital Life-Log Images To Investigate Active And Sedentary Travel Behaviour? Results From A Pilot Study," *The International Journal of Behavioral Nutrition and Physical Activity*, vol. 8, no. 1, p. 44, Jan. 2011.
- [23] D. Byrne and G. J. F. Jones, "Towards Computational Autobiographical Narratives through Human Digital Memories," *Proceeding of the 2nd ACM international workshop on Story representation, mechanism and context - SRMC '08*, p. 9, Oct. 2008.
- [24] B. Kikhia, J. Hallberg, J. E. Bengtsson, S. Sävenstedt, and K. Synnes, "Building Digital Life Stories For Memory Support," *International Journal of Computers in Healthcare*, vol. 1, no. 2, pp. 161–176, 2010.
- [25] A. Pantelopoulos and N. G. Bourbakis, "A Survey on Wearable Sensor-Based Systems for Health Monitoring and Prognosis," *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 40, no. 1, pp. 1–12, Jan. 2010.
- [26] K. Taraldsen, T. Askim, O. Sletvold, E. K. Einarsen, K. G. Bjåstad, B. Indredavik, and J. L. Helbostad, "Evaluation of a Body-Worn Sensor System to Measure Physical Activity in Older People With Impaired Function," *Physical Therapy: Journal of the American Physical Therapy Association*, vol. 91, no. 2, pp. 277–285, Feb. 2011.
- [27] S. Lord, S. F. M. Chastin, L. McInnes, L. Little, P. Briggs, and L. Rochester, "Exploring Patterns of Daily Physical and Sedentary Behaviour in Community-Dwelling Older Adults," *Age and Ageing*, vol. 40, no. 2, pp. 205–210, 2011.
- [28] V. Cavalheri, L. Donária, T. Ferreira, M. Finatti, C. A. Camillo, E. M. Cipulo Ramos, and F. Pitta, "Energy expenditure during daily activities as measured by two motion sensors in patients with COPD," *Respiratory Medicine*, vol. 105, no. 6, pp. 922–929, Jun. 2011.
- [29] B. S. Quon, D. L. Patrick, T. C. Edwards, M. L. Aitken, R. L. Gibson, A. Genatossio, S. McNamara, and C. H. Goss, "Monitoring Habitual Physical Activity In Cystic Fibrosis Patients Using Pedometers," *American Journal of Respiratory and Critical Care Medicine*, vol. 183, no. 1, p. A1121, May 2011.
- [30] F. Pitta, T. Troosters, V. S. Probst, M. A. Spruit, M. Decramer, and R. Gosselink, "Quantifying Physical Activity in Daily Life With Questionnaires and Motion Sensors in COPD," *The European Respiratory Journal : Official Journal of the European Society for Clinical Respiratory Physiology*, vol. 27, no. 5, pp. 1040–55, May 2006.

- Dobbins, C, Fergus, P, Stratton, G, Rosenberg, M and Merabti, M (2013) Monitoring and Reducing Sedentary Behavior in the Elderly with the Aid of Human Digital Memories. *Telemedicine and e-Health*, 19 (3). pp. 173-185. ISSN 1530-5627
- [31] S.-I. Ao, B. Rieger, M. A. Amouzegar, M. Lee, J. Kim, S. H. Jee, and S. K. Yoo, "Review of Daily Physical Activity Monitoring System Based on Single Triaxial Accelerometer and Portable Data Measurement Unit," *Machine Learning and Systems Engineering*, vol. 68, pp. 569–580, 2010.
- [32] D. R. Bassett, "Validity and Reliability Issues in Objective Monitoring of Physical Activity," *Research Quarterly for Exercise and Sport*, vol. 71, no. 2, pp. S30–S36, 2000.
- [33] T. J. Dwyer, J. A. Alison, Z. J. McKeough, M. R. Elkins, and P. T. P. Bye, "Evaluation of the SenseWear activity monitor during exercise in cystic fibrosis and in health," *Respiratory Medicine*, vol. 103, no. 10, pp. 1511–1517, Oct. 2009.
- [34] G. J. M. Almeida, M. C. M. Wasko, K. Jeong, C. G. Moore, and S. R. Piva, "Physical Activity Measured by the SenseWear Armband in Women With Rheumatoid Arthritis," *Physical Therapy: Journal of the American Physical Therapy Association*, Jun. 2011.
- [35] C. Dobbins, M. Merabti, P. Fergus, and D. Llewellyn-Jones, "Capturing and Sharing Human Digital Memories with the Aid of Ubiquitous Peer-to-Peer Mobile Services," in *Proceedings of 10th Annual IEEE International Conference on Pervasive Computing and Communications (PerCom'12), 9th IEEE International Workshop on Managing Ubiquitous Communications and Services (MUCS), Lugano, Switzerland, 2012*, pp. 64–69.
- [36] P. Fergus, A. Attwood, C. Dobbins, G. Stratton, A. Hussain, D. Al-jumeily, and M. Randles, "Monitoring and Measuring Physical Activity and Sedentary Behaviour," *International Journal of Healthcare Technology and Management (IJHTM): Special Issue on User-centred Health Informatics (in press)*, 2013.
- [37] C. Dobbins, M. Merabti, P. Fergus, and D. Llewellyn-Jones, "Creating Human Digital Memories for a Richer Recall of Life Experiences," in *Proceedings of 10th IEEE International Conference on Networking, Sensing and Control (ICNSC 13) – Special Session on Intelligent Network Applications, Paris, France (in press)*: IEEE, 2013.
- [38] E. Della Valle, S. Ceri, F. van Harmelen, and D. Fensel, "It's a Streaming World! Reasoning upon Rapidly Changing Information," *IEEE Intelligent Systems*, vol. 24, no. 6, pp. 83–89, Nov. 2009.
- [39] D. F. Barbieri, D. Braga, S. Ceri, E. Della Valle, and M. Grossniklaus, "C-SPARQL: A Continuous Query Language for RDF Data Streams," *International Journal of Semantic Computing*, vol. 4, no. 1, pp. 3–25, 2010.
- [40] G. D. Clifford, F. Azuaje, and P. E. McSharry, *Advanced Methods And Tools for ECG Data Analysis*, 1st ed. Artech House Publishers, 2006.
- [41] Dropbox.com, "What is Dropbox? The story of Dropbox How Dropbox works Features." [Online]. Available: <http://www.dropbox.com/static/docs/DropboxFactSheet.pdf>.
- [42] W3C, "SPARQL Query Language for RDF," 2008. [Online]. Available: <http://www.w3.org/TR/rdf-sparql-query/>.
- [43] semsol / Benjamin Nowack, "Easy RDF and SPARQL for LAMP Systems," 2012. [Online]. Available: <https://github.com/semsol/arc2/wiki>.