



LJMU Research Online

Diaz De Rienzo, MA, Williams, G, Banat, IM, Callan, J, Faheem, A, Martin, P and McCarron, P

Diffusive Release of Photosensitizing Agents (PS) from Novel PVA-Borate Semi-Solid Drug Carriers Through In Vitro Oral Streptococcus mutans Biofilm

<http://researchonline.ljmu.ac.uk/7232/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Diaz De Rienzo, MA, Williams, G, Banat, IM, Callan, J, Faheem, A, Martin, P and McCarron, P (2016) Diffusive Release of Photosensitizing Agents (PS) from Novel PVA-Borate Semi-Solid Drug Carriers Through In Vitro Oral Streptococcus mutans Biofilm. Research & Reviews : Journal of

LJMU has developed [LJMU Research Online](#) for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

Diffusive Release of Photosensitizing Agents (PS) from Novel PVA-Borate Semi-Solid Drug Carriers Through *In Vitro* Oral *Streptococcus mutans* Biofilm

Gbemi Williams¹, Mayri A. Díaz De Rienzo^{2*}, Ibrahim M. Banat³, John Callan¹, Ahmed Faheem¹, Peter J. Martin² and Paul A. McCarron¹

¹School of Pharmacy and Pharmaceutical Sciences, University of Ulster, Coleraine, BT52 1SA, Northern Ireland, UK

²School of Chemical Engineering and Analytical Science, The University of Manchester, Manchester, M13 9PL, UK

³School of Biomedical Sciences, University of Ulster, Coleraine, BT52 1SA, Northern Ireland, UK

Research Article

Received date: 21/11/2016

Accepted date: 23/12/2016

Published date: 27/12/2016

*For Correspondence

M. A. Diaz De Rienzo, School of Chemical Engineering and Analytical Science, The University of Manchester, Manchester, M13 9PL, UK, Fax: +44 (0)161 306 2660

E-mail: mayri.diazderienzo@manchester.ac.uk

Keywords: Photosensitizing agents; Biofilm; Semi-solids

ABSTRACT

Background: *Streptococcus mutans*, one of the agent of human dental caries, is particularly effective at forming biofilms on the hard tissues of the human oral cavity; the purpose of this study was to investigate and quantify the diffusional release of photosensitizing agents (PS): methylene blue (MB), toluidine blue (TB), rose bengal (RB) and methyl orange (MO) from Polyvinyl alcohol (PVA)-borate semi-solid gels in the presence of *in vitro* oral *Streptococcus mutans* biofilm.

Methods: *S. mutans* biofilm growths were ascertained to ensure proper dental plaque formation and were characterized using confocal microscopy. Release profiles for MB, TB, RB and MO-loaded PVA-borate semi-solids in the absence of biofilms were directly compared to their counterparts in the presence of *S. mutans* biofilms. In addition, their diffusion coefficients and resistances were determined.

Results: The confocal imaging results showed that biofilms grown over a 5-day period had a generally uninterrupted film of colonies occupying the entire surface area of growth surface of a nylon mesh support with approximately 60 μm biofilm size. The overall diffusion resistance of all PVA-borate semi-solids in the presence of *S. mutans* biofilms was about 1.2 times lower than the diffusion resistance for PVA-borate semi-solids in the absence of biofilms. The diffusion resistances for all studied PS, indicate that electrostatic forces and molecular size play an important part in controlled and sustained drug release from PVA-borate semi-solids.

Conclusions: PVA-borate semi-solids as novel PSs carriers might offer an innovative delivery system in the treatment against *Streptococcus mutans*.

INTRODUCTION

The accumulation of dental plaque biofilms plays an important role in the pathogenesis of caries, gingivitis and periodontitis. Viable communities of microorganisms with complex ecological relationships that influence residing environment are thought to be produced by dental bacterial populations^[1]. The main causative agent in dental biofilm formation is cariogenic *Streptococcus mutans*, which produces lactic acid as a metabolic product of sugar fermentation sugars long after the food has been swallowed^[2,3]. In addition, cariogenic bacteria actively absorb oxygen, resulting in oxygen-deprived niches that favour the proliferation of anaerobic pathogenic microorganisms^[4].

The concept underpinning dental plaque eradication is delivery of a therapeutic dose of antibacterial agent(s) that will ensure complete biofilm penetration and hence cell death. However, many of the currently used conventional dental delivery systems are readily diluted in the mouth, thereby reducing mucosal retentive ability of therapeutic drugs; moreover, the issue of bacterial resistance of antimicrobials in dental plaque eradications still remains a cause for concern.

The successful delivery of PS, as a key component in photodynamic therapy, to dental plaques, will result in the generation of cytotoxic reactive oxygen species, which will lead to microbial cell death. Even if PS are also lipophilic and pharmaceutical formulations for parenteral administration are often difficult to formulate, the loading of PSs in PVA-borate semi-solids delivery systems would be well-suited for topical and transdermal applications.

Hydrogels have been extensively used in a wide range of applications in clinical practice and experimental medicine, especially as matrices for controlled drug delivery and tissue engineering^[5-8]. The current popularity of these materials is based on their vast chemical versatility and the production of hydrogels with varying properties^[7,8]. Cross-linked PVA hydrogels have been studied extensively, with several applications directed towards their application as drug delivery vehicles^[9,10]. Controlled and sustained drug delivery has remained an advancing and interesting area for more than two decades. Therapeutic drug concentrations are achieved and maintained over prolonged periods, ensuring efficacy of drug action. Diffusion coefficients are a useful measure of controlled drug release, especially when evaluating the release of PS from delivery hydrogel systems, such as PVA-borate semi-solid materials.

The aim of this study was to investigate the release of photosensitizing agents (PS) from PVA-borate semi-solids in the presence of *S. mutans*. Biofilms were characterized using confocal imaging. Release profiles of methylene blue (MB), toluidine blue (TB), rose bengal (RB) and methyl orange (MO), loaded into PVA-borate semi-solids were determined in a control environment and in the presence of *S. mutans* biofilms. In addition, the overall contribution of PVA-borate semi-solid materials to sustained release and potential effect of *in vitro* *S. mutans* biofilms in the release of PS were estimated using their corresponding diffusion resistances.

MATERIALS AND METHODS

Materials

Polyvinyl alcohol (PVA) (98% hydrolyzed, $M_w = 13,000-23,000 D_a$), sodium tetraborate decahydrate (borax, 99.5-10.5.0%), and photosensitizing agents (methylene blue (MB), toluidine blue O (TB), rose bengal (RB), methyl orange (MO)) (99%) were all obtained from Sigma-Aldrich (Gillingham, UK). All reagents were of appropriate laboratory standard and used without further purification. Water was purified by the Purelab® Ultra system ($R \geq 18 M\Omega \text{ cm}$).

Preparation of Photosensitizer-loaded Semi-solid Systems

Stock solutions containing 20% w/w PVA and 5% w/w borax were prepared in deionised water, heated at 80 °C until complete dissolution. The test formulations contained 10% w/w PVA, 2.5% w/w borax and approximately 3 mM of MB, TB, RB and MO. PS were added to borax solution before prior addition to PVA. The formed PS-loaded semi-solids were weighed after formation and any loss compensated by the addition of deionised water. PS-loaded hydrogels were kept for a further 48 h in subdued lighting until further use.

Biofilm Formation

Single species biofilm were prepared using *S. mutans* (NCTC 10449, Oxoid, Basingstoke, UK). *S. mutans* were subcultured in heart infusion agar (HIA, Oxoid), and stored at -70 °C until further use. An overnight culture was inoculated using two to three colonies into a 10 ml brain heart infusion media (BHI, Oxoid), incubated at 37 °C, with shaking at 200 rpm for 24 h. The turbidity of the overnight culture was then adjusted using sterile BHI to give a cell density of 10^8 CFU ml^{-1} . *S. mutans* were grown on six sterile 20 µm nylon mesh (20 mm²), placed on an HIA plate and three controls on a separate plate. A 20 µl suspension of the adjusted overnight culture and 20 µl of BHI were placed at the middle of each mesh. The inoculated and control ones were incubated for 5 days at 37 °C.

Confocal Imaging

A BioRad MRC-600 confocal scanning microscope, equipped with a 10X oil immersion objective lens was used to confirm the residence of biofilms grown on nylon mesh. *S. mutans* biofilms were stained using a BacLight® fluorescent viability kit. Stained nylon meshes mounted onto a microscopic slide were examined using an argon laser (476 nm), and sections were collected at 20 µm intervals. The fluorescent intensity from the confocal images was an indirect measurement of the presence of biofilm communities.

In vitro Release Studies

The release studies of model PS across an artificial membrane (nylon mesh) were investigated using Franz diffusion cells (PermaGee, Inc., USA). The release of PS in solution, in solution plus biofilms, from semi-solids, and from semi-solids plus biofilms

was investigated. The diffusion area of the cell was 1 cm², with an orifice diameter of 11.28 mm and a receiver volume of 15 ml. The receptor phase was filled with phosphate buffered saline (pH=5.8), with a sheet of nylon mesh (initially soaked for up to 24 h in the receptor media) clamped between the donor and receptor phases. PS-loaded semi-solid (1.00 g) was placed in the donor phase and tightly closed with Parafilm® to avoid water evaporation. The receptor phase was stirred magnetically and thermostated at 32 ± 0.02 °C, with a circulating jacket. At defined time intervals, 0.1 ml of receiver phase was removed, replaced by fresh buffer and PS drug concentration was determined spectrophotometrically. For TB, the excitation wavelength was 620 nm and the range for emission was 627 to 720 nm. For RB, the excitation wavelength was 552 nm and the emission was recorded in the range from 555 to 620 nm. For MB, the excitation wavelength was 665 nm and for emission was 692 nm. For MO, the excitation wavelength was 263 nm and the emission was at 420 nm.

Statistical Analysis

To determine the PS release profiles from PS-loaded semi-solids through control meshes and meshes containing *in vitro* *S. mutans* biofilms, data are represented as the mean of six experiments plus standard deviations. f_2 similarity factor (Equation 1) were used to establish any significant difference [14], between release profiles of PS from PVA-borate semi-solids (in the absence of biofilms) and in the presence of biofilms.

$$f_2 = 50 \log \left(\left\{ \left(1 + \frac{1}{n} \right) \sum (R_t - T_t)^2 \right\}^{-0.5} \times 100 \right) \quad (1)$$

The release tests were carried out at least six times and the mean ± SD reported, where n is the sampling number, R_t and T_t represents the percentage of drug dissolved of the control and test products at time, t. f_2 similarity factor fits the result between 0 and 100, therefore two releases profiles are considered similar when the $f_2 \geq 50$.

RESULTS

Streptococcus mutans used in this study was assessed for biofilm formation on 20 µm nylon mesh. Biofilm formation was measured over 5 days, characterized by fluorescence nucleic acid stain and visualised using confocal imaging. Fluorescent staining of biofilms on nylon mesh revealed a striking variability in *S. mutans* ability to form a biofilm. **Figure 1**, results show that biofilm formation over a 5-day period had an almost uninterrupted layer of colonies occupying the entire surface area of the nylon mesh growth surface when compared to the control. Also, confocal imaging suggests that a 60 µm thick biofilm had occupied the nylon mesh at 5 days, as demonstrated by a fluorescent signal extending to a depth of 100 µm with biofilm occupied mesh, while no fluorescent signal was observed below 40 µm in the control treatment.

The experimental of PS in the receptor compartment as a function of time are shown in **Figure 2**. Plotted curves demonstrating cumulative drug released at different times, indicate that at 6 h, 0.61 ± 0.03, 0.59 ± 0.01, 2.53 ± 0.13 and 1.02 ± 0.06 mg.ml⁻¹ of MB, TB, RB and MO were released from PVA-borate semi solids, respectively. In comparison, the cumulative release of PS from PVA-borate semi-solids in the presence of *in vitro* *S. mutans* biofilms at 6 h where, 0.51 ± 0.02, 0.48 ± 0.01, 2.38 ± 0.09 and 0.92 ± 0.08 mg.ml⁻¹ of MB, TB, RB and MO, respectively. Using f_2 similarity factor, it can be shown that there are significant differences in the release profiles of MB and TB in solution from PVA-borate semi-solids. In all other cases, there is no significant difference ($f_2 > 50$) in the release profiles of RB and MO formulations.

It is important to estimate the effective diffusion coefficients because it can provide a useful description of the mechanism of drug release from complex multiphase delivery systems, such as PVA-borate semi-solids. The effective diffusion were calculated using a modified Higuchi [12] equation (Equation 2).

$$D_{eff} = \frac{\left(\frac{dM_t}{dM_\infty} \right)^2}{4C_o^2} * \Pi \quad (2)$$

Where the diffusional resistance to mass transfer from the membrane was determined (Equation. 3), where D_{eff} is the appropriate diffusion coefficient and δ_m is the membrane thickness measured in the direction of mass transfer.

$$R_m = \frac{\delta_m}{D_{eff}} \quad (3)$$

The overall mass transfer resistance from PVA-borate semi-solid (Equation. 4) and biofilms (Equation 5) were also calculated, where is total thickness of semi-solid sample and membrane (D_{eff})_{s-s}, (D_{eff})_b, is appropriate diffusion coefficient for PSs containing PVA-borate semi-solid and biofilms.

$$R_{s-s} = \frac{\delta_o}{(D_{eff})_{s-s}} - \frac{\delta_m}{D_{eff}} \quad (4)$$

$$R_{biofilm} = \frac{\delta_o}{(D_{eff})_b} - \frac{\delta_m}{D_{eff}} - R_{s-s} \quad (5)$$




Figure 1. Confocal fluorescence imaging of *S. mutans* biofilms grown on 20 μ m nylon mesh, images were obtained by staining both control (left) and biofilms (right) with BacLight® kit. Nylon mesh were incubated for 5 days, with 20 μ l of either growth media (control experiment) or and *S. mutans* planktonic cells for biofilm formation. Fluorescent signal extends to a depth of 100 μ m while, no fluorescent signal was observed below 40 μ m for the control experiment.




Figure 2. Released photosensitizing agents from different dye in solution (◆), in the presence of biofilms (▲), and from semi-solids (■), in the presence of biofilms (●) as a function of time, (a) methylene blue, (b) toluidine blue, (c) rose bengal, and (d) methyl orange. Results shows mean cumulative drug release of six experiments ± standard deviations.

Table 1, shows various diffusion coefficients of PS through nylon mesh membranes and the corresponding mass resistance(s) from either or both the PVA-borate semi-solids and *S. mutans* biofilms.

Table 1. Formulations diffusion coefficients and resistances of photosensitizing agents across nylon mesh membrane.

Parameters M_w (g/mol)	Methylene blue	Toluidine Blue	Rose blue	Methyl O range
	319.85	305.83	973.67	973.67
$(D_{eff})_{s-s}$, ($10^{-2} \text{cm}^2 \text{h}^{-1}$)	5.02 ± 0.02	5.02 ± 0.02	10.2 ± 0.04	10.2 ± 0.04
$(D_{eff})_{s-s}$ + biofilm, ($10^{-2} \text{cm}^2 \text{h}^{-1}$)	4.04 ± 0.02	3.92 ± 0.03	8.84 ± 0.03	10.9 ± 0.04
R_m , ($10^{-2} \text{h} \cdot \text{cm}^{-1}$)	0.79 ± 0.03	0.74 ± 0.02	0.79 ± 0.02	0.79 ± 0.02
R_{s-s} , ($10^2 \text{h} \cdot \text{cm}^{-1}$)	0.79 ± 0.02	0.15 ± 0.02	0.15 ± 0.02	0.15 ± 0.02
R biofilm, ($10^1 \text{h} \cdot \text{cm}^{-1}$)	0.33 ± 0.09	0.33 ± 0.09	0.11 ± 0.04	0.09 ± 0.08

The higher value of diffusion coefficient obtained for methyl orange ($12.6 \pm 0.05 \text{ } 10^{-2} \text{cm}^2 \text{h}^{-1}$) may be attributed to the overall molecular neutral charge when compared to the positively charged MB ($5.02 \pm 0.02 \text{ cm}^2 \text{ h}^{-1}$) and TB ($4.75 \pm 0.02 \text{ cm}^2 \text{ h}^{-1}$), as they have approximately the same molecular weight. The diffusion coefficient for RB ($40.2 \pm 0.02 \text{ cm}^2 \text{ h}^{-1}$) is lower than that for MO, which may be due to its overall negative charge and having almost three times the size of MO. The mechanism of drug release was evaluated by incorporating the first 60% of the release data, according to the Korsmeyer-Peppas equation where release exponent (n) is indicative of mechanism of drug release. With this region, the initial high flux was excluded from the determination of n. **Figure 3** showed *in vitro* flux of PS from PVA-borate semi-solids in the presence of *in vitro* *S. mutans* biofilms. Results showed the initial region (an hour) of high flux, in all formulations.




Figure 3. Permeability coefficient of different photosensitizers from PVA-borate semi-solid formulations in the absence of biofilms, and from PVA-borate semi-solid formulations in the presence of *in vitro* *S. mutans* biofilms, across a nylon mesh membrane.

In order to be consistent, the first hour of the release of PS from formulations was excluded from the determination of the release exponent. The drug transport mechanism observed in topical formulations with a release exponent value of 0.5, $0.5 < n < 1.0$, 1.0, and $n > 1.0$, are often interpreted as Fickian diffusion, non Fickian diffusion, case II transport and Super-case II transport, respectively. Results in **Table 2**, shows the release exponent values of PS release from formulations and their probable mechanism of transport. The release of MB, TB and RB from PVA-borate semi-solids is interpreted to be via super-case II transport, while MO release was via non-Fickian diffusion. Moreover, the release of MB and TB from PVA-borate semisolid in the presence of *S. mutans* biofilms could be interpreted as via non-Fickian diffusion while, RB and MO release were via Fickian diffusion.

Table 2. Korsmeyer-Peppas release parameters and solute release mechanism of photosensitizing agents sustained release from PVA-borate semi-solids

Formulations	Korsmeyer-Peppas		Overall solute diffusion mechanism
	R2	n value	
MB _{s-s}	0.9916	1.1	Super case-II transport
MB _{s-s} + biofilm	0.9825	0.6	Anomalous (non-fickian) diffusion
TB _{s-s}	0.9916	1.2	Super case-II transport
TB _{s-s} + biofilm	0.9876	0.6	Anomalous (non-fickian) diffusion
RB _{s-s}	0.9975	1.1	Super case-II transport
RB _{s-s} + biofilm	0.9820	0.5	Fickian diffusion
MO _{s-s}	0.9988	0.8	Anomalous (non-fickian) diffusion
MO _{s-s} + biofilm	0.9943	0.4	Fickian diffusion

The influence of *in vitro S. mutans* biofilms and drug delivery vehicle on the permeability coefficients of different photosensitizer is shown in **Figure 3**. The results showed that there was no statistical difference in the permeability coefficients of photosensitizers in either the presence of blank mesh or *in vitro S. mutans* biofilm-coated mesh. However, higher values were quantitatively estimated for the release of PS from PVA-borate semi-solids in the absence of biofilms, when compared to their counterparts in the presence of *in vitro S. mutans* biofilms.




Figure 4. *In vitro* flux ($\text{mg}\cdot\text{cm}^{-2}\cdot\text{h}^{-1}$) of photosensitizers from PVA-borate at 37 °C, and in the presence of *S. mutans* biofilms (top left), (●) rose bengal, (▲) toluidine blue, (◆) methylene blue, and (■) methyl orange. Error bars are very small, therefore not shown.

DISCUSSION

Microbial biofilms are communities adhered to each other on a supporting surface, often shielded by an encapsulating extracellular polysaccharide matrix [13]. Such a biofilm will constitute a barrier to effective drug delivery. This is especially relevant for antimicrobial chemotherapy, where the intention is to achieve bactericidal concentrations throughout the biofilm, and in particular, at the furthest reaches from the drug delivery system. Therefore, biofilm thickness is an important parameter for any novel treatment method, such as the delivery of photosensitizers as part of photodynamic antimicrobial chemotherapy. In order to obtain an assessment of biofilm thickness on diffusion, a *S. mutans* biofilm was grown on an inert, yet porous, support. The results in this study have shown that *S. mutans* biofilms are able to grow on synthetic nylon mesh with a depth of 60 μm .

In this study we use rose bengal and methyl orange were compared with phenothiazinum-based PS (methylene blue and toluidine blue). The organic properties and the overall positive charge of MB and TB gave them advantages over over RB and MO, used in this study. Organic dyes possess fluorescent and photosensitizing properties, which has been shown to effectively inactivate many bacterial species and viruses upon exposure to light [14,15], the overall positive charge of organic dyes may promote the binding having a killing effect on bacteria [16]. Soukos et al. [17] suggested that the charge borne by a cationic poly-L-lysine

chlorine e6 conjugate that was responsible for the increased uptake and pronounced phototoxicity of the conjugate on pure cultures of *Porphyromonas gingivalis* and *A. viscosus*.

In general, diffusion behaviour in complex polymeric delivery systems can be classified according to the relative mobility of the type of polymer and penetrant^[18]. The release of MB, TB, and RB from PVA-borate semi-solids were via super-case II transport (where the release of drug is much greater than other relaxation processes), whilst the release of RB and MO from PVA-borate semisolids in the presence of *in vitro* *S. mutans* biofilms was via Fickian diffusion (where the release of penetrant and polymer segment(s) are comparable). However, the release of MO from PVA-borate semi-solids, TB and MB from PVA borate semi-solids in the presence of *in vitro* *S. mutans* biofilms was via non-Fickian diffusion (where the diffusion rate of a penetrant is much less than that of the polymers composition).

Effective topical drug therapy requires sufficient amount of drug uptake, over a specific period of time for maximal therapeutic response. Results in this study have shown that in all cases, the cumulative amount of PS release from PVA-borate semisolids increased over the investigated period of 6-hours, when compared to a burst release of PS in solution, which was most evident during the first hour (**Figures 2a-2d**). These results could suggest that the cumulative release of PS from PVA-borate semisolids might be effective within the first hour of use, however release profiles of PS in solution and from PVA-borate semisolids showed that release rates were lowered in the presence of *in vitro* *S. mutans* biofilms, when compared to either the release of PS in solution or PS-loaded PVA borate semi-solids in the absence of biofilms. This phenomena could be explained because the interactions photosensitizer-polymer (between the PSs and negatively charged polymers on *in vitro* *S. mutans* biofilm cell surface).

The results of the release profile of PS in solution and from PVA-borate semisolids showed that methyl orange had a burst release when compared to the other photosensitizers used in this study. The relatively lower percentage cumulative release of MB and TB when compared to RB and MO, suggests that the release of both MB and TB-loaded PVA-borate semi-solids are held together via electrostatic forces of attraction, which supports other findings of similar PS formulated in various delivery systems^[19,20]. For example, Serizawa et al.^[20] investigated the release profile of Chromotrope 2R and Indoine Blue dyes from poly (allylamine hydrochloride) films, using UV-Vis spectroscopy, suggesting that the loading and release of both Chromotrope 2R and Indoine Blue dyes from films depends on the electrostatic forces of attraction and repulsion occurring between the acid-base functional groups in the films and the dyes in question. Therefore, the electrostatic forces of attraction between negatively charged PVA-borate semi-solids and positively charged MB and TB, eventually results in the total amount of PS released being attenuated. In contrast to the forces of repulsion between the negatively charged PVA-borate semisolids and negatively charged RB leads to subsequent burst release. The higher value of diffusion coefficient obtained for methyl orange when compared to the positively charged methylene blue, may be attributed to its overall neutral charge, even though their molecular weights are relatively similar. Methylene blue and toluidine blue possess positive overall charge; they also have similar molecular weight value which all accounts for their similar effective diffusion coefficients values. Rose bengal possess an overall negative charge, and with almost three times the size of methyl orange. These two factors might contribute to the slightly lower diffusion coefficients, seen in RB when compared to MO.

It is important to understand the flux rate and the permeability coefficients of a proposed drug from delivery systems to ensure therapeutic doses are administered for the intended purpose. **Figure 4** shows that all the four types of photosensitizers used have similar followed by a fast and steady decrease in release. The initial high flux can be attributed to an initial burst effect, known to occur over a short period of time, being unpredictable and often occurring in gel-based delivery systems as a result of higher surface concentrations brought about by migration of the drug to the surface^[21]. Ongoing flux reached a more stable profile after approximately an hour. Effects arising from system swelling and forming equilibria with the surrounding environment may be attributive. Nevertheless, the large release of photosensitizers at the beginning of the release profile could be construed as beneficial, indicating a possible quick effect on formulations against oral lesions. In order to achieve an optimal phototherapy formulation for oral lesions, the type and release rates of photosensitizer are important. This is because release must be sufficiently high to induce a phototherapy effect within an hour of administration. If the type of photosensitizer was the only governing factor in determining phototherapeutic activity, then any PS would be selected. However, problems have since been associated with rose bengal, for example, Schaap et al.^[22] found that free-floating photosensitizers in solution have a 100-fold higher production rate of singlet oxygen, as opposed to immobilized rose bengal, which might be as a result of diffusion problems in rose bengal-loaded polymers. MO on the other hand absorbs at 465 nm which is way below the therapeutic window for a successful photodynamic process. Moreover, Zhiyong et al.^[23] findings imply that the saturation of MO acting as a PS has not been reached. Therefore, upon selecting a suitable PS, a trade-off between capacities to absorb within phototherapy (600-900 nm), photo-toxicity and drug release must be achieved, making phenothiazium-based PS a suitable candidate for further studies as an alternative topical therapy against *S. mutans*.

ACKNOWLEDGEMENTS

The authors acknowledge financial support from the Department of Employment and Learning (DEL) at the University of Ulster, UK.

REFERENCES

1. Marsh PD. Dental plaque as a biofilm and a microbial community - implications for health and disease. *BMC Oral Health*. 2006;6:S14.
2. Van Houte J. Role of micro-organisms in caries etiology. *J Dent Res*. 1994;73:672-681.
3. Wu CC, et al. Inhibitory effect of *Lactobacillus salivarius* on *Streptococcus mutans* biofilm formation. *Mol Oral Microbiol*. 2015;30:16-26.
4. Stoodley P, et al. Biofilm plaque and hydrodynamic effects on mass transfer, fluoride delivery and caries. *J Am Dent Assoc*. 2008;139:1182-1190.
5. Qiu Y and Park K. Environment-sensitive hydrogels for drug delivery. *Adv Drug Deliv Rev*. 2001;53:321-339.
6. Drury JL and Mooney DJ. Hydrogels for tissue engineering: scaffold design variables and applications. *Biomaterials*. 2003;24:4337-4351.
7. Peppas NA, et al. Hydrogels in pharmaceutical formulations. *Eur J Pharm Biopharm*. 2000;50:27-46.
8. Svenson S. Carrier-based drug delivery, in *Carrier-based Drug Delivery*. ACS Symposium Series. 2004.
9. Hoare TR, et al. Hydrogels in drug delivery: Progress and challenges. *Polymer*. 2008;49:1993-2007.
10. Kim CJ and Lee PI. Composite poly(vinyl alcohol) beads for controlled drug delivery. *Pharm Res*. 1992;9:10-16.
11. Shah VP, et al. In Vitro Dissolution Profile Comparison—Statistics and Analysis of the Similarity Factor, f_2 . *Pharm Res*. 1998;15:889-96.
12. Higuchi T. Rate of release of medicaments from ointment bases containing drugs in suspension. *J Pharm Sci*. 1961;50:874-875.
13. Díaz De Rienzo MA, et al. Antibacterial properties of Biosurfactants against selected gram positive and negative bacteria. *FEMS Microbiol Lett*. 2015.
14. Jockusch S, et al. Photo-induced inactivation of viruses: adsorption of methylene blue, thionine, and thiopyronine on Qbeta bacteriophage. *Proc Natl Acad Sci U S A*. 1996;93:7446-7451.
15. Tuite EM and Kelly JM. Photochemical interactions of methylene blue and analogues with DNA and other biological substrates. *J Photochem Photobiol B*. 1993;21:103-124.
16. Soukos NS, et al. Photomechanical drug delivery into bacterial biofilms. *Pharm Res*. 2000;17:405-409.
17. Soukos NS, et al. Targeted antimicrobial photochemotherapy. *Antimicrob Agents Chemother*. 1998;42:2595-601.
18. Espert A, et al. Comparison of water absorption in natural cellulosic fibres from wood and one-year crops in polypropylene composites and its influence on their mechanical properties. *Composites*. 2004;35:1267-76.
19. Burke, SE et al. pH-Dependent loading and release behavior of small hydrophilic molecules in weak polyelectrolyte multilayer films. *Macromolecules*. 2004;37:5375-84.
20. Serizawa T, et al. Loading and release of charged dyes using ultrathin hydrogels. *Langmuir* 2005;21:7739-7742.
21. Huang X and Brazel CS. On the importance and mechanisms of burst release in matrix-controlled drug delivery systems. *J Control Release*. 2001;73:121-136.
22. Schaap AP, et al. Polymer-based sensitizers for photo-oxidations II. *J. Am Chem Soc*. 1975;97:3741.
23. Shibayama M, et al. ^{11}B n.m.r. study on the reaction of poly(vinyl alcohol) with boric acid. *Polymer*. 1988;29:336-40.