



## LJMU Research Online

**Rehman, A, Abbas, N, Saba, T, Mahmood, T and Kolivand, H**

**Rouleaux red blood cells splitting in microscopic thin blood smear images via local maxima, circles drawing, and mapping with original RBCs.**

<http://researchonline.ljmu.ac.uk/id/eprint/8510/>

### Article

**Citation** (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

**Rehman, A, Abbas, N, Saba, T, Mahmood, T and Kolivand, H (2018)  
Rouleaux red blood cells splitting in microscopic thin blood smear images  
via local maxima, circles drawing, and mapping with original RBCs.  
Microscopy Research and Technique. ISSN 1097-0029**

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact [researchonline@ljmu.ac.uk](mailto:researchonline@ljmu.ac.uk)

<http://researchonline.ljmu.ac.uk/>

# **Rouleaux Red Blood Cells Splitting in Microscopic Thin Blood Smear Images via Local Maxima, Circles Drawing and Mapping with Original RBCs.**

**Amjad Rehman<sup>1</sup>, Naveed Abbas<sup>2</sup>, Tanzila Saba<sup>3</sup>, Toqeer Mahmood<sup>4</sup>, Hoshang Kolivand<sup>5</sup>**

<sup>1</sup>College of Computer and Information Systems Al Yamamah University Riyadh 11512 Saudi Arabia

<sup>2</sup>Computer Science Department Islamia College University Peshawar, Pakistan

<sup>3</sup>College of Computer and Information Sciences Prince Sultan University Riyadh 11586 Saudi Arabia

<sup>4</sup>Department of Computer Science, University of Engineering and Technology Taxila-47050, Pakistan

<sup>5</sup>Department of Computer Science, Liverpool John Moores University, Liverpool, L3 3AF, UK

**Abstract:** Splitting the rouleaux RBCs from single RBCs and its further subdivision is a challenging area in computer-assisted diagnosis of blood. This phenomenon is applied in complete blood count, Anemia, Leukemia and Malaria tests. Several automated techniques are reported in the state of art for this task but face either under or over splitting problems. The current research presents a novel approach to split Rouleaux Red Blood Cells (chains of RBCs) precisely, which are frequently observed in the thin blood smear images. Accordingly, this research address the rouleaux splitting problem in a realistic, efficient and automated way by considering the distance transform and local maxima of the rouleaux RBCs. Rouleaux RBCs are splitted by taking their local maxima as the centres to draw circles by mid-point circle algorithm. The resulting circles are further mapped with single RBC in Rouleaux to preserve its original shape. The results of the proposed approach on standard data set are presented and analyzed statistically by achieving an average recall of 0.059, an average precision of 0.067 and F-measure 0.063 are achieved through ground truth with visual inspection.

**Keywords:** Rouleaux RBCs Splitting; Clumped RBCs; Overlapped RBCs; Preprocessing.

## **1. Introduction**

The manual microscopy is gold standard but the process is highly subjective and laborious. Therefore, automated microscopy has got much attention of the researchers currently. In automated microscopy of blood, the main challenge is to split Rouleaux RBCs preciously. The Rouleaux of RBCs is subdivided into two types; clumps of RBCs and overlaps of RBCs. The word clump means “to glue”. RBCs glued with each other and formed long chains called Rouleaux. The formation of clumps or rouleaux of RBCs occurs due to iron deficiency in the blood(Kumar et al., 2018; Saba et al., 2013). The degree of severance of various diseases is highly dependent on the number of RBCs such as in Malaria the Parasitemia is the ratio of infected RBCs to all RBCs observed on the slide (Mushin et al., 2013). In automated diagnosing, the accuracy is highly dependent on the counting of RBCs (Rupesh et al., 2016; Al-Amin et al., 2015). On the other hand, overlapped RBCs numbers are not more than four RBCs combination and formation is just due to improper slide preparation. Accordingly, the cleavage in a proper, easy and efficient way is the need of the day (Kim et al., 2017; Waheed et al., 2016; Mughal et al., 2017a,b).

Further paper is organized into three main section, section 2 presents in depth background of the research in hand, section 3 presents proposed methodology, section 4 exhibits results and analysis, finally section 4 concludes the research.

## 2. Research background

Recently, researchers have come out with significant algorithms for splitting rouleaux of RBCs, however still further enhancements are needed to tackle the stated problems precisely. Kumar et al., (2018) work show the basic morphological operators for the rouleaux RBCs splitting while the simple morphological operators involve morphology dependent operators like a disc, opening and closing etc., the accuracy of RBCs segmentation will be abruptly disturbed during dense rouleaux of RBCs. Kim et al., (2017) splitting process is purely morphologically dependent because they consider the roundness feature of RBCs, is easily disturbed due to a slight pressure on the slide as well as through other diseases. Further, the study carried out by (Jyoti et al., 2017; Jamal et al., 2017; Iftikhar et al., 2017; Nodehi et al., 2014) used PCA (Principal Component Analysis) for feature reduction and SVM for classification; however, they ignored the splitting process that affected the accuracy in counting process while in the same way through pattern recognition did the segmentation of White Blood Cells (Subrajeet et al., 2016; Norouzi et al., 2014; Younus et al., 2015; Rad et al., 2013, 2016).

Berge et al., (2011) mentioned that in image processing counting RBCs is not a main concern, however the other issues which highly affect the accuracy are rouleaux RBCs splitting; therefore finding and splitting is performed through concavity points. Although, boundaries tracing and labelling are used to count the RBCs but the study didn't reveal how the single and rouleaux RBCs are splitted. While, (Buttarelo and Plebani, 2008), carried out the counting but the separation of rouleaux RBCs splitting was not considered. In few reported studies, the clumps and overlaps of RBCs is not taken into account for splitting while counting the RBCs, however, a few researchers employed area based techniques (Owais Shaikh, 2013-2014) and (Nguyen, Duong, and Vu, 2011).

(Mahmood, Lim, Mazalan, and Razak, 2013), (Grietinfo.in, 2013), (Mahmood and Mansor, 2012) and (Ramesh, Salama, and Tasdizen, 2012) applied the Circular Hough Transform-based techniques to count and split RBCs, where RBCs was considered as circles that is not a proper way due to the fact that RBCs morphology is not static in nature and could be altered by other disease (Rahim et al., 2017a,b).

The earlier studies used the following categories of approaches to address the issue of rouleaux RBCs splitting. Few researchers applied morphological operations to split rouleauxs of RBCs (Buggenthin et al., 2013),(Prasad, Winter, Bhat, Acharya, and Prabhu, 2012),(Amit Kumar, 2012). However, these approaches fail, when deal with long chains. To handle these issues, concavity regions are detected to split the rouleauxed RBCs through lines cuts or circles drawing (LaTorre, Alonso-Nanclares, Muelas, Peña, and DeFelipe, 2013), (Tafavogh, Navarro, Catchpoole, and Kennedy, 2013), (Zhang, Sun, Su, and Pham, 2012), (Kumarasamy, Ong, and Tan, 2011), (Gurcan et al., 2009) and (Mughal et al., 2017; Saba 2017).

Although, the concavity based approaches produce good quality results but at the same time they are costly in terms of computation process. Studies of (Tulsani, 2013), (Ferro et al., 2013), (Hodneland, Kögel, Frei, Gerdes, and Lundervold, 2013), (Ferro, et al., 2013), (Schmitt and Reetz, 2009), (Schmitt and Hasse, 2009) and (Špringl, 2009) employed watershed techniques for the splitting task. Diverse model-based approaches for the same task are presented in (Köppen, Yoshida, and Valle, 2007), (Jiang, Ngo, and Tan, 2006) and (Abbas et al., 2016; Fern et al., 2017).

## 3. Proposed Methodology

In the current research, an improved technique for rouleaux (clumped and overlapped) RBCs splitting is proposed inspired from the watershed transform. In the proposed methodology, RGB image is taken as input, followed by segmentation of single and rouleaux RBCs to increase the efficiency. The rouleaux RBCs is further considered for splitting by applying distance transform, local maxima, circle drawings and mapping. The proposed methodology composed of three main stages: pre-processing,

Splitting of Single Rouleaux RBCs and Splitting Rouleaux RBCs. Proposed research framework is presented in Figure 1.

### 3.1 Pre-processing

The image pre-processing is normally desired in all image analysis applications (Rehman and Saba, 2014; Saba et al., 2014a). Accordingly, the input RGB image is converted into binary image through benchmark thresholding methodology to minimize the computational cost. The small areas are detached from the binary image by labeling as noise (Saba et al., 2014b; Rehman et al., 2009). White holes in RBCs center emerged due to presence of haemoglobin. These holes are filled in the pre-processing stage to smooth line further processing.

To identify the RBCs existence, convex hulls of all RBCs are reevaluated. Moreover, equation (i) and (ii) are employed to compute areas and elongation of RBCs convex hulls respectively. Finally, a normalize variance among all the RBCs is drawn empirically.

$$\sum_{i=1}^{|X|} \alpha_i x_i |(\forall_i: \alpha_i \geq 0) \text{ and } \sum_{i=1}^{|X|} \alpha_i = 1 \quad (i)$$

Such that  $|X|$  = finite set of points,  $x_i$  belongs to  $|X|$  while  $\alpha_i$  is weight set for  $x_i$ , total weights = 1 (normalized mean).

$$\text{Area} = \text{pixels total number} \quad (ii)$$

pixels total number = pixels composed of convex hull of RBCs.

$$\text{Elongation} = \frac{X}{Y} \quad (iii)$$

Such that X = x- axis; Y = y- axis

$$\sigma^2 = \frac{(X-\mu)^2}{N} \quad (iv)$$

where, X stands for area and N is the number of terms in distribution.

**Figure 1** Proposed research framework

### 3.2 Splitting of Single and Rouleaux RBCs

RBCs are splitted in to single and rouleaux based on average of the measure of central tendency.

To identify single RBCs, area of every convex hull of RBCs is divided by median area. While negation of single RBC resulted in multi-RBCs mask; each RBC mask is forwarded to pixel IDX list of an input image to compute image of single RBCs and rouleaux RBCs. The results are presented in Figure (ii).

**Figure 2.** MATLAB Results a) Original RGB image b) Binary form of original image c) Single RBCs d) Rouleaux of RBCs

### 3.3 Splitting Rouleaux RBCs

In splitting the rouleauxed RBCs, initially, distance transform is computed to locate local maxima. Consequently, circles are drawn such that each circle is mapped with rouleaux via slight erosion. Finally, single RBC is segmented from rouleaux. This process is repeated as per number of central maxima to compute splitted single RBC image as exhibited in Figure (iii).

**Figure 3.** MATLAB Results a) Input binary image of rouleaux RBCs b) Distance Transform c) Local Maxima d) Centeriod Local Maxima e) Circles mapping f) The cleaved RBCs

#### 4. Experimental results and analysis

In this section, results are presented, analyzed quantitatively through correlation of ground truth and confusion matrix. Moreover, visual inspection on fifty images obtained from is conducted (DPDx, 2002). Figure 4 presents correlation of ground truth and confusion matrix

Figure 4: Co-relation “Manual (Experts) Vs Proposed Technique” Count

##### 4.1 Quantitative analysis

In this section, automatic counted RBCs results are compared with manually counted RBCs results. The RBCs are manually counted by experts. Through confusion matrix True Positive Rate (TPR), Accuracy (AC), Error Rate (ER) and True Negative Rate (TNR) as exhibited in equations (v), (vi), (vii) and (viii) respectively.

$$TPR = \frac{A}{A + B} \quad (v)$$

$$AC = \frac{A + D}{A + B + C + D} \quad (vi)$$

$$ER = 1 - AC \quad (vii)$$

$$TNR = \frac{D}{C + D} \quad (viii)$$

Table 1 Quantitative Analysis

Slide No	Manual Exact single RBCs and RBCs in Rouleaux Count	Automatic RBCs Count after Rouleaux Splitting	TPR	AC	ER	TNR
1	31	31	1	1	0	0
2	32	32	1	1	0	0
3	12	11	0.916667	0.956522	0.043478	0.083333
4	10	10	1	1	0	0
5	20	20	1	1	0	0
6	80	76	0.9375	0.967742	0.032258	0.0625
7	40	39	0.916667	0.956522	0.043478	0.083333
8	30	30	1	1	0	0
9	32	32	1	1	0	0
10	33	30	0.947368	0.972973	0.027027	0.052632
11	39	38	0.916667	0.956522	0.043478	0.083333
12	41	41	1	1	0	0
13	32	32	1	1	0	0

45	56	56	1	1	0	0
46	78	75	0.961538	0.980392	0.019608	0.038462
49	64	60	0.9375	0.967742	0.032258	0.0625
50	57	54	0.947368	0.972973	0.027027	0.052632

## 4.2 Visual Inspection

The results are evaluated with ground reality through visual inspection. Few results exhibited in Figure 5 attained through proposed RBCs splitting approach.

**Figure 5.** MATLAB Results; Images a), d) and g) present original input binarized images, while images b), e) and h) present rouleaux RBCs, The last column images c),f) and i) are single RBCs image cleaved with proposed methodology.

## 5. Conclusion

This paper has presented a novel approach to split Rouleaux Red Blood Cells precisely, which are frequently observed in the thin blood smear images. The proposed methodology composed of three main stages: pre-processing, Splitting of Single and Rouleaux RBCs and Splitting Rouleaux RBCs. Following preprocessing of Rouleaux Red Blood Cells images, distance transform, local maxima, circle drawings and mapping techniques are applied to achieve splitted Rouleaux Red Blood Cells. According to the results presented in Table 1, the overall average percentage True Positive Rate (TPR) achieved by the proposed technique is 96% and the True Negative Rate (TNR) is 4% while in the same way the accuracy (AC) achieved is 98% and an Error Rate (Error Rate) is 2%. Nonetheless, proposed technique achieved promising results in comparison to current state of the art; current research area has still quest to improve accuracy further.

## Acknowledgement

“This work was supported by the Machine Learning Research Group; Prince Sultan University; Saudi Arabia [RG-CCIS-2017-06-02]. Authors are thankful for this support”

## Highlights

Rouleaux RBCs are splitted by taking their local maxima as the centres to draw circles employing mid-point circle algorithm. The resulting circles are further mapped with single RBC into Rouleaux at high accuracy, while preserving original shape.

## References

- Abbas, N. Saba, T. Mohamad, D. Rehman, A. Almazyad, A.S. Al-Ghamdi, J.S. (2016) Machine aided malaria parasitemia detection in Giemsa-stained thin blood smears, *Neural Computing and Applications*, pp. 1-16, doi:10.1007/s00521-016-2474-6
- Al-Ameen, Z. Sulong, G. Rehman, A., Al-Dhelaan, A., Saba, T. Al-Rodhaan, M. (2015) An innovative technique for contrast enhancement of computed tomography images using normalized gamma-corrected contrast-limited adaptive histogram equalization, *EURASIP Journal on Advances in Signal Processing*, vol. 32, doi:10.1186/s13634-015-0214-1.
- Amit Kumar, P. A. C., Prof. P. U. Tembhare, Prof. C. R. Pote. (2012). Enhanced Identification of Malarial Infected Objects using Otsu Algorithm from Thin Smear Digital Images. *International Journal of Latest Research in Science and Technology*, Vol.1(2), Page No159-163

- Berge, H., Taylor, D., Krishnan, S., and Douglas, T. S. (2011). Improved RBC counting in thin blood smears. *IEEE International Symposium on Biomedical Imaging: From Nano to Macro, 2011*
- Buggenthin, F., Marr, C., Schwarzfischer, M., Hoppe, P. S., Hilsenbeck, O., Schroeder, T., et al. (2013). An automatic method for robust and fast cell detection in bright field images from high-throughput microscopy. *BMC bioinformatics*, vol. 14(1), 297.
- Buttarello, M., and Plebani, M. (2008). Automated blood cell counts state of the art. *American Journal of Clinical Pathology*, 130(1), 104-116.
- Dixit K., Nisha W., (2016) Detection and counting of blood cells using image segmentation: A review, *IEEE World Conference on Futuristic Trends in Research and Innovation for Social Welfare (Startup Conclave)*, Coimbatore, India.
- DPDx. (2002). DPDx, Laboratory Identification of Parasites, Centers of diseases Control and Prevention. In D. a. m. b. C. s. D. o. P. D. a. M. (DPDM) (Ed.). 1600 Clifton Rd. Atlanta, GA 30333, USA Web site developed and maintained by CDC's Division of Parasitic Diseases and Malaria (DPDM).
- Fern, B.M., Rahim, M.S.M., Saba, T., Almazyad, A.S., Rehman, A. (2017) Stratified classification of plant species based on venation state. *Biomedical Research*, vol. 28(13), pp.5660-5663.
- Ferro, L., Leal, P., Marques, M., Maciel, J., Oliveira, M. I., Barbosa, M. A., et al. (2013). Multinuclear Cell Analysis Using Laplacian of Gaussian and Delaunay Graphs *Pattern Recognition and Image Analysis* (pp. 441-449)
- Gonçalves, W. N., and Bruno, O. M. (2012). Automatic system for counting cells with elliptical shape. *arXiv preprint arXiv:1201.3109*.
- Grietinfo.in. (2013). [grietinfo.in](http://grietinfo.in/projects/MAIN/BME2013/cd-8-project%20report_1_.pdf). Retrieved 20-03-2013, 2013, from [grietinfo.in/projects/MAIN/BME2013/cd-8-project%20report\\_1\\_.pdf](http://grietinfo.in/projects/MAIN/BME2013/cd-8-project%20report_1_.pdf)
- Gurcan, M. N., Boucheron, L. E., Can, A., Madabhushi, A., Rajpoot, N. M., and Yener, B. (2009). Histopathological image analysis: A review. *Biomedical Engineering, IEEE Reviews in*, 2, 147-171.
- Hodneland, E., Kögel, T., Frei, D. M., Gerdes, H.H., and Lundervold, A. (2013). CellSegm-a MATLAB toolbox for high-throughput 3D cell segmentation. *Source code for biology and medicine*, 8(1), 1-24.
- Jamal A, Hazim Alkawaz M, Rehman A, Saba T. (2017) Retinal imaging analysis based on vessel detection. *Microsc Res Tech*. 2017;00:1–13. <https://doi.org/10.1002/jemt>.
- Jiang, H., Ngo, C.W., and Tan, H.K. (2006). Gestalt-based feature similarity measure in trademark database. *Pattern recognition*, 39(5), 988-1001.
- Jyoti R., Annapurna S., Bhadauria H., Jitendra V. Devgun S. (2017) Classification of acute lymphoblastic leukaemia using hybrid hierarchical classifiers. *Multimedia Tools and Applications* 76:18, pages 19057-19085.
- Iftikhar, S. Fatima, K. Rehman, A. Almazyad, A.S., Saba, T. (2017) An evolution based hybrid approach for heart diseases classification and associated risk factors identification, *Biomedical Research* 28 (8), pp. 3451-3455
- Kim, C.H., Kwac, L.K. and Kim, H.G. (2017) The Development of Evaluation Algorithm for Blood Infection Degree, *Wireless Pers Commun* <https://doi.org/10.1007/s11277-017-4136-0>
- Kong, H., Gurcan, M., and Belkacem-Boussaid, K. (2011a). Partitioning histopathological images: an integrated framework for supervised color-texture segmentation and cell splitting. *Medical Imaging, IEEE Transactions on*, 30(9), 1661-1677.
- Kong, H., Gurcan, M., and Belkacem-Boussaid, K. (2011b). Splitting touching-cell rouleaux on histopathological images. Paper presented at the *Biomedical Imaging: From Nano to Macro, 2011 IEEE International Symposium on*.
- Köppen, M., Yoshida, K., and Valle, P. A. (2007). Gestalt theory in image processing: A discussion paper. Paper presented at the *Proceedings*.
- Kumarasamy, S. K., Ong, S., and Tan, K. S. (2011). Robust contour reconstruction of RBCs and parasites in the automated identification of the stages of malarial infection. *Machine Vision and Applications*, 22(3), 461-469.

- Kumar S., Mishra S., Asthana P., Pragma (2018) Automated Detection of Acute Leukemia Using K-mean Clustering Algorithm. In: Bhatia S., Mishra K., Tiwari S., Singh V. (eds) Advances in Computer and Computational Sciences. Advances in Intelligent Systems and Computing, vol 554. Springer, Singapore.
- LaTorre, A., Alonso-Nanclares, L., Muelas, S., Peña, J., and DeFelipe, J. (2013). Segmentation of neuronal nuclei based on clump splitting and a two-step binarization of images. *Expert Systems with Applications*, 40(16), 6521-6530.
- Mughal, B. Muhammad, N. Sharif, M. Saba, T. Rehman, A. (2017) Extraction of breast border and removal of pectoral muscle in wavelet domain, *Biomedical Research*, vol.28(11), pp. 5041-5043.
- B. Mughal, M. Sharif, and N. Muhammad, "Bi-model processing for early detection of breast tumor in CAD system," *The European Physical Journal Plus*, vol. 132, p. 266, June 15 2017a.
- B. Mughal, M. Sharif, N. Muhammad, and T. Saba, "A novel classification scheme to decline the mortality rate among women due to breast tumor," *Microscopy Research and Technique*, 2017b, DOI: 10.1002/jemt.22961.
- Muhsin; Z.F. Rehman, A.; Altameem, A.; Saba, A.; Uddin, M. (2014). Improved quadtree image segmentation approach to region information, the imaging science journal, vol. 62(1), pp. 56-62, doi. <http://dx.doi.org/10.1179/1743131X13Y.0000000063>.
- Mahmood, N. H., Lim, P. C., Mazalan, S. M., and Razak, M. A. A. (2013). Blood cells extraction using color based segmentation technique, *International Journal of Life Sciences Biotechnology and Pharma Research*, vol. 2(2), pp. 233-240.
- Mahmood, N. H., and Mansor, M. A. (2012). RBCs estimation using Hough transform technique. *Signal and Image Processing: An International Journal (SIPIJ)*, vol.3(2), 53-64.
- Norouzi, A. Rahim, MSM, Altameem, A. Saba, T. Rada, A.E. Rehman, A. and Uddin, M. (2014) Medical image segmentation methods, algorithms, and applications IETE Technical Review, vol.31(3), pp. 199-213, doi. 10.1080/02564602.2014.906861.
- Nguyen, N.-T., Duong, A.-D., and Vu, H.-Q. (2011). Cell splitting with high degree of overlapping in peripheral blood smear. *Int J Comp Theory Eng*, vol. 3(3).
- Nodehi, A. Sulong, G. Al-Rodhaan, M. Al-Dhelaan, A., Rehman, A. Saba, T. (2014) Intelligent fuzzy approach for fast fractal image compression, *EURASIP Journal on Advances in Signal Processing*, doi. 10.1186/1687-6180-2014-112.
- Owais Shaikh, M. G., Neharika Bhat, Roshan Shetty (2013-2014). Automated RBCS Count. Unpublished Synopsis Report, University of Mumbai, Bandra(w), Mumbai - 400050.
- Prasad, K., Winter, J., Bhat, U. M., Acharya, R. V., Prabhu, G. K. (2012). Image analysis approach for development of a decision support system for detection of malaria parasites in thin blood smear images. *Journal of digital imaging*, 25(4), 542-549.
- Rad, A.E. Rahim, M.S.M, Rehman, A. Altameem, A. Saba, T. (2013) Evaluation of current dental radiographs segmentation approaches in computer-aided applications IETE Technical Review, vol. 30(3), pp. 210-222
- Rad, A.E., Rahim, M.S.M, Rehman, A. Saba, T. (2016) Digital dental X-ray database for caries screening, *3D Research*, vol. 7(2), pp. 1-5, doi. 10.1007/s13319-016-0096-5
- Rahim, M.S.M, Norouzi, A. Rehman, A. and Saba, T. (2017a) 3D bones segmentation based on CT images visualization, *Biomedical Research*, vol.28(8), pp.3641-3644
- Rahim, M.S.M, Rehman, A. Kurniawan, F. Saba, T. (2017b) Ear biometrics for human classification based on region features mining, *Biomedical Research*, vol.28 (10), pp.4660-4664
- Ramesh, N., Salama, M. E., and Tasdizen, T. (2012). Segmentation of haematopoietic cells in bone marrow using circle detection and splitting techniques. 9th IEEE International Symposium on Biomedical Imaging (ISBI).
- Rehman, A. Mohammad, D. Sulong, G. Saba, T.(2009). Simple and effective techniques for core-region detection and slant correction in offline script recognition Proceedings of IEEE International Conference on Signal and Image Processing Applications (ICSIPA'09), pp. 15-20.



- Rehman, A., Saba, T. (2014) Neural networks for document image preprocessing: state of the art, *Artificial Intelligence Review*, vol. 4(2), pp. 253-273
- Rupesh A., Joseph S., Jay C., Ashutosh R., Sangho K., (2016) Red blood cells in retinal vascular disorder. *Blood Cells, Molecules, and Diseases*, vol. 56(1), pp. 53-61.
- Saba T, Al-Zahrani S, Rehman A. (2012) Expert system for offline clinical guidelines and treatment *Life Sci Journal*, vol.9(4), pp. 2639-2658.
- Saba, T. (2017). Halal food identification with neural assisted enhanced RFID antenna, *Biomedical Research* 2017; vol. 28(18), pp. 7760-7762.
- Saba, T. Rehman, A. Altameem, A. Uddin, M. (2014a) Annotated comparisons of proposed preprocessing techniques for script recognition, *Neural Computing and Applications*, vol.25(6), pp. 1337-1347 , doi. 10.1007/s00521-014-1618-9
- Saba,T., Rehman, A., Al-Dhelaan,A., Al-Rodhaan, M. (2014b) Evaluation of current documents image denoising techniques: a comparative study, *Applied Artificial Intelligence*, vol.28(9),pp. 879-887.
- Schmitt, O., Hasse, M. (2009). Morphological multiscale decomposition of connected regions with emphasis on cell rouleaux. *Computer Vision and Image Understanding*, vol. 113(2), pp. 188-201.
- Schmitt, O., Reetz, S. (2009). On the decomposition of cell rouleaux. *Journal of Mathematical Imaging and Vision*, 33(1), 85-103.
- Springl, V. (2009). Automatic Malaria Diagnosis through Microscopy Imaging. CZECH TECHNICAL UNIVERSITY IN PRAGUE, PRAGUE.
- Subrajeet M.,Dipti P.,Sanghamitra S.,Rabindra K., Sudha S., (2016) Automated morphometric classification of acute lymphoblastic leukaemia in blood microscopic images using an ensemble of classifiers. *Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization*, vol. 4(1), pp. 1401-1420.
- Tafavogh, S., Navarro, K. F., Catchpoole, D. R., and Kennedy, P. J. (2013). Segmenting Neuroblastoma Tumor Images and Splitting Overlapping Cells Using Shortest Paths between Cell Contour Convex Regions *Artificial Intelligence in Medicine* (pp. 171-175).
- Tulsani, H. (2013). Segmentation using morphological watershed transformation for counting blood cells. *IJCAIT*, 2(3), pp.28-36.
- Waheed, S.R., Alkawaz, M.H., Rehman, A., Almazyad,A.S., Saba, T. (2016). Multifocus watermarking approach based on discrete cosine transform, *Microscopy Research and Technique*, vol. 79 (5), pp. 431-437, doi. 10.1002/jemt.22646.
- Younus, Z.S. Mohamad, D. Saba, T. Alkawaz,M.H. Rehman, A. Al-Rodhaan,M. Al-Dhelaan, A. (2015) Content-based image retrieval using PSO and k-means clustering algorithm, *Arabian Journal of Geosciences*, vol. 8(8) , pp. 6211-6224, doi. 10.1007/s12517-014-1584-7
- Zhang, C., Sun, C., Su, R., and Pham, T. D. (2012). Segmentation of rouleaux nuclei based on curvature weighting. *Proceedings of the 27th Conference on Image and Vision Computing*.