

LJMU Research Online

MacCormick, IJC, Williams, BM, Zheng, Y, Li, K, Al-Bander, B, Czanner, S, Cheeseman, R, Willoughby, CE, Brown, EN, Spaeth, GL and Czanner, G

Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile

http://researchonline.ljmu.ac.uk/id/eprint/9958/

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

MacCormick, IJC, Williams, BM, Zheng, Y, Li, K, Al-Bander, B, Czanner, S, Cheeseman, R, Willoughby, CE, Brown, EN, Spaeth, GL and Czanner, G (2019) Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile. PLoS One.

LJMU has developed LJMU Research Online for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@limu.ac.uk



CORRECTION

Correction: Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile

Ian J. C. MacCormick, Bryan M. Williams, Yalin Zheng, Kun Li, Baidaa Al-Bander, Silvester Czanner, Rob Cheeseman, Colin E. Willoughby, Emery N. Brown, George L. Spaeth, Gabriela Czanner

The second author, Bryan M. Williams, should also be listed as a corresponding author. Dr. Williams' email address is: bryan.williams@liverpool.ac.uk.

Reference

 MacCormick IJC, Williams BM, Zheng Y, Li K, Al-Bander B, Czanner S, et al. (2019) Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile. PLoS ONE 14(1): e0209409. https://doi.org/10.1371/journal.pone.0209409 PMID: 30629635



G OPEN ACCESS

Citation: MacCormick IJC, Williams BM, Zheng Y, Li K, Al-Bander B, Czanner S, et al. (2019)
Correction: Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile.
PLoS ONE 14(4): e0215056. https://doi.org/10.1371/journal.pone.0215056

Published: April 3, 2019

Copyright: © 2019 MacCormick et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.