



LJMU Research Online

Harkness, A, Ring, L, Augustine, DX, Oxborough, D, Robinson, S, Sharma, V and Education Committee of the British Society of Echocardiography,

Normal reference intervals for cardiac dimensions and function for use in echocardiographic practice: a guideline from the British Society of Echocardiography.

<http://researchonline.ljmu.ac.uk/id/eprint/12557/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Harkness, A, Ring, L, Augustine, DX, Oxborough, D, Robinson, S, Sharma, V and Education Committee of the British Society of Echocardiography, (2020) Normal reference intervals for cardiac dimensions and function for use in echocardiographic practice: a guideline from the British Society of

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

ERRATUM

PROOF ONLY

Normal reference intervals for cardiac dimensions and function for use in echocardiographic practice: a guideline from the British Society of Echocardiography

Allan Harkness MSc^{1,*}, Liam Ring MBBS^{2,*}, Daniel X Augustine MD^{3,†}, David Oxborough PhD⁴, Shaun Robinson MSc⁵ and Vishal Sharma MD^{6,†} on behalf of the Education Committee of the British Society of Echocardiography

¹East Suffolk and North Essex NHS Foundation Trust, Essex, UK

²West Suffolk Hospital NHS Foundation Trust, Bury St Edmunds, UK

³Royal United Hospitals Bath NHS Foundation Trust, Bath, UK

⁴Liverpool John Moores University, Research Institute for Sports and Exercise Science, Liverpool, UK

⁵North West Anglia NHS Foundation Trust, Peterborough, UK

⁶Royal Liverpool and Broadgreen University Hospitals NHS Trust, Liverpool, UK

Correspondence should be addressed to L Ring: liamring@doctors.org.uk

*(A Harkness and L Ring contributed equally to this work)

†(D X Augustine and V Sharma are the Guidelines Chairs)

D Oxborough and V Sharma are members of the editorial board of *Echo Research and Practice*. They were not involved in the review or editorial process for this paper, on which they are listed as authors

The authors and journal apologise for errors in the above paper, which appeared in the March 2020 issue of *Echo Research and Practice* (volume 7, pages G1–G18, <https://doi.org/10.1530/ERP-19-0050>).

The errors relate to values given in Table 2 on page G6. The original text gave the Male moderate LVIDd LV dimension as 61–65 mm, the Male mild LVIDs LV dimension as 41–45 mm and the Female mild LVMi LV mass as 98–115 g/m².

This should have stated that the Male moderate LVIDd LV dimension is 62–65 mm, the Male mild LVIDs LV dimension is 42–45 mm and the Female mild LVMi LV mass is 100–115 g/m². The corrected Table 2 is given in full below:

Table 2 Linear left ventricular dimensions and mass.

	Normal	Mild	Moderate	Severe
Males				
LV dimensions				
LVIDd (mm)	37–56	57–61	62–65	>65
LVIDs (mm)	22–41	42–45	46–50	>50
IVSd (mm)	6–12	–	–	–
LVPWd (mm)	6–12	–	–	–
LV mass				
LVMi (g/m ²)	40–110	111–127	128–145	>145
LV mass (g)	72–219	–	–	–
Females				
LV dimension				
LVIDd (mm)	35–51	52–55	56–59	>59
LVIDs (mm)	20–37	38–42	43–46	>46
IVSd (mm)	5–11	–	–	–
LVPWd (mm)	6–12	–	–	–
LV mass				
LVMi (g/m ²)	33–99	100–115	116–131	>131
LV mass (g)	51–173	–	–	–

IVSd, inter-ventricular septal thickness in diastole; LV, mass calculated using the linear method; LVIDd, left ventricular internal diameter in diastole; LVIDs, left ventricular internal diameter in systole; LVMi, left ventricular mass index; LVPWd, left ventricular posterior wall thickness in diastole.