



LJMU Research Online

Ailus, J, Saleem, I and Ismail, FMD

A Review of the Anti-Inflammatory Skincare Potential of Epilobium angustifolium (Fireweed) Inspired by Herbal Tradition

<http://researchonline.ljmu.ac.uk/id/eprint/24136/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Ailus, J, Saleem, I and Ismail, FMD (2024) A Review of the Anti-Inflammatory Skincare Potential of Epilobium angustifolium (Fireweed) Inspired by Herbal Tradition. *Cosmetics*, 11 (5).

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

Supplementary material

Table S1. All chemical components found in *E. angustifolium*

| Chemical | Class |
|--|--|
| Kaempferol (figure 4) | |
| Kaempferol 8- <i>O</i> -methyl ether | |
| Afzelin (kaempferol-3- <i>O</i> -rhamnoside) (figure 2) | |
| Kaempferol-3- <i>O</i> -arabinoside, | |
| Kaempferol-3- <i>O</i> -glucuronide | |
| Kaempferol-3- <i>O</i> -(6''- <i>p</i> -coumaroyl)-glucoside | |
| Quercetin (figure 7) | |
| Quercitrin (quercetin-3- <i>O</i> -rhamnoside) | |
| Isoquercetin (quercetin-3- <i>O</i> -glucoside) (figure 3) | Flovonoids [25,26] |
| Quercetin-3- <i>O</i> -galactoside | |
| Quercetin-3- <i>O</i> -arabinoside | |
| Miquelianin (quercetin-3- <i>O</i> -glucuronide) (figure 5) | |
| Quercetin-3- <i>O</i> -(6''-galloyl)-galactoside | |
| Myricetin (figure 6) | |
| Myricetin-3- <i>O</i> -rhamnoside | |
| Myricetin-3- <i>O</i> -glucoside | |
| Myricetin-3- <i>O</i> -galactoside | |
| Myricetin-3- <i>O</i> -arabinoside | |
| Myricetin-3- <i>O</i> -glucuronide | |
| Ellagic acid | |
| Valoneic acid dilactone | |
| Chlorogenic acid (3- <i>O</i> -caffeoylquinic acid) | |
| Neochlorogenic acid (5- <i>O</i> -caffeoylquinic acid) | |
| 3- <i>O</i> - <i>p</i> -coumaroylquinic acid 4- <i>O</i> - <i>p</i> -Coumaroylquinic acid 5- <i>O</i> - <i>p</i> -Coumaroylquinic acid 3- <i>O</i> -Feruoylquinic acid | Phenolic Acids and their derivatives [24,26] |
| 5- <i>O</i> -Feruoylquinic acid | |
| Gallic acid | |
| Octyl gallate | |
| Protocatechuic acid | |
| Gentisic acid | |
| Cinnamic acid | |
| Caffeic acid | |
| Ferulic acid (figure 8) | |
| Oenothien B (figure 9) | |
| 1,2,6-tri- <i>O</i> -galloylglucose | |
| 1,2,3,6-tetra- <i>O</i> -galloylglucose | |
| 1,2,3,4,6-penta- <i>O</i> -galloylglucose | Tannins and related compounds [26,33] |
| 1,2,3-tri- <i>O</i> -galloyl-4,6-HHDP-glucose | |
| 2,3-Di- <i>O</i> -galloyl-4,6-HHDP-glucose | |

Supplementary material

Ursolic Acid (figure 11)
Corosoic Acid
Maslinic Acid
Oleanolic Acid (figure 10)

Triterpenes [25,26]

