

**Gössling, S, Meyer-Habighorst, C and Humpe, A**

**A global review of marine air pollution policies, their scope and effectiveness**

<http://researchonline.ljmu.ac.uk/id/eprint/26172/>

#### **Article**


**Citation** (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

**Gössling, S, Meyer-Habighorst, C and Humpe, A (2021) A global review of marine air pollution policies, their scope and effectiveness. Ocean & Coastal Management, 212. ISSN 0964-5691**

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact [researchonline@ljmu.ac.uk](mailto:researchonline@ljmu.ac.uk)



# A global review of marine air pollution policies, their scope and effectiveness

Stefan Gössling<sup>a,b,c,\*</sup>, Christiane Meyer-Habighorst<sup>a</sup>, Andreas Humpe<sup>d</sup>

<sup>a</sup> Western Norway Research Institute, PO Box 163 6851 Sogndal, Norway

<sup>b</sup> Department of Service Management and Service Studies Lund University Box 882, 25108 Helsingborg, Sweden

<sup>c</sup> School of Business and Economics, Linnaeus University 391 82 Kalmar, Sweden

<sup>d</sup> Munich University of Applied Sciences, Schachenmeierstraße 35, 80636 München, Germany

## ARTICLE INFO

### Keywords:

Climate change  
Marine policy  
Pollutants  
Ports  
Shipping

## ABSTRACT

Shipping is associated with various environmental impacts, such as pollutants discharged to air and sea. Much of this pollution appears to be unregulated, and global emissions from shipping are expected to more than triple between 2020 and 2050. This paper reviews global, national, regional and port-level legislative approaches that have been implemented to reduce emissions of carbon dioxide (CO<sub>2</sub>), nitrous oxides (NO<sub>x</sub>), sulphur oxides (SO<sub>x</sub>) and particulate matter (PM). Policies are identified on the basis of a systematic review of the literature in combination with a detailed analysis of the respective global, national and local policy initiatives. Findings suggest that many policies are voluntary or, in ports, incentive-based; regulatory approaches are largely limited to Emission Control Areas. Policies also focus on efficiencies, they are not concerned with absolute pollutant and greenhouse gas levels. No policies incentivizing or forcing the transition to zero-carbon fuels were identified. As ports can define limits to pollution, for instance by demanding shore power use, they can significantly affect the clean development of the sector. Further legislation will be needed nationally to counterbalance the lack of supranational ambition on pollutants and climate change mitigation.

## 1. Introduction

Ships carry three-quarters of the world's freight (ITF 2019), along with very significant passenger numbers on ferries and cruise ships (Cruise Market Watch, 2021). Shipping causes emissions to air, including carbon dioxide (CO<sub>2</sub>), nitrous oxides (NO<sub>x</sub>), sulphur oxides (SO<sub>x</sub>), carbon monoxide (CO), unburned hydrocarbons (HC), and particulate matter (PM<sub>2.5</sub>, PM<sub>10</sub>). These contribute to climate change and air pollution (Richter et al., 2004; Traut et al., 2018). NO<sub>x</sub> and PM<sub>2.5</sub> in particular can have serious health impacts (e.g. Andersson et al., 2009; Corbett et al., 2007; Künzli et al., 2000; Marelle et al., 2016; Pandolfi et al., 2011), and populations living in proximity to ports have been found to be exposed to particularly high levels of air pollution (e.g. Merico et al., 2017; Saxe and Larsen 2004). CO<sub>2</sub> is the most important greenhouse gas, and even though shipping makes only a small contribution to global warming, the sector's expected growth will challenge a global economy seeking to decarbonize by mid-century (UNFCCC 2018).

There is a growing body of literature addressing pollutants and emissions from shipping and strategies to reduce these (Anderson and

Bows 2012; Balcombe et al., 2019; Bows-Larkin 2015; Eide et al., 2013; Gilbert and Bows 2012; Traut et al., 2018; Wan et al., 2018). In the Fourth IMO GHG study, the International Maritime Organization (IMO) estimates that the contribution of shipping (international, domestic, fishing) to overall global emissions of greenhouse gases is 1076 Mt CO<sub>2</sub>-equivalent, the major part of this attributed to CO<sub>2</sub> (1056 Mt), with the remainder falling on CH<sub>4</sub> (methane) and N<sub>2</sub>O (nitrous oxide) (together: 20 Mt CO<sub>2</sub>-equivalent; MEPC 2020). While the share of CO<sub>2</sub> emissions coming from shipping is still relatively low in comparison to other sectors - at 2.89% of total anthropogenic CO<sub>2</sub> emissions in 2018 (MEPC 2020) -, expected growth rates suggest that in a decarbonizing world, shipping's role will become increasingly relevant. This is illustrated in Fig. 1 for CO<sub>2</sub> from international marine bunkers, suggesting that shipping roughly doubled its contribution to climate change between 1971 and 2019. Continued growth is anticipated, and the IMO foresees an increase in emissions by 90–130% to 2050, notably in a scenario that considers efficiency gains (MEPC 2020). In absolute numbers, emissions may grow to 2.6 Gt CO<sub>2</sub> by 2050 (IMO 2020a; ITF 2019).

\* Corresponding author. Western Norway Research Institute, PO Box 163 6851 Sogndal, Norway.

E-mail address: [sgo@vestforsk.no](mailto:sgo@vestforsk.no) (S. Gössling).

<https://doi.org/10.1016/j.ocecoaman.2021.105824>

Received 20 February 2021; Received in revised form 16 June 2021; Accepted 15 July 2021

Available online 26 July 2021

0964-5691/© 2021 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).




Fig. 1. CO<sub>2</sub> emissions from international marine bunkers, 1971–2019. Source: IEA (2020)

Important air pollutants from shipping that have significant health impacts include NO<sub>x</sub> and PM<sub>2.5</sub> (Künzli et al., 2000). Various studies have pointed at shipping as an emitter of 14–15% of all nitrogen from fossil fuel combustion (Corbett et al., 1999; Corbett and Koehler 2003; Endresen et al., 2003; Eyring et al., 2005). Current estimates are 20.9 Mt of NO<sub>x</sub> in 2015, or 15% of the global total (Johansson et al., 2017). In the most recent assessment, the Fourth GHG Study (MEPC 2020: 144) concludes that NO<sub>x</sub> emissions from shipping (international, domestic, fishing) reached 19.65 Mt in 2017. With regard to PM<sub>2.5</sub>, Johansson et al. (2017) calculated shipping emissions in the order of 1.49 Mt of PM<sub>2.5</sub> in 2015. This figure is essentially confirmed in the Fourth GHG Study (MEPC 2020), at 1.43 Mt PM<sub>2.5</sub> in 2017. In comparison to an estimated overall global total of 78 Mt PM<sub>2.5</sub> in 2007 (Huang et al., 2014), shipping is responsible for about 2% of PM<sub>2.5</sub>. Particulate matter contributes to cardiopulmonary and lung cancer (Corbett et al., 2007), with estimates of 14,500–37,500 premature deaths worldwide related to PM<sub>2.5</sub> (Liu et al., 2016). As ships often contribute to air pollution in port towns, the impact of NO<sub>x</sub> and PM has been the focus of much research (Pandolfi et al., 2011; Saxe and Larsen 2004; Merico et al., 2017; Tichavska and Tovar 2015; Maragkogianni and Papaefthimiou, 2015; Papaefthimiou et al., 2016). Other important pollutants from shipping included, in 2017, SO<sub>x</sub> (10.1 Mt), NMVOC (0.8 Mt), CO (0.8 Mt), and black carbon (80,000 t) (MEPC 2020).

As this overview indicates, shipping is a source of significant amounts of air pollutants and emissions, even though the sector's contribution to global totals is low. Shipping's relevance is thus twofold: First, in a world seeking to decarbonize, its contribution to global warming will grow in relative and absolute terms. This is a problem specifically in regard to shipping's non-inclusion in the Paris agreement (UNFCCC 2018) and the global community's zero-emission goals to 2050. Second, shipping is a major factor in local air pollution, affecting in particular port and coastal communities. In these environments, shipping is often the major source of air pollution.

To reduce air pollutants, various strategies have been discussed. For example, technology innovations reduce fuel use (e.g. hull designs), make fuels redundant (e.g. shore power), reduce carbon-intensities (e.g. LNG), replace fossil fuels (e.g. synthetic fuels), or introduce entirely new propulsion technologies (e.g. electric). Management strategies can include slow steaming or specific routing to reduce energy demand (Balcombe et al., 2019; Eide et al., 2013). There is however much agreement that this will require governance, i.e. policies to initiate change on the basis of voluntary, market-based, or regulatory approaches (Gilbert and Bows 2012; Larkin et al., 2017; Walsh et al., 2017; Wan et al., 2018).

While many papers have discussed technology options, management as well as policies, it is increasingly clear that these may have made shipping somewhat more efficient, but not changed overall air pollutant

and emission growth trajectories. This is also evident in IMO's report on emissions from international shipping to the UNFCCC (IMO 2019), which does not focus on overall emission growth, rather than a host of strategies to improve the relative efficiency of ships. Many of the strategies have been outlined by the sector itself, including new power and propulsion systems and fuels (IMO 2019; MEPC 2020), but they are unlikely to be introduced without regulation or market-based measures, as they are too costly (Eide et al., 2009). There is thus a significant challenge to transform the sector, for instance in regard to Paris Agreement objectives (Traut et al., 2018). The ITF Transport Outlook (ITF 2019) concludes that “transport CO<sub>2</sub> emissions remain a major challenge”, with calculations that the sector would have to reduce its GHG emissions by 85% by 2050 compared to 2010 in order to support the wider global decarbonization goals (Anderson and Bows 2012). Even under a scenario that considers all known opportunities to limit shipping emissions, this goal will be difficult to achieve (Wan et al., 2018).

Perhaps as a result, IMO's (2020a) emission reduction goal is more modest, and defined as a reduction in the absolute level of GHG emissions by at least 50% by 2050 in comparison to 2008 (Fig. 2). This proposition is somewhat confusing as it relies on the combined effect of design and technology, operations, and yet unknown “innovative measures, fuels and technologies”. While there is limited evidence that known designs, technical and operational measures are on track to reduce the sector's emissions by the level proposed by IMO, it is even less clear how unknown innovations would contribute to decarbonization, notably in a scenario that suggests that reductions will be accelerating over time. Fig. 2 thus suggests that there is a growing “emissions gap”, defined as the difference between anticipated emission trajectories and mitigation goals. This gap could amount to more than 1.5 Gt CO<sub>2</sub> annually by 2050, or about 1.5 times the current amount of emissions from shipping (IMO 2020a). Given the tight timeline for the transition to a zero-emission global economy, IMO's proposition for greenhouse gas emission reductions must be considered insufficient in both ambition and reliability (see also Acciaro et al., 2013).

The discussion highlights two different roles for governance and policies in transforming shipping, i.e. the need to establish more ambitious decarbonization goals for the sector than currently set by IMO; and to implement policies that will bring shipping on a credible and reliable low-carbon trajectory. Without political interventions, the most likely scenario is that emissions will continue to rise. There is a related issue for NO<sub>x</sub>, SO<sub>x</sub> and PM, and the need to significantly reduce air pollution levels, specifically in proximity to coastal populations. This impasse has been recognized at various political scales. For example, the UN (2019) has called for a “propulsion revolution” to avoid “environmental disaster”, while the EU launched a monitoring, reporting and verification initiative for shipping (Council of the European Union 2015). Various port initiatives throughout the world have also sought to limit air pollution levels (López-Aparicio et al., 2017; Maragkogianni et al.,




Fig. 2. IMO GHG reduction pathway. Source: IMO (2020a).

2016; Papaefthimiou et al., 2017).

Overall, the global policy situation remains unclear and is the focus of this review, which investigates the scale, scope and effectiveness of existing marine policies to address greenhouse gas emissions and pollutants from shipping now and in the future. Policies are also evaluated in regard to legislative approaches, which may be voluntary, market-based (including incentives) or regulatory, as well as the policies' scope, which may be global, regional, national or at port level.

## 2. Materials and methods

A systematic review approach was applied to ensure replicability and literature quality (Bryman, 2016). This applied three review steps: (1) literature search with a set list of predefined relevant terms in order to capture global/regional, national, and local/port policies; (2) for each policy identified in the literature search, review of original source material detailing the policy (e.g., policymaking organizations, institutions, authorities); and (3) organizing summary of the identified policies by scope, implementation date, and policy type. Following the systematic review, policies were then critically evaluated against the marine transportation sector's goals for pollutant reduction and decarbonization.

To identify policies (step 1), Google Scholar was searched for the following keywords (December 2020), both as single terms as well as in combination: "marine policy", "regulation", "shipping", "cruise", "port", "municipality". This approach led to the initial identification of 137 papers, which were screened for relevance in regard to the research objective. During the process, 36 papers were removed from the collection. In a consecutive step, the remaining 101 papers were evaluated to extract and list all policies falling into this paper's boundaries, i.e. policies referred to either CO<sub>2</sub> as the principle greenhouse gas or air pollutants NO<sub>x</sub>, SO<sub>x</sub>, and PM. The review considers regulation, agreements between governments/ports and the shipping industry, as well as initiatives by industry. It excludes discharge to sea. Articles cover two decades, i.e. the period 1999–2020.

In the second step, the exact scope of the policies was determined in a review of the original sources. Websites of the respective organizations, institutions and authorities were visited, and details on the policies collected. This included a comparison of statements made in papers, i.e. content was checked for accuracy, and the policies' scope noted in short summaries (Annex I). All policies are evaluated and listed by scale (global/national/port) as well as by policy type (voluntary, market-based or regulatory). Incentives are included as market-based policies. This approach is different from earlier publications that investigated management initiatives, distinguishing for instance physical, regulatory, economic, or educational strategies (Johnson 2002), or by category, geographical embedding, and legislative body (Christodoulou et al., 2019). In comparison, this paper is focused on policy types, their scope in regard to air pollutants, and their legal applicability by region. The overall goal is to illustrate the level at which legal initiatives have been implemented, and whether these are significant enough to reduce air pollutants from shipping.

## 3. Results

Identified marine policies are listed in Table 1, grouped by geographic scale (i.e., global/regional, national, local/port) and summarized by scope, enacted date, and policy type. Fig. 3 presents an overview in the form of a timeline, distinguishing policy types and geographical relevance.

The earliest, global policies for international shipping were introduced in 1973, when IMO adopted the International Convention for the Prevention of Pollution from Ships (MARPOL) in response to various oil spills (IMO 2020b). In 1994, the Green Award represented the first global initiative at port level, offering discounts to ships going through voluntary certification. Some 1000 certified ships and 145 discount

**Table 1**

Overview of policies by jurisdiction and policy type.

Policy	Scope	Implementation	Policy Type
Global/regional			
Green Award	International	1994	Market-Based
EU Sulphur Directive	EU	1999	Regulatory
Operational Guidelines – Association of Arctic Expedition Cruise Operators (AECO)	Arctic areas	2003	Voluntary
MARPOL Annex VI sulphur limits	IMO	2005	Regulatory
Emission Control Areas (ECAs); MARPOL Annex VI	IMO	2005	Regulatory
Clean Shipping Index (CSI)	International	2007	Market-based
Energy Efficiency Operational Indicator (EEOI)	IMO	2009	Voluntary
Environmental Ship Index (ESI)	WPCI	2011	Market-based
Ship Energy Efficient Management Plan (SEEMP)	IMO	2011	Regulatory
Energy Efficiency Design Index for new ships (EEDI)	IMO	2011	Regulatory
Climate and Clean Air Coalition (CCAC)	International	2012	Voluntary
International Code for Ships Operating in Polar Water (Polar Code)	IMO	2014	Regulatory
Data Collection System (DSC)	IMO	2014	Regulatory
Monitoring, Reporting and Verification scheme (MRV)	EU	2015	Regulatory
World Ports Climate Action Program (WPCAP)	International	2018	Voluntary
<b>National</b>			
Commercial Passenger Vessel Environmental Compliance (Cruise Ship) Program	USA (Alaska)	2002	Regulatory
NOx tax/NOx fund and agreement	Norway	2007/2008	Market-based
Ocean-Going Vessel Fuel Regulation (OGVFR)	California	2008	Regulatory
Act to Prevent Pollution from Ships (APPS)	USA	2011	Regulatory
Maritime Singapore Green Initiative (MSGI)	Singapore	2011	Market-based
Ocean-Going Vessels at Berth Regulation (OGVBR)	USA (California)	2014	Regulatory
Sulphur Emission Control Area (SECA)	China	2016	Regulatory
Environmental differentiated fairway dues (EDFD)	Sweden	2018	Market-based
Clean maritime plan: Maritime 2050 environment route map (CMP 2050)	UK	2019	Voluntary
<b>Port</b>			
Los Angeles Port - Alternative Maritime Power (AMP) (2004)	Port of Los Angeles	2004	Market-based & Regulatory
- Environmental Ship Index Program (2005)		2005	
- Vessel Speed Reduction Incentive Program (VSRIIP) (2008)		2008	
Green Port Policy - Port of Long Beach (GPP LB)		2005	Market-based

(continued on next page)

Table 1 (continued)

Policy	Scope	Implementation	Policy Type
- Green Ship Incentive Program			
- Green Ship Award Program			
- Alternative Maritime Power			
Clean Air Action Plan (CAAP)	Long Beach	2006	Market-based
Port of Vancouver (PV)	Los Angeles		
- EcoAction Program (2007)	Vancouver	2007	Market-based
- Blue Circle Award (2010)		2010	
Sustainable Port (SP G)	Gothenburg	2012	Marked-Based
Managing the Environmental Sustainability of Ports for a Durable Development (MESP)	Mediterranean Ports	2012–2015	Voluntary
Vessel Speed Reduction – Protecting Blue Whales and Blue Skies (VSP)	Santa Barbara County	2014	Marked-Based

providers (see Annex) have taken part in the scheme. The first policy with significant relevance for air pollution levels was the EU Sulphur Directive (1999), which limited oil sulphur content to 0.1% in the EU member states. This was, in 2005, reciprocated in the MARPOL Annex VI on sulphur limits, at 0.1% mass by mass in Emission Control Areas (ECA). A global limit of 0.5% outside ECAs was introduced in 2020 (see Annex for details). Environmental guidelines referring to polar areas were introduced in 2003 by industry (AECO) and in 2014 by IMO. Measures to increase the energy efficiency of ships at the global scale were introduced in 2009–2011, including the Energy Efficiency Design Index (EEDI; introduced in 2009) that is mandatory for new ships, and the Ship Energy Efficiency Management Plan (SEEMP; introduced in 2013). EU and IMO also made emission data collection mandatory in

2014/2015. All of these measures helped to better understand contributions to climate change and air pollution, to raise awareness, and to put emphasis on the importance of energy efficiency aspects in the design of new ships and ship operations. Other global incentive-based programs include the Environmental Ship Index, a worldwide reward initiative introduced in 2011 that now includes more than 8400 vessels documenting energy efficiencies and shore power capability. A global initiative directed at ports is the World Ports Climate Action Programme, established in 2018. The scheme is voluntary, and brings together ports looking into electrification infrastructure, currently including Antwerp, Barcelona, Gothenburg, Hamburg, Le Havre, Long Beach, Los Angeles, New York and New Jersey, Rotterdam, Vancouver, and Yokohama.

National policies were introduced in the USA, Norway, Sweden, UK, China and Singapore. Regulatory or market based, most national approaches sought to make pollution costlier, or to provide incentives for less polluting ships. A more recent regulatory policy is represented by Sulphur Emission Control Areas in China, limiting sulphur content to 0.1%. The Clean Maritime Plan presented in 2019 in the UK contains opportunities for funding and awards, though its targets are voluntary.

Port-level initiatives were introduced on different levels. Further initiatives were introduced in Los Angeles and Long Beach (California, USA) in the 2000s, and subsequently expanded. For example, the Port of Los Angeles introduced the Alternative Maritime Power programme in 2004, requiring auxiliary diesel engines to be shut down at-berth, and the Vessel Speed Reduction Incentive Program in 2008, asking ships to reduce speeds as they approach the port. Similar programs have been implemented by Long Beach, Gothenburg and Mediterranean Ports, usually on a voluntary or incentive basis.

The timeline of policy introductions (Fig. 3) in combination with the analysis of scale and policy type adds some insights. Regulatory policy types were introduced mostly on global and regional, as well as national levels. The designation of ECAs in the mid-2000s, as well as the EEDI and the SEEMP in 2011 perhaps constitute the most far-reaching policies at the global/regional scale. Most recently, the IMO's new fuel oil sulphur content limit (in 2020), in a tightening of the 2005 MARPOL Annex VI sulphur limits regulation from 3.5% mass by mass to 0.5%, makes a




Fig. 3. Timeline of policy introductions.



significant contribution to limiting emissions of SO<sub>x</sub>, also illustrating the viability of regulatory policy approaches. Market-based policies have been mostly implemented at port level, and in the form of incentives for ‘greener’ ships. This highlights a role for port-level legislation in supporting wider national or regional policies. The timeline of policy introductions suggests that no new initiatives at port level were taken in recent years, however, and that the number of ports participating in these initiatives is small. The most recent schemes, i.e. the World Ports Climate Action Program as well as the Clean Maritime Plan in the UK are mostly in the future and voluntary in character.

## 4. Discussion

### 4.1. Relative and absolute goals for pollution

The review of shipping air pollution policies provides a number of relevant insights. Results show that even though most policies are regulatory or market-based, none are designed to address growth and to systematically reduce total amounts of pollutants and greenhouse gases. Of the 32 policy initiatives identified, six are voluntary, 12 market-based and 14 regulatory. Many will raise awareness, while others are focused on data collection; yet none is designed to limit overall emissions, for instance through cap & trade schemes (CO<sub>2</sub>). All approaches to reducing pollutants and greenhouse gases are thus relative, limiting emissions to specific levels and making operations more efficient, but leaving future total emission trajectories uncertain. This is perhaps most clearly evident in the IMO GHG reduction pathway (Fig. 2), which highlights an “emission gap”, in which unspecified “innovative measures, fuels and technologies” are expected to make significant contributions to reducing absolute emission levels in the immediate future.

This is equally true for air pollutants. For example, even though the sulphur cap implemented by IMO in 2020 limits fuel oil sulphur content to 0.5% mass by mass, it remains unclear whether this is significant enough to satisfy health concerns, specifically if the sector continues to use growing amounts of fuel (IEA 2020a). The inherent conflict of efficiency gain approaches to emissions in comparison to absolute reduction needs is also evident at the port level. Globally, only a limited number of ports offer financial incentives in exchange for reducing speeds, use of shore power, or superior NO<sub>x</sub> and PM emission performance. For ports with stable call numbers, this may help to reduce air pollution levels over time, though globally, pollutant amounts are likely to increase with growing trade volumes and ship traffic.

With regard to climate change, the most relevant initiative at the global level is the energy efficiency design index for new ships, which the IMO (2019) expects to reduce specific CO<sub>2</sub> emissions by 19–26% in comparison to a business-as-usual scenario. However, given the sector’s continued growth, total emissions will continue to rise (Fig. 2). Even though a new reference level for the EEDI will be set every five years (IMO 2019), technologies also approach physical limits over time, which will subsequently lead to a decline in annual efficiency gains. This has for example been documented for aviation (Peeters et al., 2016). Yet, IMO (2020) anticipates *accelerating* progress on overall emission reductions (Fig. 2), which under any transport growth scenario means that efficiency gains have to be higher than the aspirational 1.5% per year set by the EEDI for 2015–2025, and combined with various other measures, such as reduced (design) speeds and the widespread adoption of low-carbon fuels (IEA 2020a). Likewise, the Fourth IMO GHG Study lists energy saving technologies, use of renewable energy and use of alternative fuels as strategies (MEPC 2020), all without any discussion of the necessary changes in regulatory and market-based policies that will govern the introduction of these technologies. The discussion highlights that there is a need to combine efficiency gain perspectives with modelling studies that determine their contribution to absolute reductions in greenhouse gases to near net-zero in 2050. Likewise, levels of air pollutants posing no health threats for coastal populations need to be defined and set. For any of these changes to happen, policy

environments setting and mandating targets will be required.

### 4.2. The role of policies in technology innovation

The IEA (2020a) concludes that even just halving emissions from shipping by 50% (2050 compared to 2010) will not be achieved by efficiency measures alone, and that “policy action is needed to encourage the advancement of emerging technologies and fuels”. Notably, a net-zero trajectory to 2050 is equivalent to a >3% annual adoption rate of zero-carbon fuels on the basis of a drop-in/blend-in approach that leads to the subsequent conversion to sustainable fuels, along with significant efforts to reduce overall fuel needs to offset growth rates. Even though MEPC (2020) presents potential abatement technologies and proposes new fuels, it remains unclear how these, in various combinations, will support zero-carbon goals (Table 2). Specifically, there are no markets for low-carbon or zero-carbon fuels, and hence no industries pursuing research & development, nor any upscaling of production in significant ways. Many of the strategies proposed also remain technologically challenging, or uncertified for safe use. Clearly, technical barriers will remain very significant for decades to come, demanding an upscaling of efforts in research and development.

This dilemma has in principle been acknowledged by supranational

**Table 2**  
IMO view of abatement technologies and alternative fuel options.

1. Energy-saving technologies	
Group 1 Main engine improvements	<ul style="list-style-type: none"> <li>• Main Engine Tuning</li> <li>• Common-rail</li> <li>• Electronic engine control</li> </ul>
Group 2 Auxiliary systems	<ul style="list-style-type: none"> <li>• Frequency converters</li> <li>• Speed control of pumps and fans</li> </ul>
Group 3 Steam plant improvements	<ul style="list-style-type: none"> <li>• Steam plant operation improvements</li> </ul>
Group 4 Waste heat recovery	<ul style="list-style-type: none"> <li>• Waste heat recovery</li> <li>• Exhaust gas boilers on auxiliary engines</li> </ul>
Group 5 Propeller improvements	<ul style="list-style-type: none"> <li>• Propeller-rudder upgrade</li> <li>• Propeller upgrade (nozzle, tip winglet)</li> <li>• Propeller boss cap fins</li> <li>• Contra-rotating propeller</li> </ul>
Group 6 Propeller maintenance	<ul style="list-style-type: none"> <li>• Propeller performance monitoring</li> <li>• Propeller polishing</li> </ul>
Group 7 Air lubrication	<ul style="list-style-type: none"> <li>• Air lubrication</li> </ul>
Group 8 Hull coating	<ul style="list-style-type: none"> <li>• Low-friction hull coating</li> </ul>
Group 9 Hull maintenance	<ul style="list-style-type: none"> <li>• Hull performance monitoring</li> <li>• Hull brushing</li> <li>• Hull hydro-blasting</li> <li>• Dry-dock full blast</li> </ul>
Group 10 Optimization of water flow hull openings	<ul style="list-style-type: none"> <li>• Optimization water flow hull openings</li> </ul>
Group 11 Super light ship	<ul style="list-style-type: none"> <li>• Super light ship</li> </ul>
2. Use of renewable energy	
Group 12 Reduced auxiliary power demand (low energy lighting etc.)	<ul style="list-style-type: none"> <li>• Reduced auxiliary power demand (low energy lighting etc.)</li> </ul>
Group 13 Wind power	<ul style="list-style-type: none"> <li>• Towing kite</li> <li>• Wind power (fixed sails or wings)</li> <li>• Wind engine (Flettner rotor)</li> </ul>
Group 14 Solar panels	<ul style="list-style-type: none"> <li>• Solar panels</li> </ul>
Group 15A Use of alternative fuel with carbons	<ul style="list-style-type: none"> <li>• LNG + ICE or FC</li> </ul>
3. Use of alternative fuels	
Group 15B Use of alternative fuel without carbons	<ul style="list-style-type: none"> <li>• Hydrogen + ICE or FC</li> <li>• Ammonia + ICE or FC</li> <li>• Synthetic methane + ICE or FC</li> <li>• Biomass methane + ICE or FC</li> <li>• Synthetic methanol + ICE</li> <li>• Biomass methanol + ICE</li> <li>• Synthetic ethanol + ICE</li> <li>• Biomass ethanol + ICE</li> </ul>
4. Speed reduction	
Group 16 Speed reduction	<ul style="list-style-type: none"> <li>• Speed reduction by 10%</li> </ul>

Source: MEPC 2020

organizations from the IEA (2020a) to the OECD (2017), which have highlighted the necessity of regulatory policy schemes, mandatory efficiency design standards, and zero-carbon fuel introductions. While some scenarios indicate the magnitude of the challenge of even achieving a 30% low-/zero carbon fuel uptake by 2050 (IEA 2020b), there is a void of decarbonization and de-pollution scenarios, including their cost and technological feasibility. IMO's (2020a) own scenario of decarbonization is neither ambitious nor reliable in regard to global mitigation ambitions.

Given the central role of zero-carbon fuels in the transition to sustainable shipping, a major focus of decarbonization policies will have to be their development and market introduction. Sustainable biofuels have limits in available biomass, drop-in non-biogenic synthetic fuels require vast amounts of renewable energy for their production, and hence also significantly more costly than conventional fuel. A general advantage for the maritime sector is that LPG can replace, on shorter distances, marine oil and diesel, while synthetic fuels can replace LPG and oil/diesel. This is easier and cheaper to achieve for synthetic gas; an option that is not available to the aviation sector and its high-density, low-volume energy requirements on longer routes. Yet, even for shipping, there are expectations on future propulsion that will be difficult to meet (Gray et al., 2021: 5):

- High energy density (MJ/L) and specific energy density (MJ/kg) to minimize fuel volume and mass and allow for long-distance travel;
- Low levels of local emissions (SO<sub>x</sub>, NO<sub>x</sub> and PM) to ensure compliance with IMO ECA regulations;
- Low energy costs (€/MWh), to ensure cost competitiveness with low-quality residual fossil fuels;
- Low lifecycle GHG emissions (gCO<sub>2</sub> e/MJ), to meet the IMO goal of reducing emissions from shipping by 50% by 2050;
- Scalability, to ensure that large volumes of fuel are available at the quantities required of the shipping sector;
- Widespread bunkering infrastructure, to ensure vessels are able to refuel at ports around the world;
- Compatibility with existing infrastructure, to allow for decarbonization of current vessels and future potential retrofit projects.

#### 4.3. Governance: how to address the future?

Results show that only few countries and regions have stringent pollution control mechanisms, while there is no global decarbonization strategy based on a reliable net-zero emission strategy to mid-century. Paradoxically, this research has found that it is ports that often set the stage for allowable pollution and emissions by offering incentives for pollutant abatement and shore power installations. IMO as the supranational organization tasked with decarbonization thus faces the challenge of implementing world regulations that will be necessary for the future development of global trade under net-zero scenarios. The notable absence of discussions on global governance needs and the resulting policy gap also highlights the importance of national, regional and port-specific policy initiatives. Even though geographically limited, these can influence the shipping industry's development. For example, shore power requirements, shipping indices classifying ships by environmental performance, and associated incentives awarded to cleaner ships are promising avenues for an upscaling of policies: Bonus systems, for example, can be combined with malus approaches that have worked well for cars (d'Haultfoeuille et al., 2014).

Port-level pollutant levels can be toughened much faster than national or global limits, and increase pressure on shipping companies to phase out old ships, or to more carefully consider the design and technologies of new ones. Notably, for some ship types such as cruise ships, auxiliary and heat energy demand is approximately equivalent to total propulsion energy demand (MEPC 2020), indicating a significant potential for pollutant and emission reductions. For the global fleet of vessels, most energy and associated emissions are caused during cruising

and slow transit, reflecting on the need for policies to cover voyages in their entirety, by replacing fossil fuels. Regional initiatives to strengthen legislation are thus specifically relevant in regard to climate change. For instance, jurisdictions such as the European Union may mandate a feed-in quota for renewable fuels that forces the sector on a low-carbon trajectory.

In the future, the range of policies may be developed. For example, an investigation of the Norwegian coastal administration into duties to accept ships in time of COVID revealed that environmental risks, which includes air pollution, represent reason to prevent ships from calling in ports (Kystverket 2020). This may provide a legal basis for rejecting highly polluting ships, in an analogue to EU-legislation for vehicles.

Overall, this review underlines that the major barrier to the transformation of the sector is the absence of policy environments that will push the transition towards low-pollution shipping. It can be expected that ship owners and traders relying on shipping will not be supportive of any changes that increase the cost of freight or passenger transport. Yet, these are needed in order to make technology solutions and sustainable alternative fuels economically viable. To harmonize the planning for economically viable, low-pollution, zero-carbon shipping requires longer-term policy visions sending reliable price signals to the shipping industry. Norway, for example, has proposed a continuously increasing CO<sub>2</sub> price to 2030 in order to create a stable basis for industry to plan investments (Regjeringen 2021). This policy blueprint may also be applied to bunker fuels.

#### 5. Conclusions

Shipping contributes to a small, but growing share of greenhouse gas emissions as well as pollutants including NO<sub>x</sub>, SO<sub>x</sub> and PM that affect the health of coastal populations. There is a broad scientific and political consensus that the sector's emissions need to be reduced. A wide range of propositions have been made in this regard, focused on designs, technical and operational measures, as well as low- and zero carbon fuels that in their combination are supposed to bring shipping on a low-pollution trajectory. A largely undebated question concerns the policy environment needed to achieve this.

Findings as presented in this research confirm that there is no agreement on how the transition would be achieved politically: there is no market case nor significant political pressure for a transformative shift in the adoption of new technologies or the introduction of low-carbon fuels, both of which would have to be upscaled rapidly if global low-pollution and net-zero carbon goals are to be achieved. There are no models to determine timelines for transitions, nor are there assessments of the cost this would imply. Currently, it is not even clear whether any low-carbon, low-pollution trajectory is even technically feasible within the timeline of 30 years, the global decarbonization goal by mid-century. In many areas, air pollution levels would need to be reduced even earlier in order to adequately protect the health of coastal populations.

The review of global marine policies makes the case that current and ongoing policy initiatives are not significant enough. Organizations such as IMO, OECD or IEA have regularly presented scenarios of emission growth, but there are no models to determine how any mix of measures will lead to declining trajectories, and at which cost. Even if such models existed, it would be even more complex to then translate these into policies at global scale. In the current policy climate, results of this paper suggest that it is ports that have the greatest potential to affect global shipping, as they can influence call conditions in comparably fast decision processes. These conditions may exempt certain types of ships from calling, for instance if these are found to be excessively polluting, charge inefficient ships higher fees, and continue to award those with clean technologies. Ports can send powerful signals to industry that can also have relevance for at sea operations, provided they significantly expand and substantiate existing policies. For this to happen, far more ports would have to implement such policies. Progressive regions such as the

EU also gain importance in mandating change, for instance by legislating a renewable bunker fuel quota. A global transition of the shipping sector to meet desired low air pollution and zero-carbon emission targets will require the IMO to significantly toughen regulatory policies, and for regions, nations, and ports to make additional contributions to increasing the interest for ship owners to invest in new technologies while reconsidering operational strategies.

### Declaration of competing interest

The authors declare no conflict of interests.

### Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.ocecoaman.2021.105824>.

### References

- Acciaro, M., Hoffmann, P.N., Eide, M.S., 2013. The energy efficiency gap in maritime transport. *J. Shipp. Ocean Eng.* 3 (1–2), 1.
- Anderson, K., Bows, A., 2012. Executing a Scharnow turn: reconciling shipping emissions with international commitments on climate change. *Carbon Manag.* 3 (6), 615–628.
- Andersson, C., Bergström, R., Johansson, C., 2009. Population exposure and mortality due to regional background PM in Europe. Long-term simulations of source region and shipping contributions. *Atmos. Environ.* 43, 3614–3620.
- Balcombe, P., Brierley, J., Lewis, C., Skatvedt, L., Speirs, J., Hawkes, A., Staffell, I., 2019. How to decarbonise international shipping: options for fuels, technologies and policies. *Energy Convers. Manag.* 182, 72–88.
- Bows-Larkin, A., 2015. All drift: aviation, shipping, and climate change policy. *Clim. Pol.* 15, 681–702.
- Bryman, A., 2016. *Social Research Methods*. Oxford University Press.
- Christodoulou, A., Gonzalez-Aregall, M., Linde, T., Vierth, I., Cullinane, K., 2019. Targeting the reduction of shipping emissions to air. *Maritime Business Review* 4 (1), 16–30.
- Corbett, J.J., Koehler, H.W., 2003. Updated emissions from ocean shipping. *J. Geophys. Res.* D 108 (D20), 4650–4666.
- Corbett, J.J., Fischbeck, P.S., Pandis, S.N., 1999. Global nitrogen and sulfur inventories for oceangoing ships. *J. Geophys. Res.* 104 (D3), 3457–3470.
- Corbett, J.J., Winebrake, J.J., Green, E.H., Kasibhatla, P., Eyring, V., Lauer, A., 2007. Mortality from ship emissions. A global assessment. *Environ. Sci. Technol.* 41, 8512–8518.
- d'Haultfoeulle, X., Givord, P., Boutin, X., 2014. The environmental effect of green taxation: the case of the French bonus/malus. *Econ. J.* 124 (578), F444–F480.
- Eide, M.S., Endresen, Ø., Skjongs, R., Longva, T., Alvik, S., 2009. Cost-effectiveness assessment of CO<sub>2</sub> reducing measures in shipping. *Marit. Pol. Manag.* 36 (4), 367–384.
- Eide, M.S., Chrysakakis, C., Endresen, Ø., 2013. CO<sub>2</sub> abatement potential towards 2050 for shipping, including alternative fuels. *Carbon Manag.* 4 (3), 275–289.
- Endresen, Ø., Soergaard, E., Sundet, J.K., Dalsoeren, S.B., Isaksen, I.S.A., Berglen, T.F., Grønvig, G., 2003. Emission from international sea transportation and environmental impact. *J. Geophys. Res.* D 108 (D17), 4560. <https://doi.org/10.1029/2002JD002898>.
- Eyring, V., Köhler, H.W., van Aardenne, J., Lauer, A., 2005. Emissions from international shipping: the last 50 years. *J. Geophys. Res.* D 110 (D17), 305. <https://doi.org/10.1029/2004JD005620>.
- Gilbert, P., Bows, A., 2012. Exploring the scope for complementary sub-global policy to mitigate CO<sub>2</sub> from shipping. *Energy Pol.* 50, 613–622.
- Gray, N., McDonagh, S., O'Shea, R., Smyth, B., Murphy, J.D., 2021. Decarbonising ships, planes and trucks: an analysis of suitable low-carbon fuels for the maritime, aviation and haulage sectors. *Advances in Applied Energy*. <https://doi.org/10.1016/j.adapen.2021.100008>.
- Huang, Y., Shen, H., Chen, H., Wang, R., Zhang, Y., Su, S., Chen, Y., Lin, N., Zhuo, S., Zhong, Q., Wang, X., 2014. Quantification of global primary emissions of PM<sub>2.5</sub>, PM<sub>10</sub>, and TSP from combustion and industrial process sources. *Environ. Sci. Technol.* 48 (23), 13834–13843.
- IEA, 2020b. *Energy technology perspectives 2020*. Available: <https://www.iea.org/reports/energy-technology-perspectives-2020>. (Accessed 7 February 2021).
- IEA (International Energy Agency), 2020. *International shipping*. Available: <https://www.iea.org/reports/international-shipping>. (Accessed 20 December 2020).
- IMO, 2019. Note by the international maritime organization to the fifty-first session of the subsidiary body for scientific and technological advice (SBSTA 51) madrid, Spain, 2 to 9 december 2019. Available: [https://www4.unfccc.int/sites/SubmissionsStaging/Documents/201911261754—IMO%20submission%20to%20SBSTA%2051\\_with%20annex.pdf](https://www4.unfccc.int/sites/SubmissionsStaging/Documents/201911261754—IMO%20submission%20to%20SBSTA%2051_with%20annex.pdf). (Accessed 11 January 2021).
- IMO, 2020a. *IMO action to reduce greenhouse gas emissions from international shipping*. Available: <https://www.wcdn.imo.org/localresources/en/MediaCentre/HotTopics/Documents/IMO%20ACTION%20TO%20REDUCE%20GHG%20EMISSIONS%20FROM%20INTERNATIONAL%20SHIPPING.pdf>. (Accessed 14 January 2021).
- IMO, 2020b. *International convention for the prevention of pollution from ships (MARPOL)*. Available: [https://www.imo.org/en/About/Conventions/Pages/International-Convention-for-the-Prevention-of-Pollution-from-Ships-\(MARPOL\).aspx](https://www.imo.org/en/About/Conventions/Pages/International-Convention-for-the-Prevention-of-Pollution-from-Ships-(MARPOL).aspx). (Accessed 15 January 2021).
- Johansson, L., Jalkanen, J.-P., Kukkonen, J., 2017. Global assessment of shipping emissions in 2015 on a high spatial and temporal resolution. *Atmos. Environ.* 167, 403–415.
- Johnson, D., 2002. Environmentally sustainable cruise tourism: a reality check. *Mar. Pol.* 26, 261–270.
- Künzli, N., Kaiser, R., Medina, S., Studnicka, M., Chanel, O., Filliger, P., Sommer, H., 2000. Public-health impact of outdoor and traffic-related air pollution: a European assessment. *Lancet* 356 (9232), 795–801.
- Kystverket, 2020. *Mottakspåskrift for havner og havneterminaler*. Available: <https://www.kystverket.no/Regelverk/havne-og-farvannsloven2/mottakspåskrift-for-havner-og-havneterminaler/>. (Accessed 7 February 2021).
- Larkin, A., Smith, T., Wrobel, P., 2017. Shipping in changing climates. *Mar. Pol.* 75, 188–190.
- Liu, H., Fu, M., Jin, X., Shang, Y., Shindell, D., Faluvegi, G., Shindell, C., He, K., 2016. Health and climate impacts of ocean-going vessels in East Asia. *Nat. Clim. Change* 6 (11), 1037.
- López-Aparicio, S., Tønnesen, D., Neilson, H., 2017. Shipping emissions in a Nordic port: assessment of mitigation strategies. *Transport. Res. Transport Environ.* 53, 205–216.
- Maragkogianni, A., Papaefthimiou, S., 2015. Evaluating the social cost of cruise ships air emissions in major ports of Greece. *Transport. Res. Transport Environ.* 36, 10–17.
- Maragkogianni, A., Papaefthimiou, S., Zopounidis, C., 2016. *Mitigating Shipping Emissions in European Ports*. Springer International Publishing, Cham, Switzerland.
- Marelle, J., Thomas, J.L., Raut, J.C., Law, K.S., Jalkanen, J.P., Johansson, L., Roiger, A., Schlager, H., Kim, J., Reiter, A., 2016. Air quality and radiative impacts of arctic shipping emissions in the summertime in northern Norway: from the local to the regional scale. *Atmos. Chem. Phys.* 16, 2359–2379.
- Marine Environment Protection Committee, 2020. *Reduction of GHG Emissions from Ships. Fourth IMO GHG Study 2020 – Final Report*. Available: (Accessed 12 January 2020).
- Market Watch, Cruise, 2021. *Growth of the ocean cruise line industry*. Available: <https://cruisemarketwatch.com/growth/>, 5 February 2021.
- Mericco, E., Gambaro, A., Argiriou, A., Alebic-Juretic, A., Barbaro, E., Cesari, D., OECD, 2017. Further development of the structure and identification of core elements of the draft initial IMO strategy on reduction of GHG emissions from ships. Available: <https://www.itf-oecd.org/sites/default/files/docs/imo-ghg-emissions-reduction-shipping-oecd-submission.pdf>. (Accessed 7 February 2021).
- Pandolfi, M., Gonzalez-Castaneda, Y., Alastuey, A., Jesus, D., Mantilla, E., De La Campa, A.S., Querol, X., Pey, J., Amato, F., Moreno, T., 2011. Source apportionment of PM<sub>10</sub> and PM<sub>2.5</sub> at multiple sites in the strait of Gibraltar by PMF: impact of shipping emissions. *Environ. Sci. Pollut. Res.* 18 (2), 260–269.
- Papaefthimiou, S., Maragkogianni, A., Andriopoulos, K., 2016. Evaluation of cruise ships emissions in the Mediterranean basin: the case of Greek ports. *Int. J. Sustain. Transp.* 10 (10), 985–994.
- Papaefthimiou, S., Sitzimis, I., Andriopoulos, K., 2017. A methodological approach for environmental characterization of ports. *Marit. Pol. Manag.* 44 (1), 81–93.
- Regjeringen, 2021. *Klimaplan for 2021–2030*. Available: <https://www.regjeringen.no/contentassets/a78ecf5ad2344fa5ae4a394412ef8975/nn-no/pdfs/stm202020210013000dddpdfs.pdf>. (Accessed 15 June 2021).
- Richter, A., Eyring, V., Burrows, J.P., Bovensmann, H., Lauer, A., Sierk, B., Crutzen, P.J., 2004. Satellite measurements of NO<sub>2</sub> from international shipping emissions. *Geophys. Res. Lett.* 31 (23).
- Saxe, H., Larsen, T., 2004. Air pollution from ships in three Danish ports. *Atmos. Environ.* 38 (24), 4057–4067.
- Tichavska, M., Tovar, B., 2015. Port-city exhaust emission model: an application to cruise and ferry operations in Las Palmas Port. *Transp. Res. A Policy Pract.* 78, 347–360.
- Traut, M., Larkin, A., Anderson, K., McGlade, C., Sharmina, M., Smith, T., 2018. CO<sub>2</sub> abatement goals for international shipping. *Clim. Pol.* 1–10.
- UN, 2019. UN calls for shipping 'propulsion revolution' to avoid 'environmental disaster'. Available: <https://news.un.org/en/story/2019/10/1050251>. (Accessed 5 February 2021).
- UNFCCC, 2018. *Emissions from fuels used for international aviation and maritime transport (international bunker fuels)*. Available: <https://unfccc.int/topics/mitigation/workstreams/emissions-from-international-transport-bunker-fuels>. (Accessed 15 January 2021).
- Walsh, C., Mander, S., Larkin, A., 2017. Charting a low carbon future for shipping: a UK perspective. *Mar. Pol.* 82, 32–40.
- Wan, Z., el Makhloufi, A., Chen, Y., Tang, J., 2018. Decarbonizing the international shipping industry: solutions and policy recommendations. *Mar. Pollut. Bull.* 126, 428–435.