



LJMU Research Online

Adesi, M, Ewuga, D, Owusu-Manu, D-G, Boateng, F and Kissi, E

COVID-19 pandemic disruptions and environmental turbulence in architectural, engineering and construction project delivery space

<http://researchonline.ljmu.ac.uk/id/eprint/19483/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

**Adesi, M, Ewuga, D, Owusu-Manu, D-G, Boateng, F and Kissi, E (2023)
COVID-19 pandemic disruptions and environmental turbulence in
architectural, engineering and construction project delivery space.
International Journal of Building Pathology and Adaptation. ISSN 2398-4708**

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>



Covid-19 pandemic disruptions and environmental turbulence in architectural, engineering and construction project delivery space

Journal:	<i>International Journal of Building Pathology and Adaptation</i>
Manuscript ID	IJBPA-09-2022-0149.R4
Manuscript Type:	Original Article
Keywords:	Turbulence, Covid-19, Architectural, Project, Construction, Environment

SCHOLARONE™
Manuscripts

Covid-19 pandemic disruptions and environmental turbulence in architectural, engineering and construction project delivery space

Abstract

Purpose- Firms in the architectural, engineering, construction and operations (AECO) sector continue to undertake projects in disruptive environment due to the Covid-19 pandemic. The purpose of this study is to explore environmental turbulence in AECO project delivery space and suggest mechanisms for enhancing resilience against future pandemics.

Design/methodology/approach- The study adopts the quantitative approach by administering 110 survey questionnaires to participants comprising project managers, site engineers, quantity surveyors, contractors and subcontractors.

Findings- The study identifies twenty-four Covid-19 disruptions linked to environmental turbulence categorised as scheduling, performance and productivity, project budget, supply chain, resource allocation and technological and regulatory- The study suggested resilient mechanisms for surviving in future pandemics.

Originality/value- This study enhances the understanding of environmental turbulence from the perspective of Covid-19 disruptions in AECO project delivery while the implementation of the resilient mechanisms improves capability of AECO firms against future pandemics.

Keywords: Turbulence, Covid-19, Architectural, Project, Construction, Environment

1. Introduction

Pandemics have created uncertainties, and rapid changes that lead to environmental turbulence (Poorolajal, 2021). Environmental turbulence refers to the instability, unpredictability and unexpected changes encountered by organisations (Miner *et al.*, 2001). Environmental turbulence is characterised by increasing globalisation, intense competition, unpredictable international events, and rapid technological changes (Bhatt, 2010). Contrary to their negative impacts, environmental turbulence enhances the awareness of firms about the need to innovate and adopt new technologies (Madrid-Guijarro *et al.*, 2009). Covid-19 has led to 3.8 trillion dollars loss in consumption, 147 million full-time job losses, and 2.1 trillion dollars loss of income (Lenzen *et al.*, 2020) leading to several disruptions that have not received scholarly attention.

The AECO sector in Ghana employs 10 per cent of workforce and contributes 30 per cent of the gross domestic product (GDP) (Ghana Statistical Service, 2019). AECO sector in Ghana grew by 5.6 per cent in 2021 and projected to peak at 7.5 per cent in 2023 (Fitch Solutions, 2021). The drivers of Ghana's AECO sector include capital investments in infrastructure and

1
2
3 recovery of global oil prices. However, the Covid-19 pandemic has negatively impacted the
4 output of AECO sector in Ghana. Studies such as Agyekum *et al.* (2021); and Amoah *et al.*
5 (2021) demonstrated the negative impacts of Covid-19 on the Ghanaian construction sector
6 with limited focus on environmental turbulence. Again, King *et al.* (2021); Rehman *et al.*
7 (2021); Aigbavboa *et al.* (2021); Chigara and Moyo (2021); Oey and Lim (2021); Sierra
8 (2021); Olukolajo *et al.* (2021); and Oladimeji (2022) focus on short-term impacts and
9 protocols to reduce the spread of Covid-19 with no focus on environmental turbulence created
10 by the pandemic. This study aims to investigate environmental turbulence in the AECO sector
11 from the context of Covid-19, and recommend resilient mechanisms for future pandemics.
12
13
14
15
16
17
18
19
20

21 **2. Literature Review**

22 **2.1 Environmental Turbulence**

23
24 There are two main types of environmental turbulence, namely technological and market
25 turbulence (Shabbir *et al.*, 2021). Environmental turbulence is driven by economic and political
26 volatility, globalisation and rapid technological changes (Khourouh *et al.*, 2020). Technological
27 turbulence leads to changes in technology structure, method of production and development of
28 innovative products (Wardi *et al.*, 2018). AECO firms in developing countries such as Ghana
29 must improve their resilience against future pandemics by adopting technologies that enable
30 them to operate in turbulent environments.
31
32
33
34
35
36
37

38 **2.2 COVID-19 and the AECO Sector**

39
40 Covid-19 is a global threat to the AECO sector because it has led to the suspension of projects,
41 shortage of labour and material, rising unemployment and financial losses (Gamil and Alhagar,
42 2020; Ayittey *et al.*, 2020; Nicola *et al.*, 2020; Helm, 2020; Simpeh and Amoah, 2021). The
43 negative impact of Covid-19 on the AECO sector is felt as delays and disruption of supply
44 chain led to closure of project sites (Aigbavboa *et al.*, 2021; Bsisu, 2020; and Jallow *et al.*,
45 2020).
46
47
48
49

50
51 Economic decline brought in the wake of the Covid-19 had a negative impact on the AECO
52 sector as the pandemic prolongs. The short-term impact of Covid-19 on the AECO sector
53 include the tendency of clients to freeze funds for projects, low level of cash reserves and huge
54 debts that create liquidity problems (Aigbavboa *et al.*, 2021; and Deloitte, 2020). The Covid-
55 19 created disruptions that have the potential to drive environmental turbulence in the AECO
56
57
58
59
60

sector. However, investigations on Covid-19 disruptions and environmental turbulence are not many, as shown in Table I .

INSERT TABLE I HERE

Most of the studies in Table I focus on the impacts of Covid-19 pandemic including prevention of its spread without addressing the long-term mechanisms for resilience against environmental turbulence beyond Covid-19.

2.3 Institutional Theory

Institutional theory is useful for establishing formal structures, policies, affiliations, collective action and standard practices in organisations (David *et al.*, 2019). Institutional theory allows formal structures in organisations to respond to the environment (Alvesson and Spicer, 2019). The choice of the institutional theory for this study is due to the rapid changes occurring in the AECO sector as a result of the Covid-19 disruptions and the need for resilient mechanisms for survival of organisations.

3. Research Methodology

The study adopted quantitative approach and the positivist philosophical tradition. Survey questionnaires were administered to participants working on AECO projects during the peak of Covid-19. The target population consists of project managers, site engineers, quantity surveyors, contractors and subcontractors shown in Figure 1. The study was cross-sectional and undertaken in Kumasi, which is the second largest city in Ghana with a population of 3.348 million people (Ghana Statistical Service, 2020).

The city of Kumasi comprises Greater Kumasi Metropolis, and five municipal assemblies namely Asokore Mampong Municipal Assembly, Asokwa Municipal Assembly, Oforikrom Municipal Assembly, Old Tafo Municipal Assembly and Suame Municipal Assembly. The assemblies regulate and control infrastructure development in the city through permits. Kumasi is a nodal city with several economic and industrial activities such as manufacturing, automobile repair, food, timber and soap processing. The industrial and economic activities in the city drive the demand for AECO projects such as the construction of malls, supermarkets; and civil projects notably expansion of the Kumasi airport.

A pilot study was undertaken involving ten professionals in the AECO sector in which they suggested revision of the variables used to design the survey questionnaires. The survey questionnaire focused on the profile of respondents, Covid-19 pandemic disruptions; and

resilience mechanisms. The questions were closed-ended in which the nominal scale was used to measure profile of respondents while the Likert scale anchored in 1 = strongly disagree, 2 = disagree; 3 = neither agree nor disagree, 4 = agree and 5 = strongly agree was used to measure Covid-19 disruptions and the resilience mechanisms. Validity and reliability of the Likert scale was determined using the Cronbach alpha test, which gave 0.86 indicating high reliability.

The purposive sampling was adopted to distribute 110 questionnaires to participants using an online tool. 52 questionnaires were returned for analysis with a response rate of 47 per cent. A study by Chigara and Moyo (2021) on the impacts of Covid-19 on construction health and safety involved 51 respondents. The descriptive analyses employed include percentages, weighted mean and standard deviation while the inferential statistical tool used was factor analysis to determine the latent factors within the twenty-four Covid-19 disruptions in this study. Factor analysis is used for data reduction and identification of common factors to provide explanations (Zikmund *et al.*, 2013).

4. Analysis and discussion of results

This section of the paper focused on the descriptive and inferential analyses of the results. The descriptive analysis was first undertaken followed by the factor analysis.

4.1 Descriptive analysis

The descriptive analysis of the results focused on respondents' profile, Covid-19 disruptions and resilience mechanisms for turbulent environment. The mechanisms for improving the resilience of AECO against Covid-19 are presented in Table IV of section 4.2.2. The profile of respondents regarding their positions are shown in Figure 1.

INSERT FIGURE 1 HERE

From Figure 1, site engineers constitute the majority of respondents while quantity surveyors are the least represented. The position of participants in their firms is relevant to this study because it enhances the face validity of the results. Previous studies have investigated the relationship between the age of a firm and survival using the life-cycle theory of the firm (Bartelsman *et al.*, 2005) to enhance the reliability of results. Figure 2, which demonstrates the age of firms involved in this investigation indicates that most of the respondents work in companies that have existed between 5 and 10 years.

INSERT FIGURE 2 HERE

Also, Figure 2 shows that 17.3 per cent of firms involved in the study are over 20 years and between 16 and 20 years old, respectively. The results on the age of firms demonstrate that firms involved in this study have survived in their business environment.

Sectors of operation forms integral part of respondents' profile; hence, Figure 3 shows that participants' firms have undertaken projects in different areas such as civil infrastructure, construction contracting, real estate and industrial infrastructure.

INSERT FIGURE 3 HERE

Though projects executed by AECO firms contribute to the socio-economic development of Ghana (Asamoah and Decardi-Nelson, 2014), the sector continue to operate in a turbulent environment due to the Covid-19 disruptions.

Weighted mean and standard deviation were used to analysed Covid-19 disruptions in Table II, which shows that majority of participants highly ranked Covid-19 as the cause of environmental turbulence in AECO project delivery. This is reflected in the value of weighted mean for Covid-19 disruptions, which are above 3.5 except 'inability of workers to concentrate leading to lack of attention to details' in Table II. According to Field (2005), Likert scale ranking with weighted mean values above 3.5 is high. In using, the weighted mean to rank the Covid-19 disruptions in Table II. there was a mid-range ranking involving variables coded D11 and D12, which were both ranked at 11th position. Overall, the results in Table II implies that the disruptions of the Covid-19 are major drivers of environmental turbulence in the delivery of AECO projects.

INSERT TABLE II HERE

The results in Table II show that 23 Covid-19 disruptions are major drivers of environmental turbulence in AECO project delivery. For instance. Covid-19 disruptions with weighted mean values above 4.00 indicating the propensity to drive environmental turbulence in AECO sector include adherence to statutory protocols on site that tend to delay operations; increased rate of project plan interruptions; and frequent stoppages of site operations leading to project delays. Though Covid-19 protocols were intended to protect workers from contracting the virus, they tend to slow down the performance of AECO workers leading to disruption of project duration and its extensions.

Additionally, the results in Table II indicate that Covid-19 disruptions such as inadequate timelines for project; worker anxiety; supply chain collapse; and material price inflation

1
2
3 causing budget overrun created environmental turbulence in AECO project delivery. The
4 results further demonstrate that Covid-19 has increased the rate at which project scope changes;
5 and other challenges such as delayed payments leading to the disruption of contractors' cash
6 flows.
7
8
9

10 In Table II, the variables with weighted mean above 3.5 include additional financial resources
11 required to manage Covid-19 protocols; reduced output due to high levels of stress among
12 employees; price instability hampers budget preparation; and difficult resource allocation
13 demonstrating their potential to create turbulent environment for project delivery. Also, Covid-
14 19 disruptions such as claims for expenses incurred for implementing pandemic protocols;
15 inadequate site labour; time overrun; low level of employee wellbeing; and employees'
16 inability to manage their personal time also have their weighted mean more than 3.5 in Table
17 II suggesting that they have the potential to drive environmental turbulence. Since the inability
18 of employees to concentrate on their work has a weighted mean of 3.44, it implies that
19 respondents do not perceive it as a Covid-19 disruption that leads to environmental turbulence
20 in AECO.
21
22
23
24
25
26
27
28

29 The results in Table II are largely consistent with the findings of Osuizugbo (2021, pp. 42) that
30 classified Covid-19 disturbances as 'project abandonment; delay in construction activities; high
31 cost of construction materials; reduction in working hours; lack of funding; and shortage of
32 workforce.' Likewise, Rubin (2021) found that Covid-19 disturbances such as high rate of
33 contractual disputes, temporary closure of project sites and a reduction in productivity, are
34 consistent with the results in Table II.
35
36
37
38
39

40 **4.2 Factor Analysis**

41
42 Factor analysis is used for data reduction and determination of underlying common factors for
43 the interpretation of results (Samereh *et al.*, 2022; Doloi, 2008). In this study, factor analysis
44 was used to summarise and categorised the twenty-four Covid-19 disruptions explored to
45 interpret them using the common factors generated. Ogunsanya *et al.* (2022) used factor
46 analysis to investigate the barriers of procurement in Nigerian construction industry while in
47 Ghana Debrah *et al.* (2022) used it for the analysis of key sustainability contents for green cities
48 development.
49
50
51
52
53

54
55 The Kaiser-Meyer-Okin (KMO) of the factor analysis for this study was .73, indicating
56 sampling adequacy. According to Howard and Henderson (2023), a KMO value above 0.60
57 shows the suitability of sampling adequacy for factor analysis. To ensure the quality of
58
59
60

analysis, the survey questionnaires were administered to participants who have undertaken AECO projects during Covid-19 pandemic to enhance accurate responses from participants. This is consistent with the assertion of Meade and Craig (2012) that researchers must enhance the quality of their data for factor analysis by ensuring participants provide accurate responses. The communalities of the factor analysis in this study were between .5 and .83, indicating the variables explained their common factors. The scree plot in Figure 4 shows the eigenvalues plotted against each component. From component 1 to 6, the eigenvalues were above 1 while there is a drop in the eigenvalues from components 7 to 24 indicating a reduction in total variance.

INSERT FIGURE 4 HERE

Factor loadings show the strength of relationship between a component and its variable. For the purposes of interpretation, factor loadings between -1 and + 1 in which values closer to 1 indicate strong relationship. Four variables have been deleted because their factor loadings are below .5 indicating weak association with their components. The four variables deleted were 'increased interruption of schedules; rapid changes in project scope; Material price inflation causing budget overrun; and delayed payments disrupt contractor's cash flow'.

4.2.1 Factor profile of Covid-19 disruptions driving environmental turbulence

Based on the factor loading of variables in Table II, the Covid-19 disruptions underpinning environmental turbulence in AECO are presented in Table III under six components.

INSERT TABLE III HERE

Table III demonstrates the six common factors extracted namely scheduling, performance and productivity, project budget, supply chain, resource allocation and technological and regulatory disruptions. Common factors such as scheduling, performance and productivity and project budget disruptions have variables with high factor loading, indicating a strong relationship, which are further analysed below.

Component 1: Scheduling disruptions

The Covid-19 pandemic has the potential to create disruptions in the scheduling of AECO projects. Table III shows six variables loaded onto the common factor scheduling, which represents component 1. Variables with strong connection to component 1 include inadequate timelines (factor loading = .72); worker anxiety (factor loading = .80); increased stoppages (factor loading = .61); and disruption of workflow on site (factor loading = .63). Since these

four variables relating to Covid-19 disruptions have their factor loadings above .60, it suggests that they are major drivers of environmental turbulence in AECO project delivery.

Similarly, extensions for delaying key milestones; and inability of employees to manage time on site have factor loadings of .58 and .54, slightly above .50; hence they are not strongly linked to scheduling disruptions. The challenges of scheduling AECO projects have been investigated by Miralinaghi *et al.* (2021); and Zhang (2021) focusing on road projects, and storage space for material, respectively. Earlier studies before the Covid-19 pandemic largely focused on 'project-related characteristics' of time overrun (Catalão *et al.*, 2021, pp. 1) with little attention to schedule disruptions emanating from the Covid-19. The result pertaining to scheduling disruption in Table III is consistent with Cho and Staley (2021) who found that the Covid-19 pandemic has caused disruptions in the scheduling of projects. A study by Hansen *et al.* (2023) indicates that professionals must improve schedule management practices to reduce project disputes.

Component 2: Performance and productivity disruptions

Performance and productivity challenges in AECO sector have worsen (Hansen *et al.*, 2023) due to the emergence of Covid-19 pandemic. Component 2 in Table III shows performance and productivity disruptions caused by Covid-19. The four variables strongly associated with performance and productivity component in Table III include increased employee stress reduced output (factor loading = .78); poor employee well-being (factor loading = .70); inability of workers to concentrate (factor loading = .63); and social distancing reduces the performance of professionals (factor loading = .64). This suggests that the four variables in component 2 disrupt performance and productivity in AECO projects delivery during Covid-19. In this study, the four variables linked to the performance and productivity are consistent with the finding of Olarewaju and Ajeyalemi (2023) demonstrating that the variables in component 2 create disruptions that drive environmental turbulence in AECO sector.

Ghana's GDP has declined since the emergence of the Covid-19 culminating into low productivity and performance in the AECO sector. However, the AECO sector prior to the pandemic has contributed significantly to the GDP of Ghana. Ghana's GDP contracted by 3.2 percent and 1 percent in the second and third quarters of 2020, respectively (World Bank, 2021) due to Covid-19 disruptions. The disruptions linked to component 2 such as poor employee well-being; increased employee stress reduced output; and inability of workers to concentrate are consistent with Dubey *et al.*'s. (2020) findings that Covid-19 pandemic causes unintentional

1
2
3 psychological consequences that affects workers' performance and output. The result
4 pertaining to component 2 implies that managers in the AECO sector must develop strategies
5 for enhancing the performance and productivity of employees during the delivery of AECO
6 projects in turbulent environments.
7
8
9

10 11 12 **Component 3: Project budget disruptions**

13 The three variables loaded on to component 3 have factor loading above 0.70, suggesting that
14 they are strongly connected to project budget disruptions in Table III. The variables categorised
15 as Covid-19 AECO budget disruptions in Table III include delays not addressed by contract
16 (factor loading = .71); additional financial resources for implementing Covid-19 protocols
17 (factor loading = .72); and price instability hampers budget preparation (factor loading = .73).
18 Though contingency funds are allocated for AECO projects, the Covid-19 pandemic has
19 prolonged to the extent that such funds are no longer enough to support the implementation of
20 health protocols for the pandemic. Price instability has disrupted budgetary allocation during
21 the Covid-19 pandemic culminating into the disruption of planned cost for AECO projects. A
22 phenomenon that has created turbulent environment for managing project budgets during the
23 pandemic. In addition, Covid-19 pandemic has led to the price volatility of construction
24 materials and equipment in developing countries (Al-Mhdawi *et al.*, 2022), which requires
25 frequent revision of project budgets; thus causing delays and unnecessary constraints in AECO
26 project delivery.
27
28
29
30
31
32
33
34
35
36
37
38
39

40 41 **Component 4: Supply chain disruption**

42 An efficient supply system is fundamental to the successful delivery of AECO projects during
43 the Covid-19 pandemic and beyond. However, this study has shown that the Covid-19
44 pandemic has disrupted the AECO supply chain. From Table III, two variables are loaded to
45 component 4, which are delay in the acquisition of project logistics and resources; and
46 increasing rate of late deliveries by suppliers to contractors with factor loadings of .65 and .74,
47 respectively. The weighted mean scores of the two variables loaded onto component 4 are
48 above 4.00, indicating a severe disruption.
49

50 Delay in acquisition of project logistics and high rate of late deliveries have led to disruption
51 AECO supply chain thereby creating environmental turbulence. Alenezi (2020) also indicated
52 disruptions caused by the Covid-19 pandemic in the procurement of supplies and services,
53 which are consistent with the supply chain disruption in Table III. Covid-19 disruptions in
54
55
56
57
58
59
60

1
2
3 AECO supply chain have the potential to delay project delivery, which will also affect the
4 project budget. The critical role of infrastructure in controlling the spread of pandemics is
5 currently being jeopardised by the supply chain disruption created by Covid-19 in the AECO
6 sector. In addition, the AECO supply chain system does not have enough resilience to resist
7 the uncertainties (Ekanayake *et al.*, 2022) created by the Covid-19. To address some of these
8 challenges, it is imperative for project managers in the AECO sector to develop strategies that
9 improve supply chain resilience. Also, AECO firms must be flexible and proactive in
10 developing resilient supply chain strategies to deal with the disruptions caused by the
11 pandemic. Studies such as Sutterby *et al.* (2023); and Remko (2020) highlighted the need for
12 resilient supply chain due to the catastrophic and long-lasting nature of the Covid-19 pandemic.
13
14
15
16
17
18
19
20
21

22 ***Component 5: Resource allocation disruption***

23
24 The result in Table III shows that two variables are loaded onto component 5, which are
25 difficult resource allocation; and inadequate labour on site with factor loadings of .66 and .55,
26 respectively. Similarly, these two variables loaded to component 5 have weighted mean of 3.77
27 and 3.73 above the 3.5 threshold suggested by Field (2005). Disruptions create uncertainties
28 with negative effects on the allocation of resources for AECO projects. Component 5 in Table
29 III shows Covid-19 pandemic has disrupted and rapidly changed the allocation of resources
30 such as labour, finance, equipment and technology for AECO projects. The difficulty of
31 allocating human resources in the AECO sector during the Covid-19 pandemic has been
32 highlighted in existing studies. For instance, Zhong *et al.* (2021) found that Covid-19 has
33 disrupted human resource management across all sectors globally. The AECO is one of the
34 sectors hardest hit by Covid-19 pandemic due to the itinerant nature of its labour force and
35 restrictions on movement.
36
37
38
39
40
41
42
43
44
45
46

47 ***Component 6: Technological and regulatory disruptions***

48 According to Dearstyne (2012), technological and legal changes; and diminishing resources
49 create environmental turbulence in organisations. Component 6 in Table III focuses on the
50 technological and regulatory disruptions that drive environmental turbulence in AECO project
51 delivery during the Covid-19 pandemic. The variables linked to component 6 include
52 adherence to Covid-19 protocols delaying completion of tasks for AECO projects (factor
53 loading = .60); and adoption of new technologies, which initially slow down project delivery
54 (factor loading = .53). The cascading effects of Covid-19 pandemic has made organisations to
55
56
57
58
59
60

1
2
3 demand for tailor-made technologies (Durst *et al.*, 2023). Thus, it is necessary for AECO firms
4 to seriously consider the adoption of emerging technologies such as drones, virtual reality, and
5 artificial intelligence, internet of things, blockchain, and cloud computing for the delivery of
6 projects in turbulent environment. However, the adoption of new technologies requires the
7 redesign of internal operations of organisations (Mathivathanan *et al.*, 2021).
8
9
10
11
12

13 **4.2.2 Mechanisms for improving the resilience of AECO sector against pandemics and** 14 **beyond**

15
16 Resilience is the ability to respond to socio-economic and environmental shocks (Wilkinson
17 and Osmond, 2018). The threats posed by Covid-19 has ignited the need to focus on resilience
18 and its associated benefits (Nassereddine *et al.*, 2023; and Baron and Cherenet, 2018).
19 Resilience against Covid-19 disruptions and future pandemics is fundamental for the successful
20 delivery of AECO projects in turbulent environment. The results in Table IV show six
21 mechanisms for improving AECO sector.
22
23
24
25
26

27 **INSERT TABLE IV HERE**

28
29 Table IV consists of six mechanisms, which AECO firms must adopt to enhance their resilience
30 against environmental turbulence driven by Covid-19 disruptions. The mechanisms are in
31 Table IV will drive the key components of institutional theory such as affiliations,
32 collaboration, partnership and promoting collective action among project teams to enhance
33 their capacity for effective project delivery in turbulent environment. Thus, integrating the
34 components of the institutional theory into the implementation of the mechanisms in Table IV
35 improves the resilience of AECO firms. AECO firms need to strengthen formal organisational
36 structures that drive investment in digitisation and new innovations to optimise the use of social
37 media tools in turbulent project environment. Additionally, organisational policies that
38 promote the mechanisms in Table IV must be embedded in the formal structures of AECO
39 firms to enable them to easily apply the mechanism during project delivery. The
40 implementation of the mechanisms in Table IV leads to collaboration, and virtual delivery of
41 projects at different geographical locations.
42
43
44
45
46
47
48
49
50
51
52

53 The result in Table IV support the findings of Oey and Lim (2021) that highlighted key areas
54 that AECO firms must invest to enhance their resilience in turbulent environment. Similarly,
55 Nassereddine *et al.* (2023) proposed eleven key areas for resilience in which those closely
56 related to this study are collaborative contracting methods, remote working, integrated design
57
58
59
60

1
2
3 management using BIM, reversible building design, augmented reality, automation and 3D
4 printing and lean construction. The results in Table IV requires incremental implementation of
5 BIM technologies; digitisation; and redesign of organisational social media platforms are
6 consistent with the findings of Nassereddine *et al.* (2023). The result of this paper regarding
7 the use of BIM to enhance the resilience of AECO sector against Covid-19 disruption is
8 consistent with the result of Wang *et al.* (2023). BIM has the potential to strengthen the
9 resilience of the AECO sector, as Idrissi *et al.* (2022) indicated in their study that BIM has a
10 swift uptake globally.

11
12 The adoption of BIM technologies will address the challenges posed by the paper-based
13 approach to managing projects in developing countries. However, Atkinson *et al.* (2022) noted
14 that the rapid evolution of paper-based approach into a digital environment creates
15 uncertainties and disruptions. BIM technologies mitigates some of the challenges of AECO
16 indicated in Asiedu and Ameyaw (2021, pp. 831) as ‘poor planning, change orders, lack of
17 coordination’, which tend to delay the AECO projects leading to time and cost overruns. The
18 readiness of the AECO sector for digital technologies notably BIM is crucial now as potential
19 pandemics will emerge in the future; and ‘competitive advantage over economic and
20 environmental benefits’ will be crucial (Lou *et al.*, 2022, pp. 301).

21
22 The mechanisms for enhancing the resilience of AECO sector in this study implies that there
23 is a need for practitioners in the sector to consider collaborations that improve their capacity
24 for effective delivery of project during future pandemics. The resilience mechanisms proposed
25 is supported by the post Covid-19 framework proposed by Gartoumi *et al.* (2022), which partly
26 focused on promotion of technology; collaborative practices; social measures and remote
27 working; and compliance of construction practices with health and safety measures.

28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

5. Conclusion

This study categorises twenty-four Covid-19 disruptions driving environmental turbulence in AECO project delivery into scheduling, performance and productivity, project budget, supply chain, resource allocation and technological and regulatory disruptions. AECO firms must develop their resilience against environmental turbulence by adopting digital technologies, and redesign of organisational structures to address future disruptions caused by pandemics. The implementation of policies to drive the mechanisms for resilience in environmental turbulence driven by Covid-19 is imperative for AECO firms if they intend to survive future pandemics. This paper has the potential to improve professionals’ understanding of disruptions driven by pandemics during AECO project delivery. It is important that project stakeholders formulate

1
2
3 policies to drive the implementation of the resilience mechanisms indicated in this paper to
4 enable AECO firms to survive in turbulent environment. This implies that project managers,
5 clients, consultants, public sector agencies and communities must be aware of the challenges
6 that environmental turbulence pose to AECO projects.
7
8
9

10 The study is quantitative in nature; hence, limited in terms of using qualitative approach to
11 explore the issues. Therefore, a future study focusing on the use of the qualitative approach for
12 an in-depth investigation of the six categories of Covid-19 disruptions identified will provide
13 more insight on environmental turbulence in AECO project space. Future research must
14 address scenario and long range planning for pandemics with much focus on scheduling,
15 performance of human resource and productivity in turbulent environment.
16
17
18
19
20
21
22
23
24
25
26

27 References

- 28 Agyekum, K., Kukah, A.S. and Amudjie, J. (2021). "The impact of COVID-19 on the
29 construction industry in Ghana: the case of some selected firms", *Journal of Engineering,
30 Design and Technology*, Vol. 20, No. 1, pp. 222-244. DOI: [10.1108/JEDT-11-2020-0476](https://doi.org/10.1108/JEDT-11-2020-0476).
31 Aigbavboa, C.O., Aghimien, D.O., Thwala, WD. and Ngozwana, M.N. (2021). "Unprepared
32 industry meet pandemic: COVID-19 and the South Africa construction industry", *Journal of
33 Engineering, Design and Technology*, Vol. 20, No. 1, pp. 183-200. DOI: [10.1108/JEDT-02-
34 2021-0079](https://doi.org/10.1108/JEDT-02-2021-0079).
35 Aghimien, D.O., Aghimien, E.I., Fadiyimu, A.O. and Adegbemo, T.F. (2018). "Survival
36 strategies for construction related organisations in a challenging economy", *Engineering,
37 Construction and Architectural Management*, Vol. 25, No. 1, pp. 861-876.
38 Alenezi, T.A.N. (2020). "Covid-19 causes of delays on construction projects in Kuwait",
39 *International Journal of Engineering Research and General Science*, Vol. 8, No. 4, pp. 35-39.
40 Alvesson, M. and Spicer, A. (2019). "Neo-institutional theory and organization studies: a mid-
41 life crisis?" *Organization Studies*, Vol. 40, No. 2, pp. 199-218.
42 Amoah, C., Bamfo-Agyei, E., Simpeh, F. (2021). "The COVID-19 pandemic: the woes of
43 small construction firms in Ghana", *Smart and Sustainable Built Environment*, Vol. 11, No. 4,
44 pp. 1099-1115. DOI: [10.1108/SASBE-02-2021-0025](https://doi.org/10.1108/SASBE-02-2021-0025).
45 Asamoah, R.O. and Decardi-Nelson, I. (2014). "Promoting trust and confidence in the
46 construction industry in Ghana through the development and enforcement of ethics",
47 *Information and Knowledge Management*, Vol. 3, No. 4, pp. 63-68.
48 Asiedu, R.O. and Ameyaw, C. (2021), "A system dynamics approach to conceptualise causes
49 of cost overrun of construction projects in developing countries", *International Journal of
50 Building Pathology and Adaptation*, Vol. 39, No. 5, pp.831-851. DOI: [10.1108/IJBPA-05-
51 2020-0043](https://doi.org/10.1108/IJBPA-05-2020-0043).
52 Atkinson, E., Spillane, J., Bradley, J. and Brooks, T. (2022), "Challenges in the adoption of
53 mobile information communication technology (M-ICT) in the construction phase of
54 infrastructure projects in the UK", *International Journal of Building Pathology and
55 Adaptation*, Vol. 40, No. 3, pp. 327-344. DOI: [10.1108/IJBPA-04-2021-0048](https://doi.org/10.1108/IJBPA-04-2021-0048)
56
57
58
59
60

- 1
2
3 Ayithey, F.K., Ayithey, M.K., Chiwero, N.B., Kamasah, J.S. and Dzuvo, C. (2020). "Economic
4 impacts of Wuhan 2019-nCoV in China and the world", *Journal of Medical Virology*, Vol. 92,
5 No. 5, pp. 473-475.
- 6 Baron, N. and Cherenet, Z. (2018), "Perceptions and pathways of resilience in Addis
7 Ababa", *International Journal of Building Pathology and Adaptation*, Vol. 36, No. 4, pp. 337-
8 352. DOI: [10.1108/IJBPA-02-2018-0014](https://doi.org/10.1108/IJBPA-02-2018-0014).
- 9
10 Bartelsman, E., Scarpetta, S. and Schivardi, F. (2005). "Comparative analysis of firm
11 demographics and survival: evidence from micro level sources in OECD countries", *Industrial
12 and Corporate Change*, Vol. 14, No. 3, pp. 365-391.
- 13 Bhatt, G., Emdad, A., Roberts, N., Grover, V. (2010). "Building and leveraging information in
14 dynamic environments: the role of IT infrastructure flexibility as enabler of organizational
15 responsiveness and competitive advantage", *Information & Management*, Vol. 47, No. 7-8, pp.
16 341-349
- 17
18 Bsisu, A.K. (2020). "The impact of COVID-19 pandemic on Jordanian civil engineers and
19 construction industry", *International Journal of Engineering Research and Technology*, Vol.
20 13, No. 5, pp. 828-830.
- 21 Catalão, F. P., Cruz, C. O. and Sarmiento, J. M. (2021). "The determinants of time overruns in
22 Portuguese public projects", *Journal of Infrastructure Systems*, Vol. 27, No. 2: 05021002.
- 23 Chen, C.-J., Huang, J.-W., Hsiao, Y.-C. (2010). "Knowledge management and
24 innovativeness: the role of organizational climate and structure", *International Journal of
25 Manpower*, Vol. 31, No. 1, pp. 848-870.
- 26
27 Chigara, B. and Moyo, T. (2021). "Factors affecting the delivery of optimum health and safety
28 on construction projects during the covid-19 pandemic in Zimbabwe", *Journal of Engineering,
29 Design and Technology*, Vol. 20 No. 1, pp. 24-46. DOI: [10.1108/JEDT-01-2021-0053](https://doi.org/10.1108/JEDT-01-2021-0053).
- 30
31 Choi, S.D. and Staley, J.A. (2021). "Safety and health implications of COVID-19 on the United
32 States construction industry", *Industrial and Systems Engineering Review*, Vol. 9, No. 1, pp.56-
33 67.
- 34 David, R.J., Tolbert, P.S. and Boghossian, J. (2019). "Institutional theory in organization
35 studies". Available via:
36 [https://oxfordre.com/business/view/10.1093/acrefore/9780190224851.001.0001/acrefore-
37 9780190224851-e-158](https://oxfordre.com/business/view/10.1093/acrefore/9780190224851.001.0001/acrefore-9780190224851-e-158). [Accessed: 25th February 2022].
- 38
39 Dearstyne, B. W. (2012). "Smoothing the turbulence: Project Management strategies for the
40 changing workplace", *Information Management Journal*, Vol. 46, No. 2, pp. 28-34
41
42
43 Deloitte. (2020). "Understanding the sector impact of COVID-19: engineering and
44 construction". Available via: [https://www2.deloitte.com/global/en/pages/about-
45 deloitte/articles/covid-19/understanding-the-sector-impact-of-covid-19-engineering--
46 const.html](https://www2.deloitte.com/global/en/pages/about-deloitte/articles/covid-19/understanding-the-sector-impact-of-covid-19-engineering--const.html). [Accessed: 17th August 2021].
- 47
48 Doloi, H. (2008). "Analysing the novated design and construct contract from the client's,
49 design team's and contractor's perspective", *Construction Management and Economics*, Vol.
50 26, No.10-12, pp. 1181-1196.
- 51
52 Dubey, S., Biswas, P., Ghosh, R., Chatterjee, S., Dubey, M.J., Chatterjee, S. and Lavie, C.J.
53 (2020). "Psychosocial impact of COVID-19", *Diabetes & Metabolic Syndrome: Clinical
54 Research & Reviews*, Vol. 14, No. 5, pp. 779-788.
- 55
56 Durst, S., Davila, A., Foli, S., Kraus, S. and Cheng, C.F. (2023). "Antecedents of technological
57 readiness in times of crises: a comparison between before and during COVID-19", *Technology
58 in Society*, Vol. 72, No. 1, p.102195.
59
60

- 1
2
3 Ekanayake, E.M.A.C., Shen, G.Q.P. and Kumaraswamy, M.M. (2021). "Identifying supply
4 chain capabilities of construction firms in industrialised construction", *Production Planning*
5 *and Control*, Vol. 32, No. 4, pp. 303-321. DOI: [10.1080/09537287.2020.1732494](https://doi.org/10.1080/09537287.2020.1732494).
6
7 Field, A. (2005). *Discovering statistics, using SPSS for Windows*, Sage Publications: London.
8 Fitch Solutions. (2021). "Ghana Infrastructure Report". Available via:
9 <https://store.fitchsolutions.com/infrastructure/ghana-infrastructure-report>. [Accessed: 1st
10 September 2021].
11 Gamil, Y. and Alhagar, A. (2020). "The impact of pandemic crisis on the survival of
12 construction industry: a case of COVID-19", *Mediterranean Journal of Social Sciences*, Vol.
13 11, No. 4, pp. 122-122.
14 Gartoumi, K. I., Aboussaleh, M. and Zaki, S. (2022). "Meeting architectural and engineering
15 requirements provided by COVID-19". Proceeding of *2022 Engineering and Technology for*
16 *Sustainable Architectural and Interior Design Environments (ETSAIDE)*, Manama, Bahrain,
17 2022, pp. 1-4. DOI: [10.1109/ETSAIDE53569.2022.9906396](https://doi.org/10.1109/ETSAIDE53569.2022.9906396).
18
19 Ghana Statistical Service. (2020). "Ghana 2021 Population and Housing Census General
20 Report". Available via: <https://census2021.statsghana.gov.gh/>. [Accessed 18th February 2022].
21
22 Ghana Statistical Service. (2019). "Summary report of final results of housing census, Accra:
23 Ghana Statistical Service (GSS)". Available via: <https://census2021.statsghana.gov.gh/>. [14th
24 January 2022].
25 Hansen, S., Fassa, F. and Wijaya, S. (2023), "Factors influencing scheduling activities of
26 construction projects", *Journal of Legal Affairs and Dispute Resolution in Engineering and*
27 *Construction*, Vol. 15, No. 1, pp.06522004.
28
29 Helm, D. (2020). "The environmental impacts of the coronavirus", *Environmental and*
30 *Resource Economics*, Vol. 76, No. 1, pp. 21-38.
31
32 Howard, M.C. and Henderson, J. (2023). "A review of exploratory factor analysis in tourism
33 and hospitality research: Identifying current practices and avenues for improvement", *Journal*
34 *of Business Research*, Vol. 154, No. 1, pp.113328.
35
36 Jallow, H., Renukappa, S. and Suresh, S. (2020). "The impact of Covid-19 outbreak on United
37 Kingdom infrastructure sector", *Smart and Sustainable Built Environment*, Vol. 10, No. 4, pp.
38 581-593. DOI: [10.1108/SASBE-05-2020-0068](https://doi.org/10.1108/SASBE-05-2020-0068).
39
40 Idrissi G. K., Aboussaleh, M. and Zaki, S. (2022). "Building information modelling a key for
41 construction industry recovery post-Covid-19", *Proceedings of the Institution of Civil*
42 *Engineers – Engineering Sustainability*. DOI: [10.1680/jensu.22.00014](https://doi.org/10.1680/jensu.22.00014).
43
44 Khourouh, U., Sudiro, A., Rahayu, M. and Indrawati, N.K. (2020). "The mediating effect of
45 entrepreneurial marketing in the relationship between environmental turbulence and dynamic
46 capability with sustainable competitive advantage: An empirical study in Indonesian MSMEs",
47 *Management Science Letters*, Vol. 10, No. 1, pp. 709–720.
48
49 King, S.S., Rahman, R.A., Fauzi, M.A. and Haron, A.T. (2021). "Critical analysis of pandemic
50 impact on AEC organizations: the COVID-19 case", *Journal of Engineering Design and*
51 *Technology*, Vol. 20, No. 1, pp. 358-383. DOI: [10.1108/JEDT-04-2021-0225](https://doi.org/10.1108/JEDT-04-2021-0225).
52
53 Lenzen, M., Li, M., Malik, A., Pomponi, F., Sun, Y-Y., Wiedmann, T., Faturay, F., Fry, J.,
54 Gallego, I. B., Geschke, A., Gomez-Paredes, J., Kanemoto, K., Kenway, S., Nansai, K.,
55 Prokopenko, M., Wakiyama, T., Wang, Y. and Yousefzadeh, M. (2020). "Global socio-
56 economic losses and environmental gains from the Coronavirus pandemic", *PloS one*, Vol. 15,
57 No. 7, pp. 1-13.
58
59 Lou, E.C.W., The Quan, N. and Park, K. (2022), "Guest editorial: disruptive and innovative
60 technologies for sustainable development in the built environment", *International Journal of*
Building Pathology and Adaptation, Vol. 40, No. 3, pp. 301-304. DOI: [10.1108/IJBPA-06-2022-173](https://doi.org/10.1108/IJBPA-06-2022-173)

- 1
2
3 Madrid-Guijarro, A., Garcia, D. and Van Auken, H. (2009). "Barriers to innovation among
4 spanish manufacturing SMEs" *Journal of Small Business Management*, Vol. 47, No. 1, pp.
5 465-488.
- 6 Mathivathanan, D., Mathiyazhagan, K., Rana, N.P., Khorana, S. and Dwivedi, Y.K.(2023).
7 "Barriers to the adoption of blockchain technology in business supply chains: a
8 total interpretive structural modelling (TISM) approach", *International Journal of Production*
9 *Research*, Vol. 59, No. 11, pp. 3338–3359.
- 10 Meade, A. W. and Craig, S. B. (2012). "Identifying careless responses in survey data"
11 *Psychological Methods*, Vol. 17, No. 3, pp. 437.
- 12 Miner, A.S., Bassof, P., Moorman, C. (2001). "Organizational improvisation and learning: A
13 field study", *Administrative Science Quarterly*, Vol. 46, No. 2, pp. 304–337.
- 14 Miralinaghi, M., Davatgari, A, Seilabi, S. E. and Labi, S. (2021). Contract bundling
15 considerations in urban road project scheduling, *Computer-Aided Civil and Infrastructure*
16 *Engineering*, Vol. 37, No. 4, pp. 427-450.
- 17 Nassereddine, H., Seo, K.W., Rybkowski, Z.K., Schranz, C. and Urban, H. (2021).
18 "Propositions for a resilient, post-COVID-19 future for the AEC industry, *Frontiers in Built*
19 *Environment*, Vol. 7, pp. 1-16. DOI: 10.3389/fbuil.2021.687021.
- 20 Nicola, M., Alsafi, Z., Sohrabi, C., Kerwan, A., Al-Jabir, A., Iosifidis, C. and Agha, R. (2020).
21 "The socioeconomic implications of the coronavirus and COVID-19 pandemic: a review",
22 *International Journal of Surgery*, Vol. 78, No. 1, pp. 185-193.
- 23 Oey, E. and Lim, J. (2021). "Challenges and action plans in construction sector owing to
24 COVID-19 pandemic – a case in Indonesia real estates", *International Journal of Lean Six*
25 *Sigma*, Vol. 12, No. 4, pp. 835-858. DOI: [10.1108/IJLSS-09-2020-0149](https://doi.org/10.1108/IJLSS-09-2020-0149).
- 26 Oladimeji, O. (2022). "Influence of COVID-19 pandemic on local construction firms'
27 viability", *Journal of Engineering, Design and Technology*, Vol. 20, No.1, pp. 201-221.
- 28 Ogunsanya, O.A., Aigbavboa, C.O., Thwala, D.W.T. and David J. Edwards, D.J. (2022).
29 "Barriers to sustainable procurement in the Nigerian construction industry: an exploratory
30 factor analysis", *International Journal of Construction Management*, Vol. 22, No. 5, pp. 861-
31 872.
- 32 Olarewaju, A.D. and Ajeyalemi, O.F. (2023), "COVID-19 uncertainties, dynamic capabilities
33 and the strategic response of multinational enterprises", *Review of International Business and*
34 *Strategy*, Vol. 33, No. 1, pp. 127-153. DOI: [10.1108/RIBS-12-2021-0167](https://doi.org/10.1108/RIBS-12-2021-0167).
- 35 Olukolajo, M.A., Oyetunji, A.K. and Oluleye, I.B. (2021). "Covid-19 protocols: assessing
36 construction site workers compliance", *Journal of Engineering, Design and Technology*, Vol.
37 20, No. 1, pp. 115-131.
- 38 Osuizugbo, I.C. (2021). "Disruptions and responses within Nigeria construction industry amid
39 COVID-19 threat", *Covenant Journal of Research in the Built Environment*, Vol. 8, No. 2, pp.
40 37-48 .
- 41 Poorolajal, J. (2021). "The global pandemics are getting more frequent and severe", *Journal*
42 *of Research in Health Sciences*, Vol. 21, No. 1, pp. 1-2.
- 43 Rehman, M.S.U., Shafiq, M.T., Afzal, M. (2021). "Impact of COVID-19 on project
44 performance in the UAE construction industry" *Journal of Engineering, Design and*
45 *Technology*, Vol. 20, No. 1, pp. 245-266. DOI: [10.1108/JEDT-12-2020-0481](https://doi.org/10.1108/JEDT-12-2020-0481).
- 46 Remko, V. (2020). "Research opportunities for a more resilient post-COVID-19 supply chain-
47 closing the gap between research findings and industry practice", *International Journal of*
48 *Operations and Production Management*, Vol. 40, No. 4, pp. 341-355. DOI: [10.1108/IJOPM-
49 03-2020-0165](https://doi.org/10.1108/IJOPM-03-2020-0165).
- 50 Rubin, D.K. (2021). "COVID-19 project impact liability is confused, says consultant survey".
51 Available via: [https://www.enr.com/articles/51200-covid-19-project-impact-liability-is-
52 confused-says-consultant-survey](https://www.enr.com/articles/51200-covid-19-project-impact-liability-is-confused-says-consultant-survey). [Accessed: 4th January 2023].
- 53
54
55
56
57
58
59
60

- 1
2
3 Samereh, J., Ehsan, S. and Ahad, Z. (2022). "Constructability obstacles: an exploratory factor
4 analysis approach", *International Journal of Construction Management*, Vol. 21, No. 3, pp.
5 312–325.
- 6 Shabbir, S., Danish, R.Q., Rehman, M., Hasnain, M. and Asad, H. (2021). "An empirical
7 investigation of environmental turbulence and fear in predicting entrepreneurial
8 improvisation", *Journal of Open Innovation: Technology, Market, and Complexity*, Vol. 7, No.
9 2, pp. 1-16.
- 10 Sierra, F. (2021). "COVID-19: main challenges during construction stage", *Engineering,
11 Construction and Architectural Management*, Vol. 29, No. 4, pp. 1817-1834. DOI:
12 [10.1108/ECAM-09-2020-0719](https://doi.org/10.1108/ECAM-09-2020-0719).
- 13 Simpeh, F. and Amoah, C. (2021). "Assessment of the measures instituted to curb the spread
14 of COVID-19 on construction site, *International Journal of Construction Management*, Vol.
15 23, No. 3, pp. 383-391. DOI:[10.1080/15623599.2021.1874678](https://doi.org/10.1080/15623599.2021.1874678).
- 16 Sutterby, P., Wang, X., Li, H.X. and Ji, Y. (2023), "The impact of COVID-19 on construction
17 supply chain management: an Australian case study", *Engineering, Construction and
18 Architectural Management*, Vol. ahead-of-print No. ahead-of-print. DOI: [10.1108/ECAM-10-
19 2021-0942](https://doi.org/10.1108/ECAM-10-2021-0942).
- 20 Wardi, Y., Susanto, P., Abror, A. and Abdullah, N. (2018). "Impact of entrepreneurial
21 proclivity on firm performance: the role of market and technology turbulence", *Pertanika
22 Journal of Social Science and Humanities*, Vol. 26, No. 1, pp. 241–250.
- 23 Wang, W., Gao, S., Mi, L., Xing, J., Shang, K., Qiao, Y., Fu, Y., Ni, G. and Xu, N. (2021).
24 "Exploring the adoption of BIM amidst the COVID-19 crisis in China", *Building Research &
25 Information*, Vol. 49, No. 8, pp.930-947.
- 26 Wilkinson, S. and Osmond, P. (2018), "Guest editorial", *International Journal of Building
27 Pathology and Adaptation*, Vol. 36, No. 4, pp. 334-336.
- 28 World Bank. (2021). "The World Bank in Ghana". Available via:
29 <https://www.worldbank.org/en/country/ghana/overview>. [Accessed: 10th September 2021].
- 30 Zhang, Y. and Cui, N. (2021). "Project scheduling and material ordering problem with storage
31 space constraints", *Automation in Construction*, Vol. 129, No.1, pp. 103796.
- 32 Zhong, Y., Li, Y., Ding, J. and Liao, Y. (2021). "Risk management: exploring emerging human
33 resource issues during the COVID-19 pandemic", *Journal of Risk and Financial Management*,
34 Vol. 14, No. 5, pp. 228.
- 35 Zikmund, W.G., Babin, B.J., Carr, J.C. and Griffin, M. (2013). *Business research methods*,
36 Cengage Learning: United Kingdom.
- 37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table I : Existing studies on the impacts of Covid-19 on the construction industry

Authors	Focus of study
Rehman <i>et al.</i> (2021)	Impacts of COVID-19 on construction project performance
King <i>et al.</i> (2021)	Critical analysis of Covid-19 impacts on architectural, engineering, and construction organisations
Agyekum <i>et al.</i> (2021)	Impacts of Covid-19 on construction firms
Amoah <i>et al.</i> (2021)	Impacts of Covid-19 on small construction firms
Aigbavboa <i>et al.</i> (2021)	Impacts of Covid-19 on unprepared construction industry
Chigara and Moyo (2021)	Impacts of Covid-19 on construction health and safety
Sierra (2021)	Impacts of Covid-19 on the construction phase of projects
Oey and Lim (2021)	Action plans for addressing the impacts of Covid-19
Olukolajo <i>et al.</i> (2021)	Covid-19 protocol compliance among construction site workers
Oladimeji (2022)	Influence of Covid-19 on the viability of local construction firms

Table II: Covid-19 pandemic disruptions driving environmental turbulence in AEC project delivery

Code	Drivers of turbulence due to Covid-19 pandemic disruptions	Weighted Mean	Std. Deviation	Ranking
D1	Statutory regulations for protocols hamper delivery	4.48	0.75	1
D2	Increased interruption of schedules	4.46	0.67	2
D3	Increased stoppages	4.27	0.77	3
D4	Inadequate timelines	4.25	0.95	4
D5	Worker anxiety	4.17	0.90	5
D6	Supply chain collapse delays resource acquisition	4.15	0.96	6
D7	Delays not addressed by contract	4.15	0.92	6
D8	Material price inflation causing budget overrun	4.13	0.84	8
D9	Rapid changes in project scope	4.08	0.71	9
D10	Delayed payments disrupt contractor's cashflow	4.04	0.95	10
D11	Disruption of employee performance	4.02	1.04	11
D12	Increased late deliveries	4.02	1.00	11
D13	Workflow disruption	4.00	1.01	13
D14	Additional financial resources required for pandemic protocols	3.96	1.15	14
D15	Increased employee stress reduced output	3.87	1.12	15
D16	Price instability hampers budget preparation	3.83	0.99	16
D17	Difficult resource allocation	3.77	1.11	17
D18	Inability to claim expenses for pandemic protocols during interim payments	3.75	1.15	18
D19	Inadequate labour on site	3.73	1.14	19
D20	Extensions for delaying key milestones	3.67	1.18	20
D21	Poor employee well-being	3.65	1.03	21
D22	Inability of employees to manage time on site	3.58	1.09	22
D23	Adoption of new technologies initially slows down work	3.52	1.18	23
D24	Inability of workers to concentrate	3.44	1.19	24

Table III: Factor profile of covid-19 disruptions driving environmental turbulence in AEC projects delivery space

Code	Components and variables	Factor Loading
Component 1: Scheduling disruptions		
D3	Increased stoppages	.612
D4	Inadequate timelines	.720
D5	Worker anxiety	.796
D13	Workflow disruption	.630
D20	Extensions for delaying key milestones	.583
D22	Inability of employees to manage time on site	.542
Component 2: Performance and productivity disruptions		
D11	Disruption of employee performance	.643
D15	Increased employee stress reduced output	.783
D21	Poor employee well-being	.703
D24	Inability of workers to concentrate	.628
Component 3: Project budget disruptions		
D6	Supply chain collapse delays resource acquisition	.708
D8	Material price inflation causing budget overrun	.716
D10	Delayed payments disrupt contractor's cashflow	.734
D14	Additional financial resources required for pandemic protocols	.509
Component 4: Supply chain disruption		
D6	Supply chain collapse delays resource acquisition	.654
D11	Disruption of employee performance	.742
Component 5: Resource allocation disruption		
D17	Difficult resource allocation	.663
D19	Inadequate labour on site	.550
Component 6: Technological and regulatory disruptions		
D1	Statutory regulations for protocols hamper delivery	.600
D23	Adoption of new technologies initially slows down work	.529

Table IV: Mechanisms for building the resilience of AEC firms against future global pandemics

Mechanisms for addressing turbulence created by the Covid-19 pandemic	Weighted mean	Std. dev.	Ranking
1. Redesign of organisational social media platforms (skype, zoom)	4.23	1.148	2nd
2. Incremental implementation of Building Information Modelling technologies to drive teamwork	4.25	.738	1st
3. Digitisation of site operations and tasks through the adoption of robots	3.42	1.433	6th
4. Investment in emerging technologies for site management instead of using existing manual processes.	3.88	1.132	5th
5. Developing organisational policies that scrutinise accessibility to sites	3.94	1.211	4th
6. Adopt a holistic approach that enhances system integration through resource management solutions, labour tracking, field reporting and information gathering.	4.13	.841	3rd

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60






Figure 1: Position of respondents in their firms




Figure 2: Age of firms




Figure 3: Sectors of operation

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 4: Scree plot

Pathology and Adaptation

International Journal of Building Pathology and Adaptation

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60