

Dear Author

Here are the proofs of your article.

- This article has a short turn-around time. We need to receive your corrections **within 48 hours**. If we do not receive your corrections within 48 hours, we will send you a reminder. Succeeding reminders will be sent every 24 hours until we receive your corrections.
- You can submit your corrections **online**, via **e-mail** or by **fax**.
- For **online** submission please insert your corrections in the online correction form. Always indicate the line number to which the correction refers.
- You can also insert your corrections in the proof PDF and **email** the annotated PDF.
- For **fax** submission, please ensure that your corrections are clearly legible. Use a fine black pen and write the correction in the margin, not too close to the edge of the page.
- Remember to note the **journal title**, **article number**, and **your name** when sending your response via e-mail or fax.
- **Check** the metadata sheet to make sure that the header information, especially author names and the corresponding affiliations are correctly shown.
- **Check** the questions that may have arisen during copy editing and insert your answers/corrections.
- **Check** that the text is complete and that all figures, tables and their legends are included. Also check the accuracy of special characters, equations, and electronic supplementary material if applicable. If necessary refer to the *Edited manuscript*.
- The publication of inaccurate data such as dosages and units can have serious consequences. Please take particular care that all such details are correct.
- Please **do not** make changes that involve only matters of style. We have generally introduced forms that follow the journal's style. Substantial changes in content, e.g., new results, corrected values, title and authorship are not allowed without the approval of the responsible editor. In such a case, please contact the Editorial Office and return his/her consent together with the proof.
- Your article will be published **Online First** approximately three working days after receipt of your corrected proofs. This is the **official first publication** citable with the DOI. **Further changes are, therefore, not possible.**
- The **printed version** will follow in a forthcoming issue.

Please note

After online publication, subscribers (personal/institutional) to this journal will have access to the complete article via the DOI using the URL:

<http://dx.doi.org/10.1007/s11095-011-0433-6>

If you would like to know when your article has been published online, take advantage of our free alert service. For registration and further information, go to: <http://www.springerlink.com>.

Due to the electronic nature of the procedure, the manuscript and the original figures will only be returned to you on special request. When you return your corrections, please inform us, if you would like to have these documents returned.

Metadata of the article that will be visualized in OnlineFirst

1	Article Title	Poly(Glycerol Adipate-co-ω-Pentadecalactone) Spray Dried Microparticles as Sustained Release Carriers for Pulmonary Delivery	
2	Article Sub- Title		
3	Article Copyright - Year	Springer Science+Business Media, LLC 2011 (This will be the copyright line in the final PDF)	
4	Journal Name	Pharmaceutical Research	
5	Corresponding Author	Family Name	Saleem
6		Particle	
7		Given Name	Imran
8		Suffix	
9		Organization	Liverpool John Moores University
10	Author	Division	School of Pharmacy & Biomolecular Sciences
11		Address	James Parsons Building, Byrom Street, Liverpool L3 3AF, UK
12		e-mail	I.saleem@ljmu.ac.uk
13		Family Name	Tawfeek
14		Particle	
15	Author	Given Name	Hesham
16		Suffix	
17		Organization	Liverpool John Moores University
18		Division	School of Pharmacy & Biomolecular Sciences
19		Address	James Parsons Building, Byrom Street, Liverpool L3 3AF, UK
20	Author	Organization	Assiut University
21		Division	Department of Industrial Pharmacy, Faculty of Pharmacy
22		Address	Assiut , Egypt
23		e-mail	
24		Family Name	Khidr
25	Author	Particle	
26		Given Name	Sayed
27		Suffix	
28		Organization	Assiut University
29		Division	Department of Industrial Pharmacy, Faculty of Pharmacy
30	Author	Address	Assiut , Egypt
31		e-mail	

32		Family Name	Samy
33		Particle	
34		Given Name	Eman
35		Suffix	
36	Author	Organization	Assiut University
37		Division	Department of Industrial Pharmacy, Faculty of Pharmacy
38		Address	Assiut , Egypt
39		e-mail	
40		Family Name	Ahmed
41		Particle	
42		Given Name	Sayed
43		Suffix	
44	Author	Organization	Assiut University
45		Division	Department of Industrial Pharmacy, Faculty of Pharmacy
46		Address	Assiut , Egypt
47		e-mail	
48		Family Name	Murphy
49		Particle	
50		Given Name	Mark
51		Suffix	
52		Organization	Liverpool John Moores University
53	Author	Division	School of Pharmacy & Biomolecular Sciences
54		Address	James Parsons Building, Byrom Street, Liverpool L3 3AF, UK
55		Organization	Liverpool John Moores University
56		Division	General Engineering Research Institute
57		Address	Liverpool , UK
58		e-mail	
59		Family Name	Mohammed
60		Particle	
61		Given Name	Afzaal
62		Suffix	
63	Author	Organization	Aston University
64		Division	Aston Pharmacy School
65		Address	Birmingham , UK
66		e-mail	
67		Family Name	Shabir
68		Particle	
69		Given Name	Anjum

70		Suffix	
71		Organization	Aston University
72	Author	Division	Aston Pharmacy School
73		Address	Birmingham , UK
74		e-mail	
75		Family Name	Hutcheon
76		Particle	
77		Given Name	Gillian
78		Suffix	
79	Author	Organization	Liverpool John Moores University
80		Division	School of Pharmacy & Biomolecular Sciences
81		Address	James Parsons Building, Byrom Street, Liverpool L3 3AF, UK
82		e-mail	
83		Received	24 September 2010
84	Schedule	Revised	
85		Accepted	14 March 2011
86	Abstract	<p>Purpose: The aim of this work was to optimize biodegradable polyester poly (glycerol adipate-co-ω-pentadecalactone), PGA-co-PDL, microparticles as sustained release (SR) carriers for pulmonary drug delivery.</p> <p>Methods: Microparticles were produced by spray drying directly from double emulsion with and without dispersibility enhancers (L-arginine and L-leucine) (0.5–1.5%w/w) using sodium fluorescein (SF) as a model hydrophilic drug.</p> <p>Results: Spray dried microparticles without dispersibility enhancers exhibited aggregated powders leading to low fine particle fraction (%FPF) (28.79 ± 3.24), fine particle dose (FPD) ($14.42 \pm 1.57 \mu\text{g}$), with a mass median aerodynamic diameter (MMAD) $2.86 \pm 0.24 \mu\text{m}$. However, L-leucine was significantly superior in enhancing the aerosolization performance (L-arginine:% FPF 27.61 ± 4.49–26.57 ± 1.85; FPD 12.40 ± 0.99–$19.54 \pm 0.16 \mu\text{g}$ and MMAD 2.18 ± 0.35–$2.98 \pm 0.25 \mu\text{m}$, L-leucine:%FPF 36.90 ± 3.6–43.38 ± 5.6; FPD 18.66 ± 2.90–$21.58 \pm 2.46 \mu\text{g}$ and MMAD 2.55 ± 0.03–$3.68 \pm 0.12 \mu\text{m}$). Furthermore, incorporating L-leucine (1.5%w/w) reduced the burst release ($24.04 \pm 3.87\%$) of SF compared to unmodified formulations ($41.87 \pm 2.46\%$), with both undergoing a square root of time (Higuchi's pattern) dependent release. Comparing the toxicity profiles of PGA-co-PDL with L-leucine (1.5%w/w) (5 mg/ml) and poly(lactide-co-glycolide), (5 mg/ml) spray dried microparticles in human bronchial epithelial 16HBE14o-cell lines, resulted in cell viability of 85.57 ± 5.44 and $60.66 \pm 6.75\%$ respectively, after 72 h treatment.</p> <p>Conclusion: The above data suggest that PGA-co-PDL may be a useful polymer for preparing SR microparticle carriers, together with dispersibility enhancers, for pulmonary delivery.</p>	
87	Keywords separated by ' - '	dry powder inhalation - microparticles - polyester polymers - pulmonary drug delivery - sustained drug release	
88	Foot note information		

Poly(Glycerol Adipate-co- ω -Pentadecalactone) Spray Dried Microparticles as Sustained Release Carriers for Pulmonary Delivery

Hesham Tawfeek • Sayed Khidr • Eman Samy • Sayed Ahmed • Mark Murphy • Afzaal Mohammed • Anjum Shabir • Gillian Hutcheon • Imran Saleem

Received: 24 September 2010 / Accepted: 14 March 2011
© Springer Science+Business Media, LLC 2011

ABSTRACT

Purpose The aim of this work was to optimize biodegradable polyester poly(glycerol adipate-co- ω -pentadecalactone), PGA-co-PDL, microparticles as sustained release (SR) carriers for pulmonary drug delivery.

Methods Microparticles were produced by spray drying directly from double emulsion with and without dispersibility enhancers (L -arginine and L -leucine) (0.5–1.5%w/w) using sodium fluorescein (SF) as a model hydrophilic drug.

Results Spray dried microparticles without dispersibility enhancers exhibited aggregated powders leading to low fine particle fraction (%FPF) (28.79 ± 3.24), fine particle dose (FPD) ($14.42 \pm 1.57 \mu\text{g}$), with a mass median aerodynamic diameter (MMAD) $2.86 \pm 0.24 \mu\text{m}$. However, L -leucine was significantly superior in enhancing the aerosolization performance (L -arginine:%FPF 27.61 ± 4.49 – 26.57 ± 1.85 ; FPD 12.40 ± 0.99 – $19.54 \pm 0.16 \mu\text{g}$ and MMAD 2.18 ± 0.35 – $2.98 \pm 0.25 \mu\text{m}$, L -leucine:%FPF 36.90 ± 3.6 – 43.38 ± 5.6 ; FPD 18.66 ± 2.90 –

$21.58 \pm 2.46 \mu\text{g}$ and MMAD 2.55 ± 0.03 – $3.68 \pm 0.12 \mu\text{m}$). Furthermore, incorporating L -leucine (1.5%w/w) reduced the burst release ($24.04 \pm 3.87\%$) of SF compared to unmodified formulations ($41.87 \pm 2.46\%$), with both undergoing a square root of time (Higuchi's pattern) dependent release. Comparing the toxicity profiles of PGA-co-PDL with L -leucine (1.5%w/w) (5 mg/ml) and poly(lactide-co-glycolide), (5 mg/ml) spray dried microparticles in human bronchial epithelial 16HBE14o- cell lines, resulted in cell viability of 85.57 ± 5.44 and $60.66 \pm 6.75\%$ respectively, after 72 h treatment.

Conclusion The above data suggest that PGA-co-PDL may be a useful polymer for preparing SR microparticle carriers, together with dispersibility enhancers, for pulmonary delivery.

KEY WORDS dry powder inhalation • microparticles • polyester polymers • pulmonary drug delivery • sustained drug release

H. Tawfeek • M. Murphy • G. Hutcheon • I. Saleem (✉)
School of Pharmacy & Biomolecular Sciences
Liverpool John Moores University
James Parsons Building, Byrom Street
Liverpool L3 3AF, UK
e-mail: i.saleem@ljmu.ac.uk

H. Tawfeek • S. Khidr • E. Samy • S. Ahmed
Department of Industrial Pharmacy, Faculty of Pharmacy
Assiut University
Assiut, Egypt

M. Murphy
General Engineering Research Institute
Liverpool John Moores University
Liverpool, UK

A. Mohammed • A. Shabir
Aston Pharmacy School, Aston University
Birmingham, UK

INTRODUCTION

Poly(glycerol adipate-co- ω -pentadecalactone), PGA-co-PDL, is a biodegradable polyester polymer synthesized via lipase enzyme, ~~from *Candida albicans*~~, catalyzed ring opening co-polymerization reaction of activated diacid, glycerol and lactone monomers (1). This polymer is synthesized by a one step reaction via a single non-biosynthetic pathway under mild reaction conditions (2), compared to fermentation and other chemical processes that have been extensively studied for the synthesis of biodegradable aliphatic polyesters (3). In addition, these polymers are designed to overcome the lack of chemical functionality associated with poly(lactic acid) (PLA) and its derivatives, due to the presence of pendant hydroxyl groups from the glycerol monomer in the PGA-co-PDL polymer, which permit the attachment of chemical

moieties such as pharmaceutically active drugs. Furthermore, the degree of hydrophilicity can be altered by varying the backbone chemistry (4). Previously PGA-co-PDL has been formulated as microparticles for delivery of dexamethasone phosphate and ibuprofen (5,6), and investigated in our group for delivery of macromolecules using α -chymotrypsin as a model protein (7). In the current investigation, we propose using these polyester polymers as pulmonary carriers for sustained delivery (SR) of therapeutic agents to the lungs.

Pulmonary drug delivery is an attractive, convenient and effective route for the administration of therapeutic drugs, macromolecules (8) proteins and peptides (9), and is an alternative for the treatment of many pulmonary disorders, such as, lung cancer (10) and cystic fibrosis (11) enhancing the pharmacokinetic effect of the therapeutic agent. Dry powder inhalers (DPIs) are commonly used as they are portable and less expensive compared to nebulizers, and are considered to be environmentally friendly due to the absence of propellant, as well as overcoming the synchronization problems associated with pressurized metered dose inhalers (pMDIs) (12,13). Furthermore, there is improved stability in storage for therapeutic agents formulated as dry powders (13).

Lately, research has focused on protecting the therapeutic agent from degradation or premature clearance by a suitable delivery system, and using the lungs as a portal for sustained drug release and absorption over many hours to days. SR therapeutic agents can reduce side effects and the frequency of administration, hence increasing patient acceptability and compliance (14,15). However, the clearance mechanisms of the lung towards foreign particles are likely to jeopardize the potential of a SR formulation to release therapeutic agents over extended periods. Therefore to achieve a SR effect, pulmonary formulations should possess a small mass median aerodynamic diameter (MMAD) and high fine particle fraction (%FPF) in order to minimize central/tracheobronchial deposition and bypass the effects of mucociliary clearance (16). This has generally been achieved using polymeric particles such as, poly(ether-anhydride) and ~~poly(lactic-co-glycolic-acid)~~ PLGA, as carriers for pulmonary delivery to achieve sustained or controlled release of the intended therapeutic agent (17–21). However, PLGA and PLA have many shortcomings, such as, the polymer backbone cannot be chemically functionalized, stability of macromolecules are affected due to the degradation of PLGA and PLA polymers to its acidic monomers, (22), and are often associated with drug release in a triphasic manner (22,23). This is partly due to the fact that PLGA and PLA were not specifically designed for use in the lungs. Thus, a new polymer which overcomes these problems is imperative in the formulation of carriers for pulmonary delivery.

Previously; we investigated the aerosol performance of PGA-co-PDL microparticles prepared via the emulsion solvent evaporation technique (w/o/w) using sodium fluorescein as a model drug (24). This study emphasized the aggregated properties of the produced microparticles as the %FPF did not exceed 15% (24). Consequently, this investigation aims to enhance the respirable fraction and maximize the drug deposition in the lung, using sodium fluorescein (SF) as a model hydrophilic drug, via spray drying from double emulsion (20,25). Furthermore, the addition of various dispersing agents, such as L-arginine and L-leucine amino acids, as potential dispersibility enhancers (26,27) to improve the aerosol performance was investigated. In addition, to ensure the safety of PGA-co-PDL a toxicity study was also performed in normal human bronchial epithelium cell lines utilizing the MTT assay with comparison to spray dried PLGA microparticles.

MATERIALS AND METHODS

Materials

Novozyme 435 (a lipase from *Candida antarctica* immobilized on a microporous acrylic resin) was purchased from Biocatalytics, USA. ω -pentadecalactone, sodium fluorescein (SF), poly(vinyl alcohol) (PVA, 9–10 KMw, 80%), L-leucine and L-arginine, RPMI-1640 medium with L-glutamine and NaHCO_3 , thiazoly blue tetrazolium bromide (MTT), poly (DL-lactide-co-glycolide) (PLGA) (50:50) inherent viscosity 0.15–0.25, were obtained from Sigma-Aldrich, UK. Dichloromethane (DCM) was purchased from BDH laboratory supplies, UK. Tetrahydrofuran (THF), 75 cm²/tissue culture flask with vented cap, 24 well tissue culture plates, 96 well flat bottom plates, Antibiotic/Antimycotic Solution (100X) were purchased from Fisher Scientific, UK. Divinyl adipate was obtained from Fluorochem, UK and Foetal Calf Serum (FCS) heat inactivated was purchased from Biosera UK. 16HBE14o- cells were produced by Dr Dieter Gruenert from the California Pacific Medical Center, University of California San Francisco, USA.

Polymer Synthesis

The co-polymer PGA-co-PDL was synthesized via enzyme catalyzed condensation and ring opening co-polymerization reactions as described by Thompson *et al.* (28). The synthesized polymer was characterized by gel permeation chromatography, GPC (Viscotek TDA Model 300 using OmniSEC3 operating software), calibrated with polystyrene standards (polystyrene standards kit, Supelco, USA), and ¹H-NMR spectroscopy (Bruker AVANCE 300, Inverse

161 probe with B-ACS 60, Autosampler with gradient chemm-
162 ing) as described by Thompson *et al.* (28).

163 **Microparticles Preparation**

164 PGA-co-PDL microparticles were prepared by spray drying
165 directly from double emulsion (w/o/w). Briefly, 5 mg SF
166 was dissolved in 1.5 ml distilled water and homogenized
167 (IKA yellowline DI 25 basic at 8000 rpm for 3 min) in
168 13 ml DCM containing 390 mg polymer to form the first
169 w/o emulsion. This was gradually added to the second
170 aqueous phase, 135 ml distilled water containing 1%w/v
171 PVA as an emulsifier, under moderate stirring conditions
172 (Silverson L4RT mixer, 2000 rpm at room temperature,
173 25°C) to form the w/o/w emulsion (PGA-co-PDL, control).
174 L-arginine (0.5, 1, 1.5%w/w of polymer weight) (Repre-
175 sented in text as: PGA-co-PDL, 0.5% Arg; PGA-co-PDL,
176 1% Arg and PGA-co-PDL, 1.5% Arg) and L-leucine (0.5, 1,
177 1.5%w/w of polymer weight) (Represented in text as: PGA-
178 co-PDL, 0.5% Leu; PGA-co-PDL, 1% Leu and PGA-co-
179 PDL, 1.5% Leu) were incorporated into the second
180 aqueous phase in addition to PVA. The produced emulsion
181 was spray dried at room temperature (25°C) utilizing a
182 mini-spray dryer (Büchi, B-290 Flawil, Switzerland) with
183 standard two-fluid nozzle (0.7 mm diameter), inlet and
184 outlet temperature of 100 and 47°C respectively, a pump
185 flow rate of 5–7 ml/min, aspirator at 38 m³/h and air flow
186 at 600 L/h. Control spray dried PLGA microparticles
187 incorporating L-leucine (1.5%w/w, PLGA, 1.5% Leu), for
188 comparison to optimum PGA-co-PDL microparticles, were
189 produced as above.

190 **Microparticles Characterization**

191 **Yield, Encapsulation Efficiency and Drug Loading**

192 10 mg of spray dried microparticle formulations were
193 weighed and solubilized in DCM/water mixture (2:1) to
194 dissolve the polymer and extract SF. The two phases were
195 separated by centrifugation (5 min at 16200 X g, accuSpin
196 Micro 17) and the aqueous layer analyzed for SF using
197 spectroscopy at 273 nm. The yield of spray dried micro-
198 particles was quantified as a percentage mass of expected
199 total powder yield (n=6). The percentage encapsulation
200 efficiency (EE) and drug loading were determined for all
201 batches using Eqs. 1 and 2 respectively (n=6):

204
$$EE(\%) = \left(\frac{\text{actual weight of SF in sample}}{\text{theoretical weight of SF}} \right) \times 100 \quad (1)$$

204

206
$$\text{Drug Loading} = \frac{\text{weight of SF in microparticles}}{\text{microparticles sample weight}} \quad (2)$$

**Particle Size, Zeta Potential, Powder Density and Primary
Aerodynamic Diameter**

100 µl microparticle suspension was diluted to 5 ml using
double distilled water and the measurements recorded at
25°C (n=3) to determine the geometric particle size and
zeta potential using a Zetaplus, Brookhaven Instruments,
U.K. The poured density of spray dried microparticle
powders were determined by adding approximately 0.5 g of
powder to a 10 ml graduated cylinder and recording the
volume. The tapped density was determined by tapped
density measurements on the same samples in a 10 ml
graduated measuring cylinder until constant volume was
obtained (29) (n=3). Carr's Index values for each of the
spray dried formulations were calculated according to Eq. 3
(30), and can provide an indication of powder flow. Carr's
Index flowability: 5–12%, excellent; 12–18%, good; 18–
21%, fair; 21–25%, poor, fluid; 25–32%, poor, cohesive;
32–38%, very poor; >40%, extremely poor. A value less
than 25% indicates a fluid powder, whereas a value greater
than 25% indicates a cohesive powder (31).

$$\text{Carr's Index}(\%) = \frac{\text{Tapped density} - \text{Poured density}}{\text{Tapped density}} \times 100 \quad (3)$$

Theoretical primary aerodynamic diameter (d_{ae}) was
calculated using data acquired from geometric particle size
(d) and tapped density (ρ) according to Eq. 4 (32).

$$d_{ae} = d \sqrt{\frac{\rho}{\rho_1}} \quad \rho_1 = 1 \text{ g cm}^{-3} \quad (4)$$

Amorphous Nature and Water Content

The degree of amorphous material from the spray dried
formulations were performed using differential scanning
calorimetry (DSC, Perkin Elmer Pyris 1). Briefly, 3–5 mg of
sample was placed into a hermetically sealed and crimped pan.
The samples were subjected to two scanning programs in the
DSC using a heating rate of 20°C/min purged with nitrogen at
20 ml/min as described previously by Thompson *et al.* (6). The
weight loss of the powders as a function of temperature
was determined using a thermogravimetric analyser
(TGA 2050-Thermogravimetric analyzer, UK). Approx-
imately 6–8 mg of each sample was weighed in a
platinum pan and heated at the temperature range 25–
260°C using a scanning rate of 10°C/min purged under
nitrogen at 20 ml/min (n=3).

Particle Morphology

The spray dried microparticles were visualized by scanning
electron microscopy (FEI—Inspect S Low VAC Scanning

Electron Microscope). Particles were mounted on aluminium stubs (pin stubs, 13 mm) layered with a sticky conductive carbon tab and coated in gold (10–15 nm) using an EmiTech K 550X Gold Sputter Coater, 25 mA for 3 min. Confocal images were obtained using a Zeiss 510 Meta laser scanning microscope, mounted on a Axiovert 200 M BP computer-controlled inverted microscope. A small amount of spray dried microparticles were placed onto a cover glass chamber slide (Fisher Scientific, UK), and imaged by excitation with an argon ion laser at a wavelength of 488 nm and a Plan Neofluar 63×/0.30 numerical aperture (NA) objective lens. Image analysis was carried out using the Zeiss LSM software.

In-Vitro Aerosolisation Studies

The aerosol performance of spray dried microparticles was determined using a Next Generation Impactor (NGI). Microparticle samples (~20 mg) were manually loaded into hydroxypropyl methylcellulose capsules (HPMC size 2), and placed in a HandiHaler® (Boehringer Ingelheim, Ingelheim, Germany). A pump (Copley Scientific, Nottingham, UK) was operated at a flow rate of 60 L/min for 4 s and the NGI plates were coated with 1% w/w glycerol/methanol solution. Following inhalation all parts of NGI were washed with DCM/water (2:1), and analyzed as above. The fine particle fraction (%FPF) (defined as the mass of drug deposited ($d_{ac} < 4.6 \mu\text{m}$), expressed as a percentage of the emitted dose), mass median aerodynamic diameter (MMAD) (33), and the fine particle dose (FPD), expressed as the mass of drug deposited in the NGI ($d_{ac} < 4.6 \mu\text{m}$), was determined ($n=3$).

In-Vitro Release Studies

10 mg of spray dried microparticle formulations were added to 1.5 ml microtubes, containing 1 ml phosphate buffer saline pH 7.4 ($n=3$), and incubated at 37°C on an orbital shaker (IKA KS 130) at 250 rpm. The supernatants were collected to observe the release of SF over 24 h by centrifugation (5 min at 16200 X g, accuSpin Micro 17) and analysed using spectroscopy as above. The cumulative drug release was assessed in different release models namely zero order, first order and Higuchi's square root plot, and a correlation coefficient close to unity was used as the mechanism and order of release (34).

Toxicity Study

The toxicity profiles of PGA-co-PDL (control) and PGA-co-PDL, 1.5% Leu were evaluated over 24 h in normal human bronchial epithelial (16HBE14o-) cell line, and compared to spray dried PLGA, 1.5% Leu microparticles.

16HBE14o- cells (passage No. 28) were cultured in 24 well plates with 1 ml RPMI-1640 medium supplemented with 10% FCS/1% Antibiotic/Antimycotic solution for 24 h in a humidified 5% CO₂/95% incubator at 37°C. The wells were replaced with fresh medium (1 ml) containing PGA-co-PDL, PGA-co-PDL, 1.5% Leu and PLGA, 1.5% Leu (0–5 mg/ml) ($n=6$) and incubated for a further 24 h as above, followed by the addition of 1 ml MTT solution (0.5 mg/ml in PBS, pH 7.4) solution to each well. After further 2 h incubation, the medium was removed and any formazan crystals generated were solubilized with 500 μl of isopropanol. Thereafter, aliquots of the resulting solutions were transferred to 96 well plates and the absorbance was measured using spectroscopy at 570 nm and corrected for background absorbance. The relative cell viability (%) was calculated using Eq. 5 as follows:

$$\text{Viability (\%)} = \frac{A - S}{CM - S} \times 100 \quad (5)$$

Where A is the absorbance of the test substance concentrations, S is the absorbance obtained for the (isopropanol) and CM is the absorbance obtained for untreated cells incubated with medium (control).

Statistical Analysis

Each formulation was compared with the control formulation by a one-way analysis of variance (ANOVA) with Dunnett multiple comparison test. The formulations were then compared with each other by means of a one-way ANOVA with the Tukey's comparison test. The statistical significance level was set at $p \leq 0.05$.

RESULTS

Polymer Synthesis

The PGA-co-PDL (equimolar monomer ratio, 1:1:1) prepared was a white solid powder, and the nature of the co-polymer was confirmed from the integration pattern of peaks obtained from ¹H-NMR spectra (δ_{H} CDCl₃, 300 MHz): 1.34 (s, 22 H, H-g), 1.65 (m, 8 H, H-e, e', h), 2.32 (m, 6 H, H-d, d', i), 4.05 (q)-4.18 (m) (6 H, H-a, b, c, f), 5.2 (s, H, H-j) (Fig. 1). The molecular weight of PGA-co-PDL was 23.0 KDa, as determined by GPC.




Fig. 1 Chemical structure of PGA-co-PDL polymer (MW 23 KDa).

Microparticles Characterization

A good yield of over 40% for the different formulations was obtained except for PGA-co-PDL, 1.5% Arg which had the lowest value of $16.4\% \pm 1.4$ (Table I). Furthermore, an inverse correlation between increasing arginine concentration and yield was observed. There was no significant difference with addition of amino acids in encapsulation efficiency or drug loading when comparing spray dried formulations against control (PGA-co-PDL) ($p > 0.05$, ANOVA/Dunnett). In addition, all formulations had a negative surface charge, with higher values observed in L-leucine modified spray dried microparticles (PGA-co-PDL, 0.5, 1, 1.5% Leu and PLGA 1.5% Leu), indicating a greater degree of colloidal stability within the dispersion medium (Table I). It is also worth noting that increasing the L-arginine concentration correlated with increased moisture content (Table I), while an inverse correlation was observed with L-leucine. However, the results for all formulations were within the range of moisture content obtained from spray dried powders (35,36). All formulations had a geometric particle size less than $2\text{ }\mu\text{m}$ (Table I) suitable for targeting the respiratory bronchioles. The tapped densities of all formulations were similar ($0.24 \pm 0.04\text{--}0.31 \pm 0.05\text{ g cm}^{-3}$; Table I), and together with the geometric particle size, were used to calculate the theoretical aerodynamic diameter (d_{ae}). As shown in Table I, the d_{ae} for all formulations was between $0.50 \pm 0.13\text{--}0.91 \pm 0.11$. However, the MMAD obtained from cascade impaction studies ranged from 2.18 ± 0.35 to $3.68 \pm 0.12\text{ }\mu\text{m}$, indicating particle aggregation (duplicate or triplicate) compared to geometric particle size. The aggregation was confirmed from Carr's index with values greater than 25 indicating poor and cohesive flowing powders (31).


Figure 2 represents DSC thermograms of PGA-co-PDL polymer, spray dried PGA-co-PDL (control) and PGA-co-PDL, 1.5% Leu formulations respectively. The spray drying process changed the thermal properties of the polymer, resulting in a lower onset of melting, 50.46°C (PGA-co-PDL, control) and 50.35°C (PGA-co-PDL, 1.5% Leu) compared to 55.27°C for the polymer alone. In addition, the endothermic peaks became broader in shape with spray dried formulations coupled with a decrease in area under the endothermic curve and the heat of fusion (ΔH) (Fig. 2). Furthermore, PGA-co-PDL, 1.5% Leu had a broader melting peak and a lower ΔH (2.484 J/g) compared to control formulation (ΔH , 4.621 J/g). Scanning electron microscopy (SEM) confirmed PGA-co-PDL particles had a smooth surface, with no difference between the control (PGA-co-PDL) and amino-acid modified formulations (Fig. 3). However, L-arginine modified microparticles (PGA-co-PDL, 1.5% Arg) were aggregated and appeared to be fused together compared to unmodified control

Table I Physical Characteristics of Spray Dried Microparticles (Values are Means \pm SD)

	Formulation	Yield (%)	EE (%)	Drug loading ($\mu\text{g/mg}$ particle)	Zeta potential (mV)	Particle size (μm)	Water content (%)	Tapped density (g cm^{-3})	Carr's Index		d_{ae} (μm)	MMAD (μm)
									%	Flowability		
t1.1	PGA-co-PDL	46.2 ± 1.9	20.26 ± 0.01	2.60 ± 0.17	-28.62 ± 1.58	1.76 ± 0.23	1.74 ± 0.0	0.26 ± 0.02	34.48	Very poor	0.90 ± 0.10	2.86 ± 0.24
t1.2	PGA-co-PDL, 0.5%Arg	49.5 ± 2.4	25.67 ± 0.03	3.29 ± 0.38	-25.92 ± 0.76	1.85 ± 0.13	3.40 ± 0.0	0.24 ± 0.04	30.00	Poor, cohesive	0.91 ± 0.11	2.18 ± 0.35
t1.3	PGA-co-PDL, 1%Arg	43.9 ± 7.7	21.56 ± 0.01	2.76 ± 0.04	-27.82 ± 1.50	1.17 ± 0.24	4.11 ± 0.0	0.27 ± 0.01	34.48	Very poor	0.61 ± 0.09	2.58 ± 0.19
t1.4	PGA-co-PDL, 1.5%Arg	16.4 ± 1.4	25.70 ± 0.09	3.29 ± 1.26	-25.39 ± 0.67	0.89 ± 0.17	5.09 ± 0.0	0.31 ± 0.05	30.43	Poor, cohesive	0.50 ± 0.13	2.98 ± 0.25
t1.5	PGA-co-PDL, 0.5%Leu	41.1 ± 4.9	21.42 ± 0.01	2.74 ± 0.14	-39.58 ± 1.71	1.29 ± 0.20	2.23 ± 0.1	0.25 ± 0.02	33.33	Very poor	0.65 ± 0.10	3.68 ± 0.12
t1.6	PGA-co-PDL, 1%Leu	52.5 ± 7.2	20.44 ± 0.01	2.62 ± 0.17	-29.95 ± 1.57	1.09 ± 0.20	1.71 ± 0.2	0.28 ± 0.02	33.33	Very poor	0.58 ± 0.08	2.55 ± 0.03
t1.7	PGA-co-PDL, 1.5%Leu	54.7 ± 2.6	18.94 ± 0.01	2.42 ± 0.09	-35.10 ± 0.99	1.49 ± 0.21	1.48 ± 0.1	0.25 ± 0.01	31.03	Poor, cohesive	0.75 ± 0.12	3.43 ± 0.58
t1.8	PLGA, 1.5%Leu	47.8 ± 3.6	22.10 ± 0.09	2.83 ± 0.25	-31.24 ± 1.69	1.08 ± 0.17	1.89 ± 0.23	0.26 ± 0.01	32.12	Very poor	0.56 ± 0.14	2.90 ± 0.41

Yield, encapsulation efficiency (EE), and drug loading ($n = 6$). Zeta potential, particle size, water content, tapped density and mass median aerodynamic diameter (MMAD) ($n = 3$)

Fig. 2 Comparison of DSC thermograms of blank PGA-co-PDL polymer (bottom) and spray dried PGA-co-PDL (control) (middle) or PGA-co-PDL, 1.5% Leu (top).



microparticles (Fig. 3a and b respectively), whereas, L-leucine modified microparticles (PGA-co-PDL, 1.5% Leu) appeared spherical in shape, with no visual evidence of particle fusion (Fig. 3c). Confocal microscopy confirmed SF was homogenously distributed inside the microparticles in control formulation and PGA-co-PDL, 1.5% Leu (Fig. 4) during the emulsion/spray drying process.

In-Vitro Aerosolisation Studies

SF deposition data obtained from spray dried formulations indicated there was a difference in aerosolisation performance between the type and concentration of amino acids used (Fig. 5). For example, PGA-co-PDL, 1.5% Arg showed significantly higher powder deposit in the capsule and inhaler compared to the other formulations, including control formulation (PGA-co-PDL) ($p < 0.05$, ANOVA/Dunnett) and PGA-co-PDL, 1.5% Leu ($p < 0.05$,

ANOVA/Tukey's). In addition, L-arginine modified formulations displayed a higher throat deposition in contrast to L-leucine modified microparticles, particularly PGA-co-PDL, 0.5% Arg and PGA-co-PDL, 1.5% Arg formulations, in comparison to control formulation ($p < 0.05$, ANOVA/Dunnett) and PGA-co-PDL, 1.5% Leu ($p < 0.05$, ANOVA/Tukey's). In addition, PGA-co-PDL, 1.5% Leu resulted in significantly lower powder deposits in capsule and inhaler ($p < 0.05$, ANOVA/Tukey's), and throat ($p < 0.05$, ANOVA/Tukey's) compared to PLGA, 1.5% Leu. Overall, PGA-co-PDL, 1.5% Leu had the lowest powder deposit in the capsule and inhaler, and throat.

Addition of L-arginine (0.5–1.5% w/w) resulted in no significant change to $\%F_{PF}$ ($p < 0.05$, ANOVA/Dunnett) compared to control formulation (PGA-co-PDL) (Fig. 6a). In contrast, L-Leucine modified microparticles (PGA-co-PDL, 1% Leu & PGA-co-PDL, 1.5% Leu) produced significantly higher $\%F_{PF}$ compared to control formulation





Fig. 3 SEM images comparing PGA-co-PDL (control formulation) (a) with PGA-co-PDL, 1.5% Arg (b) and PGA-co-PDL, 1.5% Leu (c). The scale bar represents 5 μ m.

Fig. 4 Confocal laser scanning microscopy images comparing PGA-co-PDL (control formulation) (a) and PGA-co-PDL, 1.5% Leu (b). The scale bar represents 2 μ m.




424 ($p < 0.05$, ANOVA/Dunnett) and L-arginine modified for-
425 mulations (PGA-co-PDL, 1% Arg & PGA-co-PDL, 1.5%
426 Arg) ($p < 0.05$, ANOVA, Tukey's). In fact, PGA-co-PDL,
427 1.5% Leu produced the highest $\%FPF$ ($43.38 \pm 5.61\%$)
428 which was more than 1.5 times greater than the value
429 obtained with same concentration of L-arginine ($26.57 \pm$
430 1.85%) ($p < 0.05$, ANOVA, Tukey's). However, increasing
431 the L-leucine concentration from 1.0 to 1.5%w/w did not
432 significantly enhance $\%FPF$ ($p > 0.05$, ANOVA/Tukey's)
433 (Fig. 6a). Addition of amino acids resulted in no significant
434 difference in FPD against control ($p > 0.05$, ANOVA/
435 Dunnett) (Fig. 6b). However, incorporating L-leucine,
436 PGA-co-PDL, 1% Leu ($21.58 \pm 1.21 \mu$ g) and PGA-co-
437 PDL, 1.5% Leu ($21.42 \pm 1.46 \mu$ g), resulted in almost double
438 the FPD compared to PGA-co-PDL, 1% Arg ($12.40 \pm$
439 0.99μ g) ($p < 0.05$, ANOVA/Tukey's). Overall PGA-co-
440 PDL, 1.5% Leu had the highest $\%FPF$ and FPD, but no
441 significant difference was noted when compared to PLGA,
442 1.5% Leu ($p > 0.05$, ANOVA/Tukey's).

In-vitro Release Studies

443

444 It was clear PGA-co-PDL, 1.5% Leu could be considered
445 as an optimum delivery system based on the aerosolisation
446 results (lowest throat deposition, highest FPD and $\%FPF$).
447 Therefore, *in vitro* release studies comparing PGA-co-PDL
448 (control), PGA-co-PDL, 1.5% Leu and PLGA, 1.5% Leu
449 were performed and reported as cumulative percentage SF
450 released over time (Fig. 7). Initially the SF adsorbed on the
451 microparticles surface was removed by washing with 1 ml
452 PBS buffer. A rapid burst release of SF was observed from
453 all three formulations after 30 min, however the release of
454 SF from PGA-co-PDL, 1.5% Leu ($24.54\% \pm 3.87$) and
455 PLGA, 1.5% Leu ($24.04\% \pm 2.67$) was significantly less than
456 PGA-co-PDL ($41.87\% \pm 2.46$) ($p < 0.05$, ANOVA/Dunnett).
457 The rapid release continued for all three formulations up to
458 5 h, where PGA-co-PDL, 1.5% Leu ($38.52\% \pm 3.27$)
459 resulted in significantly less SF released compared to
460 PGA-co-PDL ($54.90\% \pm 5.76$) and PLGA, 1.5% Leu

Fig. 5 Comparison of sodium fluo-
rescein deposition in capsule and
inhaler, mouthpiece and throat via
different formulations. Data repre-
sent mean \pm S.D., $n = 3$. * $p < 0.05$
(Throat) PGA-co-PDL, 0.5% &
1.5% Arg vs PGA-co-PDL
(ANOVA/Dunnett) and PGA-co-
PDL, 1.5% Leu (ANOVA/Tukey's),
** $p < 0.05$ (Capsule & Inhaler)
PGA-co-PDL, 1.5% Arg vs PGA-
co-PDL (ANOVA/Dunnett) and
PGA-co-PDL, 1.5% Leu (ANOVA/
Tukey's), *** $p < 0.05$ (Throat)
PLGA, 1.5% Leu vs PGA-co-PDL,
1.5% Leu (ANOVA/Tukey's), $\pm p <$
0.05 (Capsule & Inhaler) PLGA,
1.5% Leu vs PGA-co-PDL, 1.5%
Leu (ANOVA/Tukey's).






Fig. 6 **a** The percentage fine particle fraction of spray dried microparticles. Data represent mean \pm S.D., $n=3$. * $p < 0.05$ PGA-co-PDL, 1% & 1.5% Leu vs PGA-co-PDL (ANOVA/Dunnett) and PGA-co-PDL, 0.5%, 1% & 1.5% Arg (ANOVA/Tukey's). **b** The fine particle dose (μ g) of

spray dried microparticles. Data represent mean \pm S.D., $n=3$. * $p < 0.05$ PGA-co-PDL, 0.5 & 1.5% Arg, PGA-co-PDL, 0.5%, 1% & 1.5% Leu and PLGA, 1.5% Leu vs PGA-co-PDL (ANOVA/Dunnett).

(54.20% \pm 4.67) ($p < 0.05$, ANOVA/Tukey's). After this time period the release of SF reached a plateau providing a slow continuous release phase up to 72 h, with PGA-co-PDL, 1.5% Leu (47.10% \pm 3.78) releasing significantly less SF compared to PGA-co-PDL (61.35% \pm 2.48) and PLGA, 1.5% Leu (63.07% \pm 4.28) ($p < 0.05$, ANOVA/Tukey's). In this study SF was released from PGA-co-PDL, PGA-co-PDL, 1.5% Leu and PLGA, 1.5% Leu formulations according to Higuchi diffusion model (R^2 value of 0.890, 0.924 and 0.832 respectively) and the release rate constant (K_h 2.13, 2.68 and 3.95 respectively) (Table II).

Cell Toxicity Study

Unmodified spray dried control formulation, PGA-co-PDL, and L-leucine modified formulation, PGA-co-PDL, 1.5% Leu appear to be well tolerated by normal lung bronchial epithelial cells *in vitro*, compared to PLGA, 1.5% Leu microparticles. Significant reduction in cell viability was

noted between PGA-co-PDL, 1.5% Leu and PLGA, 1.5% Leu microparticles at a concentration of 0.5 mg/ml (91.19 \pm 4.32, 82.72 \pm 2.58 respectively), 1 mg/ml (87.14 \pm 3.40, 74.20 \pm 3.13 respectively) and 5 mg/ml (85.57 \pm 1.44, 60.66 \pm 1.75 respectively) ($p < 0.05$, ANOVA/Tukey's). Furthermore, the addition of L-leucine, as a dispersibility enhancer, to the optimum formulation during the emulsion/spray drying process did not alter the cell viability, with values similar to PGA-co-PDL ($p > 0.05$, ANOVA/Dunnett) (Fig. 8).

DISCUSSION

The aim of this study was to investigate the ability of a new family of polyesters, PGA-co-PDL, as SR carriers for pulmonary drug delivery, particularly as it had been investigated and shown promise as a delivery vehicle for both small molecular weight drugs and proteins (6,7). PGA-

Fig. 7 Cumulative *in-vitro* release of sodium fluorescein from spray dried microparticles in PBS buffer at 37°C. Data represent mean \pm S.D., $n=3$.




Table II Kinetic Analysis of Spray Dried Microparticle Formulations (n=3)

Formulation	Zero Order (R ²)	First Order (R ²)	Higuchi model (R ²)	Mechanism of Release	K _h
PGA-co-PDL	0.802	−0.828	0.890	Higuchi	2.13
PGA-co-PDL, 1.5% Leu	0.848	−0.869	0.924	Higuchi	2.68
PLGA, 1.5% Leu	0.732	−0.786	0.832	Higuchi	3.95

K_h = mg/cm².min^{1/2} is the release rate constant for Higuchi diffusion model


co-PDL microparticles were prepared utilizing double emulsion/spray drying technique as our previous investigations indicated preparation of these particles via double emulsion alone were highly aggregated and exhibited poor aerosolisation performance (24).

The spray drying parameters were set to preserve the outlet temperature in the range of 44–47°C, as DSC analysis indicated a low melting point for PGA-co-PDL polymer. Generally, the EE was low in all formulations possibly due to the hydrophilic nature of SF partitioning into the external aqueous phase and a lower concentration remaining in the organic phase of the double emulsion/spray drying process (37). The negative surface charge demonstrated the anionic nature of the produced microparticles, which may be associated with incomplete removal of the PVA emulsifier in the external aqueous phase of the double emulsion. It is accepted that spray drying products are mainly characterized by their amorphous nature or disordered crystalline phase due to rapid drying of droplets (38). This behavior was demonstrated in our study by the broadening of the melting endotherm peaks for spray dried formulations. It is also worth noting that the accumulation of L-leucine at the air-liquid interface and hence the surface of microparticles resulted in physicochemical modifications, such as, surface charge, water content and particle size,

which, additionally may have contributed to the enhanced broadening of the endothermic melting peak compared to control formulation (PGA-co-PDL). Furthermore, the shift to a lower temperature and intensity (peak height) indicated distribution of SF inside the PGA-co-PDL microparticles, which was confirmed from confocal microscopy images. Thus L-leucine treated formulations exist in a less crystalline state compared to untreated control formulation, and it is possible that incorporating L-leucine with these polymers may influence the encapsulation efficiency as the drug is mainly encapsulated in the amorphous region (6) and alter the physicochemical properties as noted above, which will inadvertently have an impact on the aerosolisation performance as observed in this study. However, further investigations are required to understand the influence of incorporating amino acids on the crystalline structure and the potential changes this may have on the physicochemical properties of generated spray dried particles.

The geometric particle size, particle shape and morphology are known to affect the aerodynamic properties and pulmonary deposition (39). The theoretical aerodynamic diameters calculated from tapped density indicate the spray dried particles generated are suitable for targeting the alveolar region. However, *in vitro* aerosolisation results from this investigation suggest the formulations did not

Fig. 8 Cell viability of human bronchial epithelium cell line (16HBE14o) measured by MTT cytotoxicity assay following 24 h exposure to different concentrations of PGA-co-PDL and PLGA microparticles suspension. Data represent mean \pm S.D., n=6. *p < 0.05 PGA-co-PDL, 1.5% Leu vs PLGA, 1.5% Leu (ANOVA/Tukey's).



aerosolize as individual particles, but rather as particle aggregates, as indicated when comparing geometric particle size with MMAD. This most likely occurred due to incomplete powder de-aggregation as van der Waals forces between particles were not completely overcome upon inhalation. In addition, powder aggregation of all spray dried powders generated was confirmed with a Carr's index of ≥ 30 indicating the flow was very poor and/or cohesive. Moreover, depending upon the addition and concentration of amino acids, different deposition profiles were observed. For example, L-arginine treated microparticles due to their low zeta potential and high percentage of water content were highly aggregated, which affected the deposition pattern by incomplete powder release from the capsule and device, and higher deposition in the throat region, compared to control and L-leucine modified microparticles. Furthermore, increasing the L-arginine concentration resulted in a higher percentage of water content on the surface of microparticles, possibly due to the hydrophilic nature of L-arginine, which increased the tendency of aggregation and consequently affected deposition. Many researchers have indicated the formation of wrinkled surface morphology (40) due to excessive build up of vapor pressure during solvent evaporation in the spray drying process, especially with hydrophobic amino acids, such as L-leucine, for improved aerosolization performance (41). However, this behavior was not observed in particles produced in this investigation, which had a predominantly smooth surface morphology, and may be related to little or no build up of vapor pressure within the particles under spray drying operating conditions used in this study.

The low yield associated with PGA-co-PDL, 1.5% Arg primarily occurred due to production of highly cohesive particles, as indicated from Carr's Index and the high water content, resulting in powder adhesion to the wall of spray drying chamber. Similar results have been reported where enhancing the concentration of L-arginine resulted in decreased spray drying powder yield and aerosol performance, such as %FPF (40). Furthermore, PGA-co-PDL, 1.5% Arg had the lowest zeta potential value, -25.39 ± 0.67 , which provided an indication to the instability and cohesiveness as the repulsion force could not exceed the attraction forces between particles. Hence the aggregation, low yield and poor aerosolisation performance (low %FPF, FPD and high powder deposits remaining in the inhaler and capsule, mouthpiece and throat), compared to the other formulations resulted, due to strong van der Waals forces between particles. van der Waals forces are directly proportional to the contact surface area of a particle, and hence an increase in strength is observed with smaller particle sizes due to larger surface area. However, similar zeta potential values were achieved with the other L-argi-

nine modified formulations, but they possessed larger geometric particle sizes resulting in decreased van der Waals forces between particles.

Comparing all formulations, L-Leucine had the highest %FPF and FPD values compared to control formulation (PGA-co-PDL), L-arginine and PLGA modified formulations. The possible mechanisms for the enhanced performance might be related to the surface activity of the relatively strong hydrophobic alkyl side chain of L-leucine accumulating at the particle surface during spray drying (40). Similar reports have also demonstrated the enhanced aerosol performance with L-leucine containing formulations compared to L-arginine and other investigated amino acids (40,42,43). Comparing the three L-leucine formulations, PGA-co-PDL, 1.5% Leu was considered to be the optimum formulation as a carrier for pulmonary drug delivery, as it exhibited the highest %FPF and FPD. Hence, although the powders generated had poor cohesive flow properties, the high zeta potential values indicated good physical stability, which together with the lowest tapped density, water content and relatively large particle size compared to other formulations resulted, in weak van der Waals forces between particles. Consequently, inhalation provided sufficient energy to de-aggregate the particles resulting in an enhanced aerosolisation performance.

The results of this investigation indicate that L-Leucine plays an important role not only in enhancement of the aerosolisation properties of the microparticles but also in sustaining drug release over 72 h, as indicated with PGA-co-PDL, 1.5% Leu. Once again this could be attributed to the surface activity of L-leucine coating the microparticles during the spray drying process, resulting in reduced surface adsorption of SF, which can be seen from confocal images, and hence a decreased burst and continuous release (44). Similar results have been reported for other surfactants, such as polysorbate 20 and sodium dodecyl sulphate, which reduced the surface accumulation of certain proteins in a concentration dependant manner (41,45). As a result, it is possible the high burst release associated with PGA-co-PDL may be due to SF particles migrating towards the microparticle surface by residual solvent during spray drying. However; none of the formulations could be considered an optimum SR pulmonary delivery system, as PGA-co-PDL possessed a high burst release and although PGA-co-PDL, 1.5% Leu had a lower burst release, it failed to release its entire payload during 72 h, with similar results obtained by Thompson *et al.* (6). The incomplete release of SF may be associated with the slow hydrolyzation of the ester linkages in the polymer backbone (46). Data from our laboratory showed approximately 40% loss in polymer molecular weight after 14 days incubation in PBS buffer at 37°C (47) indicating the ester linkages between the monomers were very stable. In this current investigation the

release of SF from control formulation (PGA-co-PDL) and PGA-co-PDL, 1.5% Leu was according to the Higuchi's model, and mediated through the diffusion process with very little contribution from degradation of the polymer. Hence, the controlled release of small molecular weight hydrophilic compounds from modified PGA-co-PDL spray dried particles appears to be a diffusion limited process. The more significant release of SF from PLGA, 1.5% Leu may be associated to the smaller particle size and hence a greater surface area. Future investigations are required to optimize the release profile, and may involve manipulating the polymer characteristics, such as decreasing the molecular weight or increasing its hydrophilic properties by incorporation of poly(ethylene) glycol, PEG, to the polymer backbone.

The results from this investigation indicate that PGA-co-PDL, 1.5% leu was an optimum pulmonary drug delivery carrier. However, the safety of the carrier used for pulmonary drug delivery is an important issue. Normal bronchial epithelial cells (16HBE14o-) were chosen in accordance with the aerosolization and particle size distribution (MMAD) results for the particles generated (48). The cytotoxicity profile data of PGA-co-PDL and PGA-co-PDL, 1.5% Leu was more superior to PLGA, 1.5% Leu spray dried microparticles at 0.5, 1 and 5 mg/ml concentrations. Consequently, this provides an indication about the feasibility of using PGA-co-PDL polymers as alternative safe carriers for pulmonary drug delivery.

CONCLUSIONS

The present investigation suggests that PGA-co-PDL could be considered as an alternative novel biodegradable carrier for pulmonary drug delivery having the ability to control the release of the encapsulated drug. In addition, incorporation of L-leucine was found to enhance the aerosolisation performance and decrease both the burst and continues release of encapsulated drug. Toxicity studies revealed the safety of the spray dried PGA-co-PDL modified microparticles compared to PLGA microparticles.

Future studies will be conducted to determine if the polymers elicit an immune response. In addition we will investigate enhancing the aerosolisation performance, encapsulation efficiency and optimizing the release of therapeutic agents from these polymers.

ACKNOWLEDGEMENTS

Hesham Tawfeek would like to thank the Ministry of Higher Education, Egyptian government, for funding his Ph.D studies at Liverpool John Moores University.

REFERENCES

1. Namekawa S, Uyama H, Kobayashi S. Enzymatic synthesis of polyesters from lactones, dicarboxylic acid divinyl esters, and glycols through combination of ring-opening polymerization and polycondensation. *Biomacromolecules*. 2000;1(3):335–8.
2. Kobayashi S. Enzymatic polymerisation: a new method of polymer synthesis. *J Polym Sci*. 1999;37(16):3041–56.
3. Namekawa S, Suda S, Uyama H, Kobayashi S. Lipase-catalyzed ring-opening polymerization of lactones to polyesters and its mechanistic aspects. *Int J Biol Macromolecules*. 1999;25(1–3):145–51.
4. Kallinteri P, Higgins S, Hutcheon GA, St Pourcain CB, Garnett MC. Novel functionalized biodegradable polymers for nanoparticle drug delivery systems. *Biomacromolecules*. 2005;6(4):1885–94.
5. Puri S, Kallinteri P, Higgins S, Hutcheon GA, Garnett MC. Drug incorporation and release of water soluble drugs from novel functionalised poly(glycerol adipate) nanoparticles. *J Control Release*. 2008;125(1):59–67.
6. Thompson CJ, Hansford D, Higgins S, Rostron C, Hutcheon GA, Munday DL. Evaluation of ibuprofen-loaded microspheres prepared from novel copolyesters. *Int J Pharm*. 2007;329(1–2):53–61.
7. Gaskell EE, Hobbs G, Rostron C, Hutcheon GA. Encapsulation and release of alpha-chymotrypsin from poly(glycerol adipate-co-omega-pentadecalactone) microparticles. *J Microencapsul*. 2008;25(3):187–95.
8. Ungaro F, Bianca R, Giovino C, Miro A, Sorrentino R, Quaglia F, *et al*. Insulin-loaded PLGA/cyclodextrin large porous particles with improved aerosolization properties: *in vivo* deposition and hypoglycaemic activity after delivery to rat lungs. *J Control Release*. 2009;135(1):25–34.
9. Lee ES, Kwon MJ, Na K, Bac JH. Protein release behavior from porous microparticle with lysozyme/hyaluronate ionic complex. *Colloids Surf B Biointerfaces*. 2007;55(1):125–30.
10. Newhouseand MT, Corkery KJ. Aerosols for systemic delivery of macromolecules. *Respir Care Clin N Am*. 2001;7(2):261–75.
11. Westerman EM, De Boer AH, Le Brun PPH, Touw DJ, Roldaan AC, Frijlink HW, *et al*. Dry powder inhalation of colistin in cystic fibrosis patients: a single dose pilot study. *J Cyst Fibros*. 2007;6(4):284–92.
12. Rabbani NR, Seville PC. The influence of formulation components on the aerosolisation properties of spray-dried powders. *J Control Release*. 2005;110(1):130–40.
13. Seville PC, Kellaway IW, Birchall JC. Preparation of dry powder dispersions for non-viral gene delivery by freeze-drying and spray-drying. *J Gene Med*. 2002;4(4):428–37.
14. Zeng XM, Martin GP, Marriott C. The controlled delivery of drugs to the lung. *Int J Pharm*. 1995;124(2):149–64.
15. Hardyand JG, Chadwick TS. Sustained release drug delivery to the lungs - An option for the future. *Clin Pharmacokinet*. 2000;39(4):1–4.
16. Cook RO, Pannu RK, Kellaway IW. Novel sustained release microspheres for pulmonary drug delivery. *J Control Release*. 2005;104(1):79–90.
17. Kawashima Y, Yamamoto H, Takeuchi H, Fujioka S, Hino T. Pulmonary delivery of insulin with nebulized DL-lactide/glycolide copolymer (PLGA) nanospheres to prolong hypoglycemic effect. *J Control Release*. 1999;62(1–2):279–87.
18. Edwards DA, Hanes J, Caponetti G, Hrkach J, BenJebria A, Eskew ML, *et al*. Large porous particles for pulmonary drug delivery. *Science*. 1997;276(5320):1868–71.
19. Hanes J, Edwards DA, Evora C, Langer R. Particles incorporating surfactants for pulmonary drug delivery, Massachusetts

- 764 Institute of Technology and the Penn State Research Foundation,
765 1999; 303–4.
- 766 20. Learoyd TP, Burrows JL, French E, Seville PC. Sustained delivery
767 of salbutamol and beclometasone from spray-dried double
768 emulsions. *J Microencapsul.* 2010;27(2):162–70.
- 769 21. Fiegel J, Fu H, Hanes J. Poly(ether-anhydride) dry powder
770 aerosols for sustained drug delivery in the lungs. *J Control*
771 *Release.* 2004;96(3):411–23.
- 772 22. van de Weert M, Hennink WE, Jiskoot W. Protein instability in
773 poly(lactic-co-glycolic acid) microparticles. *Pharm Res.* 2000;17
774 (10):1159–67.
- 775 23. Batycky RP, Hanes J, Langer R, Edwards DA. A theoretical
776 model of erosion and macromolecular drug release from
777 biodegrading microspheres. *J Pharm Sci.* 1997;86(12):1464–77.
- 778 24. Tawfeek HM, Khidr SH, Samy EM, Ahmed SM, Hutcheon GA,
779 Saleem I. PGA-co-PDL as a novel carrier for pulmonary drug
780 delivery. 7th world meeting of pharmaceutical, biopharmaceutics
781 and industrial pharmacy, Malta. 2010.
- 782 25. He P, Davis SS, Illum L. Sustained release chitosan microspheres
783 prepared by novel spray drying methods. *J Microencapsul.*
784 1999;16(3):343–55.
- 785 26. Li WI, Perzl M, Heyder J, Langer R, Brain JD, Englmeier KH,
786 *et al.* Aerodynamics and aerosol particle deaggregation phenom-
787 ena in model oral-pharyngeal cavities. *J Aerosol Sci.* 1996;27
788 (8):1269–86.
- 789 27. Li HY, Seville PC, Williamson IJ, Birchall JC. The use of amino
790 acids to enhance the aerosolisation of spary dried powders for
791 pulmonary gene therapy. *J Gene Med.* 2005;7(3):1035–43.
- 792 28. Thompson CJ, Hansford D, Higgins S, Hutcheon GA, Rostron C,
793 Munday DL. Enzymatic synthesis and evaluation of new novel
794 omega-pentadecalactone polymers for the production of biode-
795 gradable microspheres. *J Microencapsul.* 2006;23(2):213–26.
- 796 29. Grenha A, Seijo B, Remuñán-López C. Microencapsulated
797 chitosan nanoparticles for lung protein delivery. *Eur J Pharm*
798 *Sci.* 2005;25(4–5):427–37.
- 799 30. Li X, Guo Q, Zheng X, Kong X, Shi S, Chen L, *et al.* Preparation of
800 honokiol-loaded chitosan microparticles via spray-drying method
801 intended for pulmonary delivery. *Drug Deliv.* 2009;16(3):160–6.
- 802 31. Learoyd TP, Burrows JL, French E, Seville PC. Chitosan-based
803 spray-dried respirable powders for sustained delivery of terbuta-
804 line sulfate. *Eur J Pharm Biopharm.* 2008;68(2):224–34.
- 805 32. Bosquillon C, Pr  at V, Vanbever R. Pulmonary delivery of
806 growth hormone using dry powders and visualization of its local
807 fate in rats. *J Control Release.* 2004;96(2):233–44.
- 808 33. Feddah MR, Brown KF, Gipps EM, Davies NM. *In-vitro*
809 characterisation of metered dose inhaler *versus* dry powder inhaler
810 glucocorticoid products: Influence of inspiratory flow rates. *J*
811 *Pharm Pharm Sci.* 2000;3(3):317–24.
- 812 34. Mittal G, Sahana DK, Bhardwaj V, Kumar M. Estradiol loaded
813 PLGA nanoparticles for oral administration: effect of polymer
864 molecular weight and copolymer composition on release behavior
in vitro and *in vivo*. *J Control Release.* 2007;119(1):77–85.
- 815 35. St  hl K, Claesson M, Lilliehorn P, Lind  n H, B  ckstr  m K. The
816 effect of process variables on the degradation and physical
817 properties of spray dried insulin intended for inhalation. *Int J*
818 *Pharm.* 2002;233(1–2):227–37.
- 819 36. Chew NYK, Tang P, Chan HK, Raper JA. How much particle
820 surface corrugation is sufficient to improve aerosol performance of
821 powders? *Pharm Res.* 2005;22(1):148–52.
- 822 37. Uchida T, Yoshida K, Nakada Y, Nagareyan N, Konishi Y,
823 Nakai A, *et al.* Preparation and characterization of polylactic acid
824 microspheres containing water-soluble anesthetics with small
825 molecular weight. *Chem Pharm Bull Tokyo.* 1997;45(3):513–7.
- 826 38. Corrigan OI. Thermal-analysis of spray-dried products. *Thermo-*
827 *chimActa.* 1995;24(8):245–58.
- 828 39. Neumann BS. In: Bean HS, Beckett AH, Carless JE, editors.
829 *Advances in pharmaceutical sciences.* London: Academic; 1967.
830 p. 181–221.
- 831 40. Seville PC, Learoyd TP, Li HY, Williamson IJ, Birchall JC.
832 Amino acid-modified spray-dried powders with enhanced aeroso-
833 lisation properties for pulmonary drug delivery. *Powder Tech.*
834 2007;178(1):40–50.
- 835 41. Alder M, Unger M, Lee G. Surface composition of spray dried
836 particles of bovine serum albumin/trehalose/surfactant. *Pharm*
837 *Res.* 2000;17(7):863–70.
- 838 42. Najafabadi AR, Gilani K, Barghi M, Rafiee-Tehrani M. The
839 effect of vehicle on physical properties and aerosolisation
840 behaviour of disodium cromoglycate microparticles spray dried
841 alone or with L-leucine. *Int J Pharm.* 2004;285(1–2):97–108.
- 842 43. Chew NYK, Shekunov BY, Tong HHY, Chow AHL, Savage C,
843 Wu J, *et al.* Effect of amino acids on the dispersion of disodium
844 cromoglycate powders. *J Pharm Sci.* 2005;94(10):2289–300.
- 845 44. Glinski J, Chavepeyer G, Platten JK. Surface properties of
846 aqueous solutions of L-leucine. *Biophys Chem.* 2000;84(2):99–
847 103.
- 848 45. Maa YF, Nguyen PAT, Hsu SW. Spray-drying of air-liquid
849 interface sensitive recombinant human growth hormone. *J Pharm*
850 *Sci.* 1998;87(2):152–9.
- 851 46. Thompson CJ, Hansford D, Munday DL, Higgins S, Rostron C,
852 Hutcheon GA. Synthesis and evaluation of novel polyester-
853 ibuprofen conjugates for modified drug release. *Drug Dev Ind*
854 *Pharm.* 2008;34(8):877–84.
- 855 47. Tawfeek HM. Evaluation of novel biodegradable polyesters for
856 pulmonary protein delivery, *Faculty of Pharmacy*, Vol. Doctor of
857 *Philosophy*, Assuit University, Assuit, Egypt, 2011.
- 858 48. Canal-Raffin M, L’Azou B, Martinez B, Sellier E, Fawaz F,
859 Robinson P *et al.* Physicochemical characteristics and bronchial
860 epithelial cell cytotoxicity of Folpan 80 WG(R) and Myco 500(R),
861 two commercial forms of folpet. *Part Fibre Toxicol.* 2007;4
862 (8):1743–8977-4-8.
- 863

AUTHOR QUERY

AUTHOR PLEASE ANSWER QUERY.

Q1. Please check the provided running title if appropriate.

UNCORRECTED PROOF