



LJMU Research Online

Palace, M, Szwejka, L, Kossowska, M, May, B, Tretyakova, Y, Karolczak, A, Strojny, P, Gurbisz, D, Besta, T, Cherkas, N, Krzywosz-Rynkiewicz, B, Lee, S, Bokszczanin, A, Adams-Tukiendorf, M, Jiang, W and Suhirthi, A

Does escaping a war zone feel worse than being there? War and coping by Ukrainian civilians in Ukraine and Poland

<http://researchonline.ljmu.ac.uk/id/eprint/25983/>

Article

Citation (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

Palace, M, Szwejka, L, Kossowska, M, May, B, Tretyakova, Y, Karolczak, A, Strojny, P, Gurbisz, D, Besta, T, Cherkas, N, Krzywosz-Rynkiewicz, B, Lee, S, Bokszczanin, A, Adams-Tukiendorf, M, Jiang, W and Suhirthi, A Does escaping a war zone feel worse than being there? War and coping by

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact researchonline@ljmu.ac.uk

<http://researchonline.ljmu.ac.uk/>

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

**Does escaping a war zone feel worse than being there? War and coping by Ukrainian
civilians in Ukraine and Poland**

Abstract

Objective: While the factors facilitating and compromising stress-coping by civilians in an active war zone and those who have fled it are critical to the experiences of trauma, they are under-explored, which the current paper aims to address. **Method:** Between March 23rd and May 15th of 2023, 122 Ukraine-based and 132 Poland-based Ukrainian participants completed a survey measuring different aspects of trauma, social beliefs and coping. **Results:** Compared to the war zone civilians, the Poland-based refugees scored significantly higher in terms of *general war repercussions, peritraumatic experiences, PTSD symptoms, loneliness, anxiety about the loved ones* and *chemical/biological/missile/drone attack anxiety*. While no differences between them were found in terms of other factors, regression and SEM analyses suggests that the general well-being was compromised in both samples by lower *sensation-seeking*, higher *loneliness*, *higher fantasy-proneness*, lower *expected support from the West*, and higher *expected Chinese and Iranian support for Russia*. *Religiosity* did not play a role. **Conclusions:** While the role of perceived social support (at the levels of friends and family) turned out to be limited, the (broader) expected support (from the West) played a more significant role. Additionally, our exploratory *Civilian War Trauma Structural Equation Model* suggests that anxiety interacts with the individual's overall vulnerability, thus exacerbating the psychological impact of war.

Keywords: coping, Ukraine, refugee, stress, trauma, war,

Clinical Impact Statement

Popular culture often portrays fantasy-related confabulations as fostering resilience by directing attention away from circumstantial negativity toward nurturing thoughts that supposedly help overcome adverse conditions and allow for detachment from the grim reality. Our data, however, suggest that fantasy proneness is more likely to exacerbate peritraumatic experiences, tying in with the research showing its positive association with maladaptive coping strategies, such as self-blame, rumination and catastrophizing (Bacon & Charlesford, 2018). Thus, one insight derived from the current research is that intervention providers may consider helping war victims (especially those in the war zone) reduce (negative) fantasy-related confabulations.

Introduction

By the time the data for this paper were started to be collected, the full-scale war in Ukraine, which began on Feb 24, 2022, had already been raging for 14 months. While some studies show negative psychological consequences of the Russia-Ukraine war among Ukrainian civilians (Bryant et al., 2022; Xu et al., 2023; Palace et al., 2024), other studies point out differences between people who were internally displaced and those who left Ukraine (Rizzi et al., 2022; Ben-Ezra et al., 2023). Kurapov et al (2023), for example, found that those who stayed in Ukraine had significantly lower anxiety, depression, stress, and trauma-related symptoms when compared to those who fled abroad. Lushchak et al (2024) also observed that individuals who were not displaced reported low scores of stress, anxiety, and post-traumatic stress disorder symptoms (PTSD). They also found that internally displaced civilians reported significantly higher scores of stress, anxiety, and PTSD symptoms while those civilians who moved abroad as refugees reported the highest scores.

Such differences could be due to significant loss of social support through family, peers, and community (Kimhi et al., 2023a), and exposure to additional stressors, such as

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

socioeconomic adversities, and change in family dynamics (Osakina et al, 2023). Relatedly, lower perceived social support has been found to be associated with paranoia (Freeman et al., 2011). In addition to these challenges, forced displacement and relocation expose individuals to new cultures (Lushchak et al, 2024). This process of cross-cultural transition, otherwise known as *acculturation*, may pose significant challenges for refugees (Andersson & Overlien, 2023) for whom loneliness (the felt lack of adequate social connections) is one of the key predicaments (Kordel et al., 2024). Loneliness can make refugees feel more vulnerable and fearful (Petrenko et al., 2024), especially when faced with major existential threats. Loneliness can also increase anxiety and stress as individuals may feel isolated and unsupported (Cacioppo & Hawkley, 2009).

Keeping this in mind, the present study examines a range of factors potentially related to the well-being of those in an active war zone and those who fled it as refugees, namely social (e.g., loneliness), temperamental (e.g., sensation seeking), cognitive (e.g., fantasy proneness) and personality (e.g., resilience) factors. Early reactions to trauma are referred to as *peritraumatic*, covering a spectrum of reactions (during or immediately after experiencing trauma), including depersonalisation, dissociative amnesia, altered time perceptions and emotional numbing (Cyniak-Cieciura et al., 2022). Such reactions can manifest in emotional and cognitive changes (e.g., a sense of threat to one's life or a sense of helplessness). As peritraumatic distress turns to be a positive predictor of PTSD, depression and anxiety symptoms (Megalakaki et al., 2021), studying the health of those experiencing war is likely to be insightful (Charny et al., 2023).

Although loneliness is a risk factor associated with increased PTSD (e.g., Solomon et al., 2015), war refugees with PTSD symptoms have been found to isolate themselves so to avoid painful memories (e.g., Miller et al., 2002). Other studies have found loneliness to be associated with paranoia (Bell et al., 2023; Lamster et al., 2017), PTSD symptoms,

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

depression and peritraumatic distress (Fox et al., 2021). Such an association seems particularly salient when the available social support system is compromised (Zhang & Dong, 2022). This ties in with *social support theory*, highlighting the perceived help from others as a stress buffer (Carpiniello, 2023).

Resilience (the ability to recover and deal with adversities) has been associated with reduced PTSD symptoms by facilitating adaptability and coping (Ye et al., 2020). When resilience is lower, it suggests that a person has a harder time managing the psychological impact of threats, leading to more anxiety. Relatedly, a systematic review and meta-analysis of observational studies found a moderate positive relationship between resilience and religiosity/spirituality (Schwalm et al., 2022).

Positively correlated with religiosity/spirituality and paranormal beliefs is fantasy proneness – the tendency to immersion in imagination (Sánchez-Bernardos & Avia, 2014). Although fantasy proneness may be a byproduct of confusion, dissociation, or other trauma-related responses, this dimension has not been explored in the context of civilian war experiences despite being already linked to dissociative symptoms, magical ideation, and, to some extent, trauma (Merckelbach et al., 2020), along with exaggerations (Lynn & Kirsch, 1996), confabulations (Boskovic et al., 2021), paranoia (Rauschenberger et al., 2003) and counter-factual thinking (Bacon & Charlesford, 2018). While fantasy-proneness may have benefits, such as facilitating the vividness and intensity of fictional narratives (Sánchez-Bernardos et al., 2015), it has been found to positively correlate with rates of psychopathology, confabulation and vivid imagination (Merckelbach et al., 2022), and to negatively influence psychological outcomes in the presence of maladaptive coping (Bacon & Charlesford, 2018). This, in turn, opens the question about its role as a risk factor to civilian well-being. Interestingly, fantasy-proneness has also been found to predict meaning at high levels of depression (Maffly-Kipp & Vess, 2024).

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Previously, sensation seeking was directly and indirectly positively associated with the psychological resilience markers of life satisfaction, positive affect, and (lower) perceived stress through problem-focused coping in those who had experienced trauma (McKay et al., 2018), which was found to disproportionately affect female civilians in Ukraine (Wang et al., 2024). While we do not refer to any war victims as sensation-seekers, which would be ethically unacceptable, the inclusion of this temperamental dimension is based on related previous research. Such research found sensation seeking as supporting resilience through active stress coping (McKay et al., 2018), acting as a key stress-buffering personal resource (Solomon et al., 1995), especially in military contexts (Breivik et al., 2019). This is borne out by research showing that decorated war veterans were found to score higher on sensation-seeking and lower on war-related thought intrusion and PTSD symptoms than other soldiers exposed to combat stress (Neria et al., 2000), opening a question about the protective role of sensation seeking in war-affected civilians.

Gender differences were already noticed in the patterns of migration and displacement in response to the Russia-Ukraine war. Women with children were prioritized and almost compelled to migrate, citing their childcare responsibilities (Tarkhanova & Pyrogoва, 2024). In addition, the Ukrainian children who have migrated abroad as refugees face stark challenges of adapting to the new culture and fitting into the schools of the host countries (Lewis, 2023).

Building on such above-covered research, the present study is focused on other factors related to the well-being of Ukrainian civilians in an active war zone and those who found refuge in neighbouring Poland. While previous studies include research on the differences in the psychological health outcomes of Ukrainian civilians who were internally displaced and those who moved abroad, the factors facilitating and compromising these individuals' coping are understudied (Huțul, et al., 2024). The current study aims to advance

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

such research by examining the underlying factors behind stress-coping in war-experiencing Ukrainian civilians in Ukraine and those who found refuge in neighbouring Poland, where around 3 million war refugees arrived between February and April 2022 (Duszczyk & Kaczmarek, 2022). Historically, war zone experiences were the factors identified as contributing heavily to the development of both PTSD and general psychiatric symptoms (Fontana & Rosenheck, 1993). In research on war trauma, five types of stress-coping strategies by Ukrainian refugees have been identified, each of which can facilitate individual resilience: avoidance, emotion-focused, problem-focused, religion-based strategies, and strategies related to a sense of belonging (Rizzi et al., 2023).

Although most research on social support and factors associated with coping is focused on the disaster aftermath, the relatively uncommon studies on coping during the live disaster paint a complex picture. This can be encapsulated by the war stress sharing deterioration effect, whereby the social support provided by one's circle of family and friends could likely entail greater exposure to war stressors through the mutual sharing of ongoing war experiences (Palace et al., 2024). Intrigued by such complexity and the above-covered literature, the following hypotheses have been formed:

H1. Peritraumatic Experiences would be predicted by lower Perceived Social Support, lower Resilience, higher Fantasy Proneness, higher Loneliness and lower Sensation-seeking.

H2. PTSD Symptoms would be predicted by lower Perceived Social Support, higher Fantasy Proneness, lower Resilience and higher Loneliness.

H3. Depression would be predicted by lower Perceived Social Support, lower Religiosity, lower Resilience, higher Fantasy Proneness and higher Loneliness.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

H4. Anxiety about Russian Use of Nuclear, Biological and Chemical Weapons would be predicted by higher Loneliness and lower Resilience, Expected Military Support from the West.¹

H5. Anxiety about the loved ones and chemical/biological/missile/drone attack anxiety would be predicted by higher Expected Chinese support for Russia, expected Iranian support for Russia.¹

H6. General War Repercussions (i.e., compromised well-being) would be predicted by higher Loneliness, higher Perceived Social Support, higher Fantasy-proneness and lower Resilience.

H7. Paranoia would be predicted by higher Loneliness, higher Fantasy Proneness and lower Perceived Social Support.

H8. War Stress Effects would be predicted by higher War Victimization Anxiety and lower Resilience (to be explored in SEM).

Methodology

Participants and procedure

The study received the approval from the institutional Ethics Research Committee. All materials, scripts and anonymised data facilitating the replication of our results can be made available by the first author. Only adults who gave informed consent to participate took part in the sensitive survey (whose mean completion time was 14 minutes), and they could withdraw at any time without any consequences.

Between March 23rd and May 15th 2023, 254 participants, who were recruited through carefully considered online ads calling for volunteers willing to share their war experiences at two Ukrainian universities (in central and Western Ukraine) and four Polish universities (in Southwestern, Southcentral, Northeastern, Northcentral Poland) completed

¹ Based on the likely anticipated anxiety about the war escalation and the related research by Palace et al., (2024).

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

the full survey, using their desktop computers/laptops (28%) and smartphones (72%). The partially completed responses (11%) were not analysed. Thus, the data were collected before the Ukrainian counter-offensive that started in early June, 2023. Ukraine-based ($M_{age}=18.73$; $SD_{age}=1.71$; 111 women and 11 men) participants and 132 ($M_{age}=20.20$; $SD_{age}=4.77$; 108 women and 24 men) Poland-based Ukrainian participants provided their informed consent, confirmed their current country of residence and completed a Ukrainian language cross-sectional survey that was translated from English into Ukrainian and corrected by two Ukrainian native speakers who are fluent in English. The exclusion criterion was no current student status. Whereas the data from Poland were collected in the cities of Krakow, Gdansk, Opole and Bialystok, the data from Ukraine were collected in Kiev and Lviv, which came under intense Russian air attacks involving Iranian-made Shahed drones and cruise missiles in March, April and May, 2023, resulting in civilian casualties and fatalities.

Measures

Like in the related research on war stress coping by civilians in Western Ukraine (Palace et al., 2024), the scales were adapted to an anchored 1-7 Likert scale and high scorers were identified as those scoring 5, 6 and 7. The online survey comprised predictor factors based on the shortened and adapted scales, such as *Fantasy Proneness Scale* (3 items; $\alpha=.78$; Merckelbach, 2001), *Connor-Davidson Resilience Scale* (3 items; $\alpha=.74$), Zuckerman's *Abbreviated Sensation Seeking Scale* (5 items; $\alpha=.73$), *Expected Support from the West* (4 items; $\alpha=.87$), *Expected Chinese support for Russia* (3 items; $\alpha=.96$), *Expected Iranian support for Russia* (3 items; $\alpha=.96$)² and *Multidimensional Scale of Perceived Social Support* (13 items; $\alpha=.87$; Zimet et al., 1988). Importantly, our Eastern European project team

² Classical anchors were used (e.g., '1 not at all; 7 completely'; '1 very unlikely; 7 very likely'; '1 strongly disagree, 7 strongly agree').

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

members were in full agreement on the cultural validity of the used *Abbreviated Sensation Seeking Scale* (Zuckerman, 1996).

The survey also comprised *war consequence factors* based on the following shortened and adapted scales: *General War Repercussions* (based on the *War Events Questionnaire*; Karam et al., 1999; 8 items; $\alpha=.87$); *RAND Peritraumatic Dissociative Experiences Questionnaire* (Marshall et al., 2002; 6 items; $\alpha=.77$), *Mississippi Scale* for measuring change in combat-related PTSD (Norris & Perilla, 1996 19 items; $\alpha=.89$); *Brief Depression Scale* (Keltikangas-Järvinen & Rimon, 1987; 6 items; $\alpha=.80$); *Dimension of Religiosity Scale* (Joseph & DiDuca, 2007; 5 items; $\alpha=.96$); *Anxiety* (adapted scale based on *War Anxiety Scale* by Surzykiewicz et al., 2022) *about Nuclear Attack* (3 items; $\alpha=.82$), *about Chemical Attack* (3 items; $\alpha=.89$), *about Biological Attack* (3 items; $\alpha=.91$), *about Missile Attack* (3 items; $\alpha=.90$), *about Drone Attack* (3 items; $\alpha=.91$), *about Loved Ones* (7 items; $\alpha=.84$); *Loneliness* (5 items; $\alpha=.70$; De Jong-Gierveld & Kamphuls, 1985) and *Paranoia* (5 items; $\alpha=.72$; Barreto et al., 2017).

Results

All participants confirmed being students in Poland or Ukraine; 77 reported having left Ukraine after the war started; 88 confirmed being employed, 87 reported having been internally displaced in Ukraine; 55 reported that someone close to them died in the war, 30 participants reported that someone close to them had gone missing in the war.

Comparisons between the two samples

Mann-Whitney U tests³ revealed statistically significant differences between the two groups in terms of: *General War Repercussions* [(Ukr. $Md=110.40$; Pol. $Md=143.31$), $U=5909$, $z=-3.583$, $p<.001$, $r=.22$], *Peritraumatic Experiences* [(Ukr. $Md=115.36$; Pol. $Md=138.72$), $U=6571$, $z=-2.533$, $p=.01$, $r=.16$], *PTSD Symptoms* [(Ukr. $Md=111.73$; Pol.

³ Based on the violation of parametric assumptions

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Md=142.08), $U=6128$, $z=-3.289$, $p=.001$, $r=.21$], *Chemical Attack Anxiety* [(Ukr. *Md*=114.43; Pol. *Md*=139.58), $U=6457$, $z=-2.741$, $p=.001$, $r=.17$], *Biological Attack Anxiety* [(Ukr. *Md*=116.74; Pol. *Md*=137.45), $U=6739$, $z=-2.251$, $p=.02$, $r=.14$], *Drone Attack Anxiety* [(Ukr. *Md*=110.16; Pol. *Md*=143.53), $U=5936$, $z=-3.648$, $p<.001$, $r=.23$], *Missile Attack Anxiety* [(Ukr. *Md*=110.16; Pol. *Md*=143.53), $U=4848$, $z=-5.530$, $p<.001$, $r=.35$], *Anxiety about Loved Ones* [(Ukr. *Md*=101.23; Pol. *Md*=151.78), $U=4847$, $z=-5.482$, $p<.001$, $r=.34$], *Loneliness* [(Ukr. *Md*=117.80; Pol. *Md*=136.47), $U=6868$, $z=-2.026$, $p=.04$, $r=.13$].

No statistically significant differences between the two groups were found in terms of: *Nuclear Attack Anxiety* [(Ukr. *Md*=135.62; Pol. *Md*=118.72), $U=6980$, $z=-1.836$, $p=.07$], *Paranoia* [(Ukr. *Md*=121.27; Pol. *Md*=133.26), $U=7291$, $z=-1.302$, $p=.19$], *Expected Western Support for Ukraine* [(Ukr. *Md*=127.76; Pol. *Md*=127.26), $U=8020$, $z=-.056$, $p=.96$], *Expected Chinese Support for Russia* [(Ukr. *Md*=120.51; Pol. *Md*=133.96), $U=7199$, $z=-1.565$, $p=.12$], *Expected Iranian Support for Russia* [(Ukr. *Md*=120.13; Pol. *Md*=134.31), $U=7152$, $z=-1.651$, $p=.10$], *Perceived Social Support* [(Ukr. *Md*=133.25; Pol. *Md*=122.19), $U=7351$, $z=-1.199$, $p=.23$], *Resilience* [(Ukr. *Md*=131.02; Pol. *Md*=124.24), $U=7622$, $z=-.737$, $p=.46$], *Sensation Seeking* [(Ukr. *Md*=130.81; Pol. *Md*=124.44), $U=7648$, $z=-.691$, $p=.49$], *Fantasy Proneness* [(Ukr. *Md*=130.23; Pol. *Md*=124.97), $U=7718$, $z=-.571$, $p=.57$], *Depression Symptoms* [(Ukr. *Md*=124.25; Pol. *Md*=130.50), $U=7655$, $z=-.678$, $p=.50$], and *Religiosity* [(Ukr. *Md*=133.17; Pol. *Md*=121.36), $U=7303$, $z=-1.300$, $p=.19$].

INSERT TABLE 1

Ukraine-based Sample Regression Models

General War Repercussions: The total variance explained by the model as a whole was 21.2%; $F(8, 113)=5.079$, $p<.001$, adjusted $R^2=.212$. The strongest predictor was higher *Loneliness* ($\beta=.213$; $p=.04$), followed by higher *Fantasy Proneness* ($\beta=.196$; $p=.03$).

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Peritraumatic Experiences: The total variance explained by the model as a whole was 10.5%; $F(8, 113)=2.766, p=.008$, adjusted $R^2=.105$. The only factor that came close to statistical significance was higher *Fantasy Proneness* ($\beta=.181; p=.06$).

PTSD Symptoms: The total variance explained by the model as a whole was 33.3%; $F(8, 113)=8.546, p<.001$, adjusted $R^2=.333$. The strongest predictor was higher *Loneliness* ($\beta=.433; p=.04$), followed by higher *Expected Chinese Support for Russia* ($\beta=.331; p=.04$), lower *Resilience* ($\beta=-.170; p=.05$) and higher *Fantasy Proneness* ($\beta=.166; p=.04$).

Depression Symptoms: The total variance explained by the model as a whole was 38.3%; $F(8, 113)=10.403, p<.001$, adjusted $R^2=.383$. The strongest predictor was higher *Loneliness* ($\beta=.472; p<.001$), followed by lower *Resilience* ($\beta=-.228; p=.007$) and higher *Fantasy Proneness* ($\beta=.226; p=.005$).

Nuclear Attack Anxiety: The total variance explained by the model as a whole was 27.2%; $F(8, 113)=6.654, p<.001$, adjusted $R^2=.272$. The strongest predictor was higher *Loneliness* ($\beta=.205; p=.04$), followed by lower *Support from the West* ($\beta=-.205; p=.012$).

Drone Attack Anxiety: The total variance explained by the model as a whole was 14.6%; $F(8, 113)=3.587, p<.001$, adjusted $R^2=.146$. The only predictor was higher *Expected Iranian Support for Russia* ($\beta=.497; p=.008$).

Missile Attack Anxiety: The total variance explained by the model as a whole was 18.7%; $F(8, 113)=4.473, p<.001$, adjusted $R^2=.187$. The only predictor was higher *Expected Iranian Support for Russia* ($\beta=.676; p<.001$).

Anxiety about Loved Ones: The total variance explained by the model as a whole was 17.5%; $F(8, 113)=4.204, p<.001$, adjusted $R^2=.175$. The only predictor was higher *Expected Iranian Support for Russia* ($\beta=.358; p=.05$) followed by higher *Loneliness* ($\beta=.226; p=.04$).

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Biological Weapons Anxiety: The total variance explained by the model as a whole was 24.7%; $F(8, 113)=5.964, p<.001$, adjusted $R^2=.247$. The only predictor was higher *Expected Iranian Support for Russia* ($\beta=.476; p=.007$).

Chemical Weapons Anxiety: The total variance explained by the model as a whole was 15.5%; $F(8, 113)=3.775, p<.001$, adjusted $R^2=.155$. The only predictor was higher *Expected Iranian Support for Russia* ($\beta=.393; p=.03$).

Paranoia: The total variance explained by the model as a whole was 28.1%; $F(8, 113)=6.901, p<.001$, adjusted $R^2=.281$. The only predictor was higher *Loneliness* ($\beta=.338; p<.001$), followed by higher *Fantasy Proneness* ($\beta=.272; p=.002$) and lower *Support from the West* ($\beta=-.169; p=.04$).

INSERT TABLE 2

Poland-based Sample Regression Models

General War Repercussions: The total variance explained by the model as a whole was 23.5%; $F(8, 123)=6.037, p<.001$, adjusted $R^2=.235$. The strongest predictor was lower *Sensation Seeking* ($\beta=-.316, p=.001$), followed by higher *Expected Chinese Support for Russia* ($\beta=.302, p=.04$), higher *Loneliness* ($\beta=.276, p=.006$) and lower *Support from the West* ($\beta=-.157, p=.05$).

Peritraumatic Experiences: The total variance explained by the model as a whole was 11.3%; $F(8, 131)=3.086, p=.003$, adjusted $R^2=.113$. The only significant predictor was higher *Loneliness* ($\beta=.233; p=.03$).

PTSD Symptoms: The total variance explained by the model as a whole was 31.7%; $F(8, 123)=8.617, p<.001$, adjusted $R^2=.317$. The strongest significant predictor was higher *Loneliness* ($\beta=.535; p<.001$), followed by lower *Sensation Seeking* ($\beta=-.168; p=.05$).

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Depression Symptoms: The total variance explained by the model as a whole was 32%; $F(8, 123)=8.701, p<.001$, adjusted $R^2=.320$. The strongest predictor was higher *Loneliness* ($\beta=.494; p<.001$), followed by lower *Sensation Seeking* ($\beta=-.173; p=.04$).

Nuclear Attack Anxiety: The total variance explained by the model as a whole was 18.8%; $F(8, 123)=4.802, p<.001$, adjusted $R^2=.188$. The strongest predictor was higher *Expected Chinese Support for Russia* ($\beta=.380; p=.01$), lower *Support from the West* ($\beta=-.295; p<.001$), higher *Perceived Social Support* ($\beta=.275; p=.01$) and higher *Loneliness* ($\beta=.258; p=.01$).

Drone Attack Anxiety: The total variance explained by the model as a whole was 10.5%; $F(8, 123)=2.926, p=.005$, adjusted $R^2=.105$. No factor was statistically significant.

Missile Attack Anxiety: The total variance explained by the model as a whole was 15.9%; $F(8, 123)=4.098, p<.001$, adjusted $R^2=.159$. The only predictor was lower *Support from the West* ($\beta=-.164; p=.05$), likely linked with the support of air defence systems.

Anxiety about Loved Ones: The total variance explained by the model as a whole was 9.7%; $F(8, 123)=2.751, p=.008$, adjusted $R^2=.097$. The only predictor was higher *Expected Chinese Support for Russia* ($\beta=.324; p=.05$).

Biological Weapons Anxiety: The total variance explained by the model as a whole was 14.7%; $F(8, 123)=3.827, p<.001$, adjusted $R^2=.147$. The strongest predictor was higher *Loneliness* ($\beta=.415; p<.001$), followed by higher *Expected Chinese Support for Russia* ($\beta=.331; p=.04$), higher *Perceived Social Support* ($\beta=.290; p=.01$) and lower *Sensation Seeking* ($\beta=-.196; p=.04$).

Chemical Weapons Anxiety: The total variance explained by the model as a whole was 20.4%; $F(8, 123)=5.187, p<.001$, adjusted $R^2=.204$. The strongest predictor was higher *Expected Chinese Support for Russia* ($\beta=.303; p=.05$), followed by higher *Fantasy Proneness*

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

($\beta=.208$; $p=.02$), lower *Sensation Seeking* ($\beta =-.177$; $p=.05$).and lower *Support from the West* ($\beta=-.166$; $p=.04$).

Paranoia: The total variance explained by the model as a whole was 30.1%; $F(8, 123)=8.045$, $p<.001$, adjusted $R^2=.301$. The only predictor was higher *Loneliness* ($\beta=.414$; $p<.001$), followed by higher *Fantasy Proneness* ($\beta=.271$; $p<.001$) and lower *Support from the West* ($\beta=-.263$; $p=.001$).

INSERT TABLE 3

Structural Equation Model

Based on the related literature covered above and our data, an exploratory *Civilian War Trauma Structural Equation Model* was examined with a view to capturing the more complex multi-path inter-relations between the examined factors (not just between the ‘war consequence’ and ‘buffer’ factors) that go beyond the standard multiple regression. The SEM parameters indicate that the default model had 22 parameters. The key SEM indices suggested a satisfactory model fit (Sathyanarayana & Mohanasundaram, 2024). The ratio of Chi-square to degrees of freedom (CMIN/DF) was 1.570, indicating an excellent fit. Regarding the model fit indices, the Normed Fit Index (NFI), Relative Fit Index (RFI), Incremental Fit Index (IFI), Tucker-Lewis Index (TLI), and Comparative Fit Index (CFI) are reported as .942, .922, .978, .970, and .978, respectively.

The fitting function values, FMIN and F0, are .205 and .074, respectively. A value of .205 is relatively low, indicating that the model's implied covariance matrix aligns closely with the observed data. A value of .074 is quite small, reflecting minimal discrepancy between the hypothesized model and the population. This reinforces the idea that the model provided an excellent representation of the underlying data structure. The Root Mean Square Error of Approximation (RMSEA) for the default model was .047, with a 90% confidence interval ranging from .019 to .071. This value suggested an excellent model fit, showing that

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

the model closely approximates the observed data with minimal error. In summary, the model fit can be considered satisfactory.

INSERT FIGURE 1

INSERT TABLE 4

The SEM results include standardized parameter estimates for direct and total effects, along with significance levels. *Sensation Seeking* positively predicted *Resilience* ($\beta=.382$; $p<.001$). This suggests that higher levels of *Sensation Seeking* are associated with higher *Resilience*. *Fantasy Proneness* positively predicts *War Victimization Anxiety (WVA)* ($\beta=.184$; $p<.05$). This indicates a weak positive relationship between *Fantasy Proneness* and *WVA*. The strongest relation has been identified between *WVA* and *War Stress Effects (WSE)* ($\beta=.451$; $p<.001$). This indicates that higher levels of *WVA* are associated with greater *WSE*. *Resilience* negatively predicts *WSE* ($\beta=-.219$; $p<.001$). This suggests that higher *Resilience* might slightly reduce *WSE*. The R^2 for *War Stress Effects (WSE)* is .248, meaning that 24.8% of the variance in *WSE* is explained by the model.

Discussion

The purpose of this research was to examine the underlying factors behind stress-coping mechanisms and psychological outcomes among Ukrainian civilians affected by the ongoing Russian-Ukraine war, comparing those who remained in Ukraine with those who found refuge in neighbouring Poland. It is possible that the apparent lower mental health scores of the Ukrainians in Poland could be down to them feeling more vulnerable, and thus seeking refuge abroad.

The related previous research results are complex. Whereas higher levels of anxiety and depression were found in Ukrainian war refugees staying abroad than those left behind in their homeland (Kurapov et al., 2023; Boiko et al., 2024), another study found no significant differences in resilience, PTSD symptoms or use of avoidance coping strategies between these two groups (Khailenko & Bacon, 2024). In the present study, the differences between

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

the two groups may be down to factors not controlled for, such as differences in access to resources and support systems or different stages of trauma, which further (including qualitative) research may disambiguate.

Our data partially supported *H1*. In the Poland-based sample, the only significant predictor of *Peritraumatic Experiences* was *Loneliness*, which ties in with research showing that it is indeed the key life situation theme of Ukrainian refugees (Racko & Mikulcová, 2024). In the Ukraine-based sample, on the other hand, it was *Fantasy Proneness*, the implication being that the presence in an active war zone may facilitate exaggerations (Lynn & Kirsch, 1996) and confabulations (Boskovic et al., 2021).

H2 was partially supported, with higher *Loneliness* emerging as the strongest positive predictor of *PTSD Symptoms* in both samples. Additionally, whereas in Poland-based sample, lower *Sensation Seeking* was a positive predictor (McKay et al., 2018), in the Ukraine-based sample, *Expected Chinese Support for Russia*, lower *Resilience* (Bardi et al., 2017) and higher *Fantasy Proneness* (Maffly-Kipp & Vess, 2024) were also significant.

H3 was partially supported, with findings indicating that higher *Loneliness* was the strongest predictor of *Depression* symptoms in both samples (Fox et al., 2021). In the Ukraine-based sample, this was also followed by lower *Resilience* (Bardi et al., 2017) and higher *Fantasy Proneness* (Maffly-Kipp & Vess, 2024). In the Poland-based sample, lower *Sensation Seeking* was also a positive predictor (McKay et al., 2018).

H4 and *H5* were partially supported, in the Ukraine-based sample the consistent predictor of *Anxiety about Drone, Missile, Biological and Chemical attack, about Loved Ones* being higher *Expected Iranian Support for Russia*. This is borne out by Iran actually smuggling its weapons into Russia using drones and boats. The reason why *Expected Chinese Support for Russia* was such a consistent significant predictor could be attributed to the more covert and unofficial support that China provides Russia with (Hawkins, 2023). In

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

the Poland-based sample (outside the war zone at the time of writing this paper), the role of foreign powers supporting Russia was a much less consistent predictor. The (less consistent) roles of higher *Loneliness* and lower *Resilience* in increased anxiety about these types of weapons tie in with the related research on Ukrainian refugees (Palace et al., 2024). Thus, the war context likely exacerbated *Loneliness* (because of social fragmentation), challenging people's *Resilience* through stressors like displacement, loss, and uncertainty.

H6 was partially supported. While in both samples, *Loneliness* was a significant predictor (Bell et al., 2023; Fox et al., 2021; Lamster et al., 2017), *Fantasy Proneness* was significant only in the Ukraine-based sample, lending credence to its above-mentioned apparently more prominent role in the war zone. While the role of perceived social support is well-established, one insight that intervention providers may thus consider is helping war victims (especially those in the war zone) reduce negative fantasy-related confabulations, which might be examined in greater depth in further research.

H7 was (almost) fully supported, meaning that in both samples *Paranoia* was predicted by higher *Fantasy Proneness* (Rauschenberger et al., 2003) and higher *Loneliness* (Bell et al., 2023; Lamster et al., 2017). However, a nuanced caveat turned up - although *Perceived Social Support* (from family and friends) was not a significant predictor, (lower) *Expected Support from the West* was in both samples, highlighting its importance regardless of displacement status.

H8 was fully supported. The strongest relation was observed between WVA and WSE, indicating that anxiety related to war victimization has a significant impact on mental health. It should also be noted that WVA is influenced by a fantasy proneness. The model's implications are further supported by research on how daily stressors mediate the relationship between war exposure and mental health outcomes. For instance, Miller and Rasmussen (2010) suggest that an integrative approach to intervention (one that addresses both trauma

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

and psychosocial factors) may be necessary to effectively mitigate the impact of war on mental health. Relatedly, research on Israeli students during the Israel-Lebanon war found that personal mastery had direct positive effects on well-being, while intimate relationships served as a buffer against the impact of war-related stressors (Blow et al., 2019).

This relationship between PC, WVA and WSE is theoretically grounded in the cognitive vulnerability model (Armfield, 2006) explaining how individuals with certain cognitive biases or maladaptive thought patterns are more likely to perceive ambiguous or threatening situations as catastrophic. Notably, path analysis revealed a positive relationship between sensation seeking and resilience, which, in turn, is negatively associated with the war stress effect. This may suggest that resilience may play a protective, albeit modest, role in buffering the impact of WVA on WSE.

Finally, the model's significant path coefficients for the effects of *WVA* on specific anxieties related to different types of attacks highlights the differentiated nature of war-related anxiety. Specifically, each type of attack (i.e., nuclear, chemical, biological, drone, and missile) was associated with varying levels of anxiety, suggesting that individuals may have experienced specific anxieties depending on their perceptions of the threats posed by different types of warfare. Critically, while the model provides valuable insights into the factors contributing to war stress among civilians, it raises important questions about the role of resilience. The small path coefficient between *Resilience* and *WSE* is particularly noteworthy here, implying that *Resilience* may not have played as substantial a role in mitigating the impact of *War-related Stress*. This finding is somewhat counterintuitive, given the apparent protective function of resilience in safeguarding against various forms of psychological distress during the Russia-Ukraine war (Oviedo et al., 2022).

One possible interpretation is that resilience in this model was too narrow, and thus did not account for the broader social and contextual factors. Moreover, the small coefficient

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

allows for the possibility that resilience may operate differently across conditions of war stress. For instance, in chronic, prolonged exposure to war, the protective effects of resilience may diminish over time as individuals grow fatigued and their resources get depleted (Hobfoll et al., 2011), which may incline them to engage in mutual exchanges of negative perspectives and other stressors, thus potentially compromising the (apparently lower) role of social support from those around them via the war stress sharing deterioration effect (Palace et al., 2024).

As anticipated, the SEM model demonstrated that that greater resilience tends to reduce clinical symptoms of peritraumatic stress, PTSD and depression symptoms, although no direct relationship between the feeling of various types of warfare-related fears and resilience was found. The anxieties related to war and its possible variants (e.g., bio and nuclear) are intensified by factors related to personal susceptibility (PSV) other than resilience. The greater sense of threat to life and loneliness were both directly related to war anxiety, which may partially stem from likely family separation.

The expectation regarding the protective role of perceived social support for mental health was partially confirmed. The perception of external support (i.e., support from Western countries when it comes to the issue of anxiety about nuclear, biological or missile attacks) turns out to be a significant factor when it comes to the Ukrainian refugees. Thus, whereas the Ukraine-based participants probably counted on their own army more than on any external help, the Poland-based participants likely formed their beliefs shaped by the people helping them in Poland and available (supportive) media reports from around the world, including the European Union, whose majority members support Ukraine.

As for the methodological limitations, the survey was conducted during the full-scale war, meaning that only its online version was practical, meaning that it was difficult to control for factors such as gender, age or pre-existing health conditions or history of support

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

that was already received. Also, some potential respondents were likely unable to join the study due to limited Internet access and high levels of stress or PTSD symptoms. Moreover, the cross-sectional nature of the study prevents inferences about causality and the dynamic nature of psychological responses over time. Follow-up studies might consider face-to-face interviews, non-students, different age ranges and surveys completed by friends and relatives (thus increasing generalizability and reducing the self-reporting and social desirability biases), as well as better-controlled settings (e.g., support centres for war refugees).

Additionally, the dominant female gender, student status, and cross-sectional design limit inferences, highlighting the need for longitudinal research to capture the evolving dynamics of psychological responses to war over time. Finally, it is important to recognise the temporal variability - it is possible that single events on a given day may have affected some responses. Consequently, the results might reflect participants' psychological states at specific moments rather than within the covered time window. However, as in neither sample did trust in the news (or religiosity) turn out to play a significant role, this concern is mitigated, although the role might be less direct or moderated by other factors, such as hope or community and social resilience (Kimhi et al., 2023ab, Kimhi et al., 2024), which our scales did not capture.

While in the present study, the differences between the two groups are manifest only across the few factors we examined, they may also differ across other dimensions, especially those related to the assistance system available to refugees in Poland, which for many may not have been sufficient as the organised aid for Ukrainian refugees lacked good management in the first phase of the war. Also, factors related to adaptation to the new country's culture, such as the Polish language could have played a significant role. The adaptation to the country's culture where refugees have arrived can be lengthy and stressful, particularly given the differences in language, cultural and legal system. Relatedly, experiences of

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

discrimination and limited access to resources facilitate psychopathology, including the emergence of PTSD symptoms (Anczyk & Grzymała-Moszczyńska, 2021). Our results offer new insights into associations between war trauma and resilience, social support, and mental health, revealing that their complex nature requires group-specific (rather than general) interventions. Investigating the relations between individual and social factors, as well as effective stress coping at home and abroad seem particularly important for developing effective support programs for war refugees, their families, and entire communities affected by different war experiences.

References

- Anczyk, A., & Grzymała-Moszczyńska, H. (2021). *The Psychology of Migration: facing cultural and religious diversity*. Brill. <https://doi.org/10.1163/9789004465237>.
- Andersson, E. S., & Øverlien, C. (2023). Navigating cultural transitions during resettlement: The case of unaccompanied refugee minors. *Frontiers in Psychology, 14*, 1080072.
- Armfield, J. M. (2006). Cognitive vulnerability: a model of the etiology of fear. *Clinical Psychology Review, 26*(6), 746-768.
- Bacon, A. M., & Charlesford, J. J. (2018). Investigating the association between fantasy proneness and emotional distress: The mediating role of cognitive coping strategies. *Personality and Individual Differences, 135*, 157-165.
- Ben-Ezra, M., Goodwin, R., Leshem, E., & Hamama-Raz, Y. (2023). PTSD symptoms among civilians being displaced inside and outside the Ukraine during the 2022 Russian invasion. *Psychiatry Research, 320*, 115011.
- Bell, V., Velthorst, E., Almansa, J., Myin-Germeys, I., Shergill, S., & Fett, A. K. (2023). Do loneliness and social exclusion breed paranoia? An experience sampling investigation across the psychosis continuum. *Schizophrenia Research: Cognition, 33*, 100282.
- Blow, A. J., Farero, A., Ganoczy, D., Walters, H., & Valenstein, M. (2019). Intimate relationships buffer suicidality in national guard service members: A longitudinal study. *Suicide and Life-Threatening Behavior, 49*(6), 1523-1540.
- Boiko, D. I., Shyrai, P. O., Mats, O. V., Karpik, Z. I., Rahman, M. H., Khan, A. A., ... & Skrypnikov, A. M. (2024). Mental health and sleep disturbances among Ukrainian refugees in the context of Russian-Ukrainian war: A preliminary result from online-survey. *Sleep Medicine, 113*, 342-348.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- Boskovic, I., Ramakers, A., & Emre Akca, A. Y. (2021). Dull versus creative liars—Who deceives better? Fantasy proneness and verifiability of genuine and fabricated accounts. *Journal of Investigative Psychology and Offender Profiling, 18*(1), 56-67.
- Breivik, G., Sand, T. S., & Sookermany, A. M. (2019). Risk-taking and sensation seeking in military contexts: A literature review. *Sage Open, 9*(1), 2158244018824498.
- Bryant, R. A., Schnurr, P. P., & Pedlar, D. (2022). Addressing the mental health needs of civilian combatants in Ukraine. *The Lancet Psychiatry, 9*(5), 346-347.
- Cacioppo, J. T., & Hawkley, L. C. (2009). Perceived social isolation and cognition. *Trends in Cognitive Sciences, 13*(10), 447-454.
- Carpiniello, B. (2023). The mental health costs of armed conflicts—A review of systematic reviews conducted on refugees, asylum-seekers and people living in war zones. *International Journal of Environmental Research and Public Health, 20*(4), 2840.
- Charny, S., Cao, G., Gafter, L., Bar-Shalita, T., & Lahav, Y. (2023). Sensory modulation and trauma-related symptoms during rocket attacks. *European Journal of Psychotraumatology, 14*(2), 2213110.
- Cyniak-Cieciura, M., Popiel, A., Kendall-Tackett, K., & Zawadzki, B. (2022). Neuroticism and PTSD symptoms: Gender moderates the mediating effect of peritraumatic emotions and dissociation. *Psychological Trauma: Theory, Research, Practice, and Policy, 14*(3), 462–470
- De Jong-Gierveld, J., & Kamphuls, F. (1985). The development of a Rasch-type loneliness scale. *Applied Psychological Measurement, 9*(3), 289-299.
- Duszczyk, M., & Kaczmarczyk, P. (2022). War and migration: the recent influx from Ukraine into Poland and possible scenarios for the future. *CMR Spotlight, 4*(39), 1-13.
- Fontana, A., & Rosenheck, R. (1993). A causal model of the etiology of war-related PTSD. *Journal of Traumatic Stress, 6*(4), 475-500.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- Fox, R., McHugh Power, J., Coogan, A. N., Beekman, A. T., van Tilburg, T. G., & Hyland, P. (2021). Posttraumatic stress disorder and loneliness are associated over time: A longitudinal study on PTSD symptoms and loneliness, among older adults. *Psychiatry Research, 299*.
- Freeman, D., McManus, S., Brugha, T., Meltzer, H., Jenkins, R., & Bebbington, P. (2011). Concomitants of paranoia in the general population. *Psychological Medicine, 41*(5), 923-936.
- Hobfoll, S. E., Mancini, A. D., Hall, B. J., Canetti, D., & Bonanno, G. A. (2011). The limits of resilience: Distress following chronic political violence among Palestinians. *Social Science & Medicine, 72*(8), 1400-1408.
- Huțuț, T. D., Karner-Huțuleac, A., Măirean, C., & Huțuț, A. (2024). War's unseen wounds: Physical proximity to the war, event centrality, and PTSD symptoms in the context of Russian–Ukrainian armed conflict: A moderating model. *Psychological Trauma: Theory, Research, Practice, and Policy*.
- Joseph, S., & DiDuca, D. (2007). The Dimensions of Religiosity Scale: 20-item self-report measure of religious preoccupation, guidance, conviction, and emotional involvement. *Mental Health, Religion and Culture, 10*(6), 603-608.
- Karam, E. G., Al-Atrash, R., Saliba, S., Melhem, N., & Howard, D. (1999). The war events questionnaire. *Social Psychiatry and Psychiatric Epidemiology, 34*(5), 265-274.
- Keltikangas-Järvinen, L., & Rimon, R. (1987). Rimon's Brief Depression Scale, a rapid method for screening depression. *Psychological Reports, 60*(1), 111-119.
- Khailenko, O., & Bacon, A. M. (2024). Resilience, avoidant coping and post-traumatic stress symptoms among female Ukrainian refugees and internally displaced people. *International Journal of Social Psychiatry, 70*(6), 1164-1174.
- Kimhi, S., Baran, M., Baran, T., Kaniasty, K., Marciano, H., Eshel, Y., & Adini, B. (2023)a. Prediction of societal and community resilience among Ukrainian and Polish populations

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

during the Russian war against Ukraine. *International Journal of Disaster Risk Reduction*, 93, 103792.

Kimhi, S., Eshel, Y., Marciano, H., & Adini, B. (2023)b. Impact of the war in Ukraine on resilience, protective, and vulnerability factors. *Frontiers in Public Health*, 11, 1053940.

Kimhi, S., Kaim, A., Bankauskaite, D., Baran, M., Baran, T., Eshel, Y., ... & Adini, B. (2024). A full-scale Russian invasion of Ukraine in 2022: Resilience and coping within and beyond Ukraine. *Applied Psychology: Health and Well-Being*, 16(3), 1005-1023.

Kordel, P., Rządeczka, M., Studenna-Skrukwa, M., Kwiatkowska-Moskalewicz, K., Goncharenko, O., & Moskalewicz, M. (2024). Acute Stress Disorder among 2022 Ukrainian war refugees: a cross-sectional study. *Frontiers in Public Health*, 12, 1280236.

Kurapov, A., Kalaitzaki, A., Keller, V., Danyliuk, I., & Kowatsch, T. (2023). The mental health impact of the ongoing Russian-Ukrainian war 6 months after the Russian invasion of Ukraine. *Frontiers in Psychiatry*, 14, 1134780.

Lamster, F., Lincoln, T. M., Nittel, C. M., Rief, W., & Mehl, S. (2017). The lonely road to paranoia. A path-analytic investigation of loneliness and paranoia. *Comprehensive Psychiatry*, 74, 35, 35-43.

Lewis, C. (2023, September 29). Ukraine war: Displaced children facing challenges in schools, EU says. *BBC News*. <https://www.bbc.co.uk/news/world-europe-66958677>.

Lushchak, O., Velykodna, M., Bolman, S., Strilbytska, O., Berezovskyi, V., & Storey, K. B. (2024). Prevalence of stress, anxiety, and symptoms of post-traumatic stress disorder among Ukrainians after the first year of Russian invasion: a nationwide cross-sectional study. *The Lancet Regional Health–Europe*, 36.

Lynn, S. J., & Kirsch, I. I. (1996). Alleged alien abductions: False memories, hypnosis, and fantasy proneness. *Psychological Inquiry*, 7(2), 151-155.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- McKay, S., Skues, J. L., & Williams, B. J. (2018). With risk may come reward: Sensation seeking supports resilience through effective coping. *Personality and Individual Differences, 121*, 100-105.
- Megalakaki, O., Kokou-Kpolou, C. K., Vaudé, J., Park, S., Iorfa, S. K., Cénat, J. M., & Derivois, D. (2021). Does peritraumatic distress predict PTSD, depression and anxiety symptoms during and after COVID-19 lockdown in France? A prospective longitudinal study. *Journal of Psychiatric Research, 137*, 81-88.
- Maffly-Kipp, J., & Vess, M. (2024). Meaning through fantasy? Fantasy proneness positively predicts meaning for people high in depression. *The Journal of Positive Psychology, 1-12*.
- Marshall, G. N., Orlando, M., Jaycox, L. H., Foy, D. W., & Belzberg, H. (2002). Development and validation of a modified version of the Peritraumatic Dissociative Experiences Questionnaire. *Psychological Assessment, 14*(2), 123.
- McKay, S., Skues, J. L., & Williams, B. J. (2018). With risk may come reward: Sensation seeking supports resilience through effective coping. *Personality and Individual Differences, 121*, 100-105.
- Merckelbach, H., Horselenberg, R., & Muris, P. (2001). The Creative Experiences Questionnaire (CEQ): A brief self-report measure of fantasy proneness. *Personality and Individual Differences, 31*(6), 987-995.
- Merckelbach, H., Otgaar, H., & Lynn, S. J. (2022). Empirical research on fantasy proneness and its correlates 2000–2018: A meta-analysis. *Psychology of Consciousness: Theory, Research, and Practice, 9*(1), 2.
- Miller, K. E., & Rasmussen, A. (2010). War exposure, daily stressors, and mental health in conflict and post-conflict settings: Bridging the divide between trauma-focused and psychosocial frameworks. *Social Science & Medicine, 70*(1), 7-16.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- Miller, K. E., Worthington, G. J., Muzurovic, J., Tipping, S., & Goldman, A. (2002). Bosnian refugees and the stressors of exile: A narrative study. *American Journal of Orthopsychiatry*, 72(3), 341-354.
- Neria, Y., Solomon, Z., Ginzburg, K., & Dekel, R. (2000). Sensation seeking, wartime performance, and long-term adjustment among Israeli war veterans. *Personality and Individual Differences*, 29(5), 921-932.
- Norris, F. H., & Perilla, J. L. (1996). The Revised Civilian Mississippi Scale for PTSD: Reliability, validity, and cross-language stability. *Journal of Traumatic Stress*, 9(2), 285-298.
- Oviedo, L., Seryczyńska, B., Torralba, J., Roszak, P., Del Angel, J., Vyshynska, O., ... & Churpita, S. (2022). Coping and resilience strategies among Ukraine war refugees. *International Journal of Environmental Research and Public Health*, 19(20), 13094.
- Palace, M., Zamazii, O., Terbeck, S., Bokszczanin, A., Berezovski, T., Gurbisz, D., & Szwejka, L. (2024). Mapping the factors behind ongoing war stress in Ukraine-based young civilian adults. *Applied Psychology: Health and Well-Being*, 16(3), 868-885.
- Petrenko, O., Balika, L., & Koval, K. (2024). The problem of loneliness and coping with stress in the context of life situations experienced by war refugees (based on the research conducted in Rivne, Ukraine). *Zeszyty Naukowe Collegium Witelona*, 1(50), 69-96.
- Racko, V., & Mikulcová, K. (2024). Voices of Refugee Families from Ukraine Currently Living in the Czech Republic. *The British Journal of Social Work*, bcae119.
- Rauschenberger, S., & Lynn, S. J. (2003). Fantasy-proneness, negative affect, and psychopathology. *Imagination, Cognition and Personality*, 22(3), 239-255.
- Rizzi, D., Ciuffo, G., Sandoli, G., Mangiagalli, M., de Angelis, P., Scavuzzo, G., ... & Ionio, C. (2022). Running away from the war in Ukraine: the impact on mental health of internally displaced persons (IDPs) and refugees in transit in Poland. *International Journal of Environmental Research and Public Health*, 19(24), 16439.

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- Rizzi, D., Ciuffo, G., Landoni, M., Mangiagalli, M., & Ionio, C. (2023). Psychological and environmental factors influencing resilience among Ukrainian refugees and internally displaced persons: a systematic review of coping strategies and risk and protective factors. *Frontiers in Psychology, 14*, 1266125.
- Sathyanarayana, S., & Mohanasundaram, T. (2024). Fit indices in structural equation modeling and confirmatory factor analysis: Reporting guidelines. *Asian Journal of Economics, Business and Accounting, 24*(7), 561-577.
- Sánchez-Bernardos, M. L., Hernández Lloreda, M. J., Avia, M. D., & Bragado-Álvarez, C. (2015). Fantasy proneness and personality profiles. *Imagination, Cognition and Personality, 34*(4), 327-339.
- Schwalm, F. D., Zandavalli, R. B., de Castro Filho, E. D., & Lucchetti, G. (2022). Is there a relationship between spirituality/religiosity and resilience? A systematic review and meta-analysis of observational studies. *Journal of Health Psychology, 27*(5), 1218-1232.
- Sánchez-Bernardos, M. L., & Avia, M. D. (2004). Personality correlates of fantasy proneness among adolescents. *Personality and Individual Differences, 37*(5), 1069-1079.
- Solomon, Z., Ginzburg, K., Neria, Y., & Ohry, A. (1995). Coping with war captivity: The role of sensation seeking. *European Journal of Personality, 9*(1), 57-70.
- Solomon, Z., Bensimon, M., Greene, T., Horesh, D., & Ein-Dor, T. (2015). Loneliness trajectories: The role of posttraumatic symptoms and social support. *Journal of Loss and Trauma, 20*(1), 1-21.
- Surzykiewicz, J., Skalski, S. B., Niesiołędzka, M., Gladysz, O., & Konaszewski, K. (2022). Brief screening measures of mental health for war-related dysfunctional anxiety and negative persistent thinking. *Personality and Individual Differences, 195*, 111697.
- Tarkhanova, O., & Pyrogoва, D. (2024). Forced displacement in Ukraine: understanding the decision-making process. *European Societies, 26*(2), 481-500.


WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

- Wang, S., Barrett, E., Hicks, M. H. R., Martsenkovskyi, D., Holovanova, I., Marchak, O., ... & Fiedler, N. (2024). Associations between mental health symptoms, trauma, quality of life and coping in adults living in Ukraine: A cross-sectional study a year after the 2022 Russian invasion. *Psychiatry Research*, *339*, 116056.
- Ye, Z., Yang, X., Zeng, C., Wang, Y., Shen, Z., Li, X., & Lin, D. (2020). Resilience, social support, and coping as mediators between COVID-19-related stressful experiences and acute stress disorder among college students in China. *Applied Psychology: Health and Well-Being*, *12*(4), 1074-1094.
- Xu, W., Pavlova, I., Chen, X., Petrytsa, P., Graf-Vlachy, L., & Zhang, S. X. (2023). Mental health symptoms and coping strategies among Ukrainians during the Russia-Ukraine war in March 2022. *International Journal of Social Psychiatry*, *69*(4), 957-966.
- Zhang, X., & Dong, S. (2022). The relationships between social support and loneliness: A meta-analysis and review. *Acta Psychologica*, *227*, 103616.
- Zimet, G. D., Dahlem, N. W., Zimet, S. G., & Farley, G. K. (1988). The multidimensional scale of perceived social support. *Journal of Personality Assessment*, *52*(1), 30-41.
- Zuckerman, M. (1996). Item revisions in the sensation seeking scale form V (SSS-V). *Personality and Individual Differences*, *20*(4), 515.

Figure 1

Civilian War Trauma Structural Equation Model

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS



WSE - War Stress Effects
WVA – War Victimization Anxiety

Table 1
Mean, Median, Mode and High Scores for Both Samples

Factor	Pol.M	Ukr.M	Pol.Md	Ukr.Md	Pol.Mode	Ukr.Mode	Pol.High Scorers	Ukr.High
General War Repercussions	5.45	5.00	5.44	5	5.25	4.25	82.8%	54%
Peritraumatic Experiences	4.84	4.44	6.00	4.5	5	3.67	50.8%	36.9%
PTSD Symptoms	3.88	3.37	3.81	3.37	3.05	3.89	21.7%	8.8%
Depression Symptoms	3.94	3.77	3.83	3.92	3.33	4.67	27.1%	23.1%
Nuclear Attack Anxiety	3.98	3.60	4.00	3.83	4	4.67	31%	18.1%
Missile Attack Anxiety	5.63	4.45	6.00	4.33	7	7	75.5%	46.1%
Anxiety about Loved Ones	5.20	4.31	5.28	4.42	7	4.43	62%	31%
Biological Attack Anxiety	4.01	3.50	4.00	3.33	7	2	35.7%	26.2%
Chemical Attack Anxiety	5.03	4.46	5.00	4.33	7	7	56%	39.3%
Paranoia	4.00	3.84	4.00	4	3.4	4	26.6%	19.5%
Loneliness	4.03	3.72	4.00	3.4	3.4	2.20	23.6%	21.4%
Fantasy Proneness	4.36	4.47	4.33	4.33	4	7	38.5%	44.3%
Sensation Seeking	4.11	4.20	4.20	4.20	4.20	5	24.4%	34.6%
Trust in the Ukrainian News about the War	5.33	5.17	5.00	5	5	5	73.5%	72.2%
Trust in the Western News about the War	4.23	4.16	4.00	4	4	4	37.1%	39.3%
Expected Chinese Support for Russia	5.97	5.63	7.00	6.67	7	7	80.3%	71.2%
Expected Iranian Support for Russia	5.88	5.61	7.00	7	7	6	77.3%	71.2%
Religiosity	3.36	2.29	2.40	2.1	1	1	29.7%	20.5%
Expected Support from the West	5.47	5.48	5.75	5.75	5	7	68.9%	68.9%
Perceived Social Support	4.76	4.97	4.77	5.04	5.08	7	48.6%	36.7%

M- Mean

Md – Media

Table 2
Regression Results for Ukraine-based Ukrainians

Response variable	Predictor	Standardized β	p value
-------------------	-----------	----------------------	---------

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

<i>War Repercussions</i>	Support from the West	.010	.91
	Perceived Social Support	.197	.07
	Resilience	-.151	.11
	Sensation Seeking	-1.00	.28
	Loneliness	.213	.04
	Exp. Chin. Supp. For Russia	.053	.76
	Exp. Iran. Supp. For Russia	.284	.11
	Fantasy Proneness	.196	.03
	<i>PTSD Symptoms</i>	Support from the West	-.122
Perceived Social Support		.130	.19
Resilience		.170	.05
Sensation Seeking		.098	.25
Loneliness		.433	.001
Ex. Chin. Supp. For Russia		.331	.04
Exp. Iran Supp. For Russia		-.076	.64
Fantasy Proneness		.166	.04
<i>Depression</i>		Support from the West	-.107
	Perceived Social Support	.082	.39
	Resilience	-.228	.007
	Sensation Seeking	.114	.16
	Loneliness	.472	.001
	Ex. Chin. Supp. For Russia	.015	.92
	Exp. Iran Supp. For Russia	.106	.50
	Fantasy Proneness	.226	.005
	<i>Nuclear Attack Anxiety</i>	Support from the West	-.205
Perceived Social Support		.130	.21
Resilience		.037	.69
Sensation Seeking		.002	.98
Loneliness		.205	.04
Ex. Chin. Supp. For Russia		.257	.13
Exp. Iran Supp. For Russia		.243	.16
Fantasy Proneness		-.013	.88
<i>Drone Attack Anxiety</i>		Support from the West	-.094
	Perceived Social Support	.052	.64
	Resilience	.042	.67
	Sensation Seeking	-.025	.79
	Loneliness	.086	.43
	Ex. Chin. Supp. For Russia	-.086	.64
	Exp. Iran Supp. For Russia	.497	.008
	Fantasy Proneness	.006	.95
	<i>Missile Attack Anxiety</i>	Support from the West	-.075
Perceived Social Support		.114	.29
Resilience		-.003	.97
Sensation Seeking		-.018	.84
Loneliness		.173	.10
Ex. Chin. Supp. For Russia		-.297	.10
Exp. Iran Supp. For Russia		.676	.001
Fantasy Proneness		.002	.98
<i>Anxiety about Loved Ones</i>		Support from the West	-.129
	Perceived Social Support	.189	.09
	Resilience	.024	.81
	Sensation Seeking	.076	.42
	Loneliness	.226	.04
	Ex. Chin. Supp. For Russia	.018	.92
	Exp. Iran Supp. For Russia	.358	.05
	Fantasy Proneness	-.023	.80
	<i>Paranoia</i>	Support from the West	-.169
Perceived Social Support		-.077	.45
Resilience		.048	.60
Sensation Seeking		.108	.22
Loneliness		.338	.001
Ex. Chin. Supp. For Russia		.161	.34
Exp. Iran Supp. For Russia		-.095	.60
Fantasy Proneness		.272	.002
<i>Bio. Weapons Anxiety</i>		Support from the West	-.072
<i>Chem. Weapons Anxiety</i>	Perceived Social Support	-.193	.08
	Resilience	.169	.07
	Sensation Seeking	-.042	.64
	Loneliness	.183	.08
	Ex. Chin. Supp. For Russia	.022	.90
	Exp. Iran Supp. For Russia	.476	.007
	Fantasy Proneness	.007	.93
<i>Peritraumatic Experiences</i>	Support from the West	-.036	.68
	Perceived Social Support	-.050	.65

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

Resilience	.009	.93
Sensation Seeking	-.015	.87
Loneliness	.137	.21
Ex. Chin. Supp. For Russia	.008	.96
Exp. Iran Supp. For Russia	.393	.03
Fantasy Proneness	.102	.27
Support from the West	-.102	.25
Perceived Social Support	.131	.25
Resilience	-.148	.14
Sensation Seeking	.080	.42
Loneliness	.195	.08
Ex. Chin. Supp. For Russia	-.091	.63
Exp. Iran Supp. For Russia	.268	.16
Fantasy Proneness	.181	.06

Table 3
Regression Results for Poland-based Ukrainians

Response variable	Predictor	Standardized β	p value
<i>War Repercussions</i>	Support from the West	-.157	.05
	Perceived Social Support	.021	.84
	Resilience	.076	.41
	Sensation Seeking	-.316	.001
	Loneliness	.276	.006
	Exp. Chin. Supp. For Russia	.302	.04
	Exp. Iran. Supp. For Russia	-.052	.73
	Fantasy Proneness	.144	.09
	<i>PTSD Symptoms</i>	Support from the West	-.079
Perceived Social Support		.008	.94
Resilience		-.019	.82
Sensation Seeking		-.168	.05
Loneliness		.535	.001
Ex. Chin. Supp. For Russia		.038	.78
Exp. Iran Supp. For Russia		.070	.62
Fantasy Proneness		-.038	.63
<i>Depression</i>		Support from the West	.024
	Perceived Social Support	-.048	.63
	Resilience	-.046	.60
	Sensation Seeking	-.173	.04
	Loneliness	.494	.001
	Ex. Chin. Supp. For Russia	.257	.07
	Exp. Iran Supp. For Russia	-.141	.32
	Fantasy Proneness	.095	.23
	<i>Nuclear Attack Anxiety</i>	Support from the West	-.295
Perceived Social Support		.275	.01
Resilience		-.100	.29
Sensation Seeking		-.010	.91
Loneliness		.258	.01
Ex. Chin. Supp. For Russia		.380	.01
Exp. Iran Supp. For Russia		-.114	.46
Fantasy Proneness		.048	.57
<i>Drone Attack Anxiety</i>		Support from the West	-.133

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

	Perceived Social Support	.088	.44
	Resilience	-.047	.64
	Sensation Seeking	-.046	.63
	Loneliness	.096	.37
	Ex. Chin. Supp. For Russia	.170	.29
	Exp. Iran Supp. For Russia	.166	.31
	Fantasy Proneness	.099	.27
<i>Missile Attack Anxiety</i>	Support from the West	-.164	.05
	Perceived Social Support	.020	.86
	Resilience	-.084	.39
	Sensation Seeking	.024	.79
	Loneliness	.132	.10
	Ex. Chin. Supp. For Russia	.230	.14
	Exp. Iran Supp. For Russia	.140	.38
	Fantasy Proneness	.099	.22
<i>Anxiety about Loved Ones</i>	Support from the West	-.013	.88
	Perceived Social Support	-.098	.39
	Resilience	.082	.41
	Sensation Seeking	-.103	.29
	Loneliness	.191	.08
	Ex. Chin. Supp. For Russia	.324	.05
	Exp. Iran Supp. For Russia	-.096	.56
	Fantasy Proneness	-.023	.28
<i>Paranoia</i>	Support from the West	-.263	.001
	Perceived Social Support	.009	.93
	Resilience	.006	.94
	Sensation Seeking	.064	.45
	Loneliness	.414	.001
	Ex. Chin. Supp. For Russia	-.099	.49
	Exp. Iran Supp. For Russia	.183	.205
	Fantasy Proneness	.271	.001
	Support from the West	-.095	.26
	Perceived Social Support	.290	.01
	Resilience	.072	.46
	Sensation Seeking	-.196	.04
	Loneliness	.415	.001
	Ex. Chin. Supp. For Russia	.331	.04
<i>Bio. Weapons Anxiety</i>	Exp. Iran Supp. For Russia	-.191	.23
	Fantasy Proneness	.116	.19
	Support from the West	-.166	.04
	Perceived Social Support	.124	.25
	Resilience	-.025	.79
	Sensation Seeking	-.177	.05
	Loneliness	.193	.06
<i>Chem. Weapons Anxiety</i>	Ex. Chin. Supp. For Russia	.303	.05
	Exp. Iran Supp. For Russia	.009	.95
	Fantasy Proneness	.208	.02
	Support from the West	-.072	.40
	Perceived Social Support	-.053	.64
	Resilience	-.041	.68
	Sensation Seeking	-.095	.32
	Loneliness	.233	.03
<i>Peritraumatic Experiences</i>	Ex. Chin. Supp. For Russia	.238	.14
	Exp. Iran Supp. For Russia	-.032	.84
	Fantasy Proneness	-.116	.20

Table 4

Standardized Parameter Estimates for SEM Effects

Direct effects	β	p
----------------	---------	-----

WAR, TRAUMA & COPING BY UKRAINIAN CIVILIANS

<i>SensationSeeking</i> → <i>Resilience</i>	.382	<.001
<i>Resilience</i> → <i>WSE</i>	-.219	<.001
<i>FantasyProneness</i> → <i>WVA</i>	.184	<.05
<i>WVA</i> → <i>WSE</i>	.451	<.001

WVA – War Victimization Anxiety; *WSE* – War Stress Effects.

Note: Total variance explained: R^2 for *WSE* = .248.