

A meta-analytic review of the relationship between racial discrimination and alcohol and other drug use outcomes in minoritised racial/ethnic groups

Evie Gates¹  | Matthew Cant¹ | Rebecca Elliott¹ | Patricia Irizar² | Christopher J. Armitage¹

¹Division of Psychology and Mental Health, University of Manchester, Faculty of Biology, Medicine and Health, School of Health Sciences, Manchester, UK

²School of Psychology, Liverpool John Moores University, Liverpool, UK

Correspondence

Evie Gates, Division of Psychology and Mental Health, University of Manchester, Faculty of Biology, Medicine and Health, School of Health Sciences, Manchester, UK.

Email: evie.gates@postgrad.manchester.ac.uk

Funding information

The present study was funded by the Soc-B Centre for Doctoral Training, which is jointly funded by the Economic and Social Research Council and the Biotechnology and Biological Sciences Research Council.

Abstract

Aims: To measure the associations between racial discrimination and distinct alcohol and other drug use outcomes in minoritised racial/ethnic groups and to explore the moderating roles of demographic and methodological characteristics.

Methods: Quantitative studies including racial discrimination as an exposure (both binary and continuous), an alcohol and/or other drug use outcome and a minoritised racial/ethnic sample were identified via database, citation and journal searching. 130 studies contributing 273 effect sizes, across seventeen distinct outcomes, were included in this analysis. Random-effects meta-analytic models were implemented. Moderation effects were explored using subgroup analyses.

Results: Racial discrimination was positively associated with sixteen alcohol and other drug use outcomes. The strongest associations were observed for at-risk/hazardous alcohol use [$r = 0.24$, 95% confidence interval (CI) = 0.17–0.3, $I^2 = 94.8%$, $m = 29$, $n = 9445$], at-risk/hazardous cannabis use ($r = 0.24$, 95% CI = 0.18–0.29, $I^2 = 0%$, $m = 4$, $n = 462$) and substance use disorder ($r = 0.25$, 95% CI = 0.14–0.36, $I^2 = 97.7%$, $m = 5$, $n = 21\,051$). Considerable heterogeneity was observed across fourteen outcomes ($I^2 = 69.5\%–97.7%$). Concerning tobacco use, Indigenous North Americans had the largest effect ($r = 0.27$, 95% CI = 0.2–0.35, $I^2 = 0%$, $m = 2$, $n = 529$), followed by Black Americans ($r = 0.06$, 95% CI = 0.01–0.12, $I^2 = 81.7%$, $m = 7$, $n = 5409$). Little evidence for an association was found for Latinxs ($r = 0.06$, 95% CI = –0.02 to 0.14, $I^2 = 89.2%$, $m = 3$, $n = 5404$) or Asian Americans ($r = -0.18$, 95% CI = –0.8 to 0.43, $I^2 = 99%$, $m = 2$, $n = 572$). Regarding composite substance use, Indigenous North Americans had the strongest associations ($r = 0.29$, 95% CI = 0.23–0.35, $I^2 = 0%$, $m = 3$, $n = 778$), followed by Black Americans ($r = 0.13$, 95% CI = 0.09–0.18, $I^2 = 62.8%$, $m = 7$, $n = 5981$) and then Latinxs ($r = 0.07$, 95% CI = –0.17 to 0.31, $I^2 = 91.3%$, $m = 4$, $n = 1646$). Concerning alcohol use problems, younger samples produced stronger associations ($r = 0.28$, 95% CI = 0.17–0.38, $I^2 = 38.8%$, $m = 3$, $n = 483$), while older samples showed larger effects in six other outcomes ($r_s = 0.13–0.26$). Regarding at-risk/hazardous alcohol use and alcohol use problems/consequences, cross-sectional studies ($r_s = 0.23–0.24$) produced stronger

This is an open access article under the terms of the [Creative Commons Attribution](https://creativecommons.org/licenses/by/4.0/) License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2025 The Author(s). *Addiction* published by John Wiley & Sons Ltd on behalf of Society for the Study of Addiction.

associations than longitudinal studies ($r_s = 0.13\text{--}0.14$). Concerning tobacco and illicit substance use, the strongest associations were identified for lifetime exposure ($r_s = 0.18\text{--}0.32$).

Conclusions: Racial discrimination appears to be a consistent correlate of multiple alcohol and other drug use outcomes in minoritised racial/ethnic groups, predominantly based in the United States, yet the magnitude of these associations differs across outcomes. Demographic and methodological characteristics somewhat moderate these associations.

KEYWORDS

alcohol use, alcohol use disorder, ethnic minority, health inequality, racial discrimination, racism, substance use, substance use disorder

INTRODUCTION

Race and ethnicity are terms often used interchangeably, yet they are distinct but related constructs. Race is a social construct with no meaningful biological basis that has historically and contemporaneously been used to justify the dominion of the dominant racial group [1–4]. Despite no universal definition, there is some consensus that race refers to grouping people based on shared ancestry and/or phenotype [5–9]. Ethnicity is also a multi-dimensional social construct that pertains to shared cultural, ancestral, linguistic, religious and physical characteristics [10–14]. The determination of which racial and ethnic groups are minoritised differs widely across countries because of their varied historical, social and political contexts. The present study, however, defines minoritised racial and ethnic groups as those that are either numerically smaller than the rest of the population, hold a non-dominant political, social or economic position in society or have an ethnicity, religion or language that differs from the majority [15].

Minoritised racial and ethnic groups have been reported to be at increased risk for alcohol and other drug use (AOD) at different stages of the life course [16–19]. They may also be less likely to ‘age out’ of use [20] and more likely to experience negative consequences of use [21]. Exposure to racial discrimination, which can be defined as unfair treatment attributed to one’s ethnicity, race or culture of origin [22–24], may help explain these increased risks [25–27]. It has been posited that minoritised racial/ethnic groups may engage in AOD to cope with the stress of discrimination [28, 29]. This is a particularly pertinent theory, because it contextualises racism within pre-existing models of AOD, such as stress-coping theory [30], tension-reduction models [31], motivation models [32] and the self-medication hypothesis [33]. A 2017 meta-analysis of six effect sizes, however, failed to show a significant association between racial discrimination and substance use in United States (US)-based minoritised racial/ethnic groups [34]. Yet later meta-analyses have reported significant associations ($r = 0.16$) ($r = 0.13$) in minoritised racial/ethnic groups residing in the United States and internationally [35, 36], although these effect sizes are smaller than anticipated.

A closer examination of these meta-analyses reveals important limitations. First, they report the association between racial

discrimination and a composite measure of substance use, capturing different AOD outcomes within one generic ‘substance use’ outcome [34–36]. This method assumes that these outcomes are equivalent. In the US literature, some studies have reported little variation in the association between racial discrimination and distinct AOD outcomes. For example, comparable effect sizes have been reported across tobacco, cannabis, alcohol, prescription opioid and heavy alcohol use [37, 38]. Other research, however, has observed that racial discrimination is differentially associated with distinct types and patterns of AOD, including polysubstance use, dual substance use, binge drinking, alcohol use consequences, cigarette use, alcohol use, cannabis use and prescription substance use [39–43].

A second potential limitation of previous meta-analyses is the lack of moderation analyses across distinct AOD outcomes, as there is some evidence from the United States to suggest that the racial discrimination-AOD relationships vary by race/ethnicity, gender and age. For example, the association between racial discrimination and heavy alcohol use has been documented to be stronger in African Americans and Hispanics, compared to Chinese Americans [44]. Variability by age and gender has not been extensively studied, as they are typically used as covariates, obscuring their potentially moderating effects. However, Assari and colleagues [45] observed that exposure to racial discrimination in adolescence predicts increased cannabis use in adulthood in African American males, but decreased use in females. Gender differences have also been observed in Latinxs, where racial discrimination is more strongly associated with drug and alcohol abuse in males [46]. Moreover, experiences of racial discrimination in African Americans have been demonstrated to have a stronger association with regular smoking in respondents below age 45 [47]. Similar findings are reported for associations between racial discrimination and substance use disorder in African American, Hispanic and Asian participants [48].

Current study

The current study aims to quantitatively synthesise the literature on relationships between racial discrimination and AOD outcomes in minoritised racial/ethnic groups internationally. Considering the

findings from previous meta-analyses, this study intends to (1) determine the strength of associations between racial discrimination and distinct AOD outcomes in minoritised racial/ethnic groups; and (2) assess whether these associations are modified by race/ethnicity, age, gender, exposure timing and study design. To our knowledge, this is the first meta-analysis to assess the role of racial discrimination across distinct AOD outcomes, within multiple minoritised racial/ethnic groups and across numerous countries. Therefore, it intends to provide critical insights into the role of racial discrimination in AOD, with the aim that this knowledge can guide intervention and prevention strategies, policy and educational practices.

METHODOLOGY

This review was registered on PROSPERO, the systematic review registry (ID: CRD42022381762). This study was also conducted and reported in line with the Preferred Reporting Items for Systematic Reviews and Meta-analysis (PRISMA) [49].

Search strategy

Combinations of the following subject headings/index terms and free text terms were searched in PubMed, PsychInfo via Ovid, ProQuest for Dissertations and Theses and PsyArXiv: ‘Racism’, ‘racial

discrimination’, ‘ethnic discrimination’, ‘racial trauma’, ‘racial abuse’, ‘substance use’, ‘drug use’, ‘addiction’, ‘drug abuse’, ‘alcohol use’, ‘substance abuse’, ‘substance use disorders’, ‘alcoholism’, ‘smoking’, ‘tobacco use’, ‘cannabis use’, ‘marijuana use’, ‘cannabis abuse’, ‘marijuana abuse’, ‘illicit substance use’, ‘opioid use’, ‘amphetamine use’, ‘cocaine use’ were searched. No filters were added to the search, except in ProQuest, to specify that only dissertations and theses should be returned. Searches were performed from January to July 2023 and updated in September 2024. In addition, the Journal of Psychoactive Drugs, Journal of Cultural Diversity and Ethnic Minority Psychology, Addictive Behaviours, Psychology of Addictive Behaviours, Journal of Immigrant and Minority Health, Journal of Ethnicity in Substance Abuse and Substance Use and Misuse were reviewed for additional studies that were not captured by the search strategy. These journals were selected as approximately a quarter of the studies identified via the search strategy were published in these journals. Likewise, citation searching was conducted on previous meta-analyses and systematic reviews of racial discrimination and health outcomes. See Figure 1.

Eligibility criteria

Inclusion criteria included: use of quantitative methodologies, studies that examined an association between racial discrimination (and known synonyms, i.e. racial harassment, racial bullying) and any type




FIGURE 1 Flowchart of the study selection process.

or pattern of AOD (excluding treatment outcomes and measures of craving, relapse or intentions/willingness to use) and samples, which are comprised of people who are members of minoritised racial/ethnic groups.

Measures of racial discrimination included those that capture the frequency, chronicity or count of racially discriminatory events and those that capture racial discrimination appraisal.

Exclusion criteria included: studies that include racial discrimination in a composite measure of general or intersecting discriminations, and/or studies that constitute a previous meta-analysis/systematic review on the association between racial discrimination and AOD.

In cases where studies have used two-stage attribution style questionnaires to measure racial discrimination (i.e. the everyday discrimination scale, experiences of discrimination scale), these were only deemed eligible if they had been attributed to race, ethnicity or nationality.

Screening procedure

Screening was performed by two independent reviewers (E.G. and M.C.). First, titles and abstracts were screened against the eligibility criteria in Rayyan Screening Software for Systematic reviews [50]. Second, full-text versions of studies identified as potentially eligible in the first screening phase were retrieved. Two independent reviewers screened each full-text article against the eligibility criteria and recorded reasons for ineligibility when applicable. A third independent reviewer also determined eligibility in instances of disagreement (Figure 1).

Coding procedure and data extraction

Two trained and independent coders (E.G. and M.C.) extracted data from full-text articles onto piloted coding forms. Where data was missing, authors were contacted to obtain this information. Discrepancies between coders were resolved via discussion and reappraisal of the full text articles. Data was extracted into five categories: methodological data (e.g. study design, method of recruitment), participant data (e.g. sample race/ethnicity, gender and age), exposure data (e.g. measurement of exposure, timing of exposure), outcome data (e.g. measure of outcome, operationalisation of outcome) and results data (e.g. statistical models used, effect sizes, 95% CI). The effect sizes extracted included correlation coefficients, OR and β coefficients.

Quality and certainty assessments

Assessment of study quality was performed by E.G. using the National Institute of Health study quality assessment tool for observational cohort and cross-sectional studies [51]. Studies were assigned a quality rating of poor, fair or good based on assessment tool scores of <50%, 50% to 75% and >75%, respectively. Studies classified as poor

were not excluded from analysis, because it has been suggested that there are dangers to blindly excluding poor-rated studies from systematic reviews/meta-analysis, as there are no clear-cut distinctions between high- and low-quality studies. Likewise, study quality assessment tools can only establish whether a study is susceptible to bias, and not whether it is biased [52]. Therefore, alternatively, a sensitivity analysis with the removal of poor rated studies was performed, in line with recommendations for meta-analysis of observational studies [53].

Certainty assessment was performed by E.G. using the GRADE framework, where the strength of evidence was determined through appraisals of risk of bias, inconsistency, indirectness, imprecision and publication bias [54]. As the evidence included in this review was obtained from observational studies, the certainty of evidence rating for each outcome was initially low [55]. Certainty assessment can be found in Data S1.

DATA SYNTHESIS AND STATISTICAL ANALYSIS

Effect size metric

Correlation coefficients (r) were the effect size metric in this analysis. Where correlation coefficients were not reported, but other effect sizes were, these were converted to correlation coefficients using effect size converters, where possible [56, 57]. Only unadjusted effect sizes were converted because of inconsistencies in the type and number of covariates included in adjusted analyses across studies. Spearman ρ correlations were converted to approximate Pearson correlations using the equation provided by Rupinski and Dunlap [58]. For continuous AOD outcomes, Pearson's, biserial and tetrachoric correlations represented the metrics of interest, because they are statistically comparable metrics that capture underlying continuous constructs [59]. For true dichotomous outcomes, the point-biserial correlation represented the metric of interest. In outcome domains that contained a combination of biserial, Pearson and tetrachoric coefficients, analysis was performed using raw coefficients, as Fisher's r - z transformation is inappropriate when combining these types of correlations [59]. However, for outcome domains that only contain Pearson coefficients, the r - z transformation was performed for analysis and back transformed for interpretation [60, 61].

Management of dependent effect sizes

Samples represent the unit of analysis in this study and are treated as independent. Therefore, only one effect size was included per sample/sub-sample, per AOD outcome. To ensure this, two sets of prioritisation criteria were developed to determine, which dependent effect sizes were included in the analysis. These criteria addressed dependency within and between studies and can be found in Data S2.

TABLE 1 Outcomes of interest.

AOD outcome	Operationalisation/definition	Example measurements
Tobacco use	Frequency of use Quantity of use Frequency × quantity of use	<ul style="list-style-type: none"> •CDC College Health Risk Behaviour Survey •Monitoring and Future National Survey •Bespoke scales³
Smoking status	Outcomes which categorised participants as ‘smokers’ or ‘non-smokers’ via self-identification or classification based on responses to smoking-related questions	<ul style="list-style-type: none"> •US National Health Interview Survey •Sample Adult Core Questionnaire •Bespoke scales³
Presence–absence of tobacco use	Indication of the presence or absence of tobacco use	<ul style="list-style-type: none"> •National Household Survey on Drug Abuse •Monitoring the Future survey
Alcohol use	Frequency of use Quantity of use Frequency × quantity of use	<ul style="list-style-type: none"> •AUDIT consumption only items •CDC Youth Risk Behaviour Survey •Monitoring and Future National Survey •Daily Drinking Questionnaire •Adolescent Drinking Questionnaire •Drinking Styles Questionnaire •Youth Risk Behaviour Surveillance Scale •Timeline Follow Back •World Health Composite International Diagnostic Interview •Bespoke scales³
Alcohol use disorder	Indication of alcohol abuse or dependence as per DSM-IV or alcohol use disorder as per DSM-V	<ul style="list-style-type: none"> •Alcohol Use Disorder and Associated Disabilities Interview Schedule-5 •World Mental Health Composite International Diagnostic Interview •Alcohol Use Disorder and Associated Disabilities Interview Schedule-4 •Diagnostic Interview Schedule for Children
Binge drinking	Frequency of consuming 4/5 drinks on one occasion	<ul style="list-style-type: none"> •AUDIT (binge drinking item) •CDC and Prevention’s behavioural risk factor surveillance system questionnaire •Timeline follow back •Youth Risk Behaviour Surveillance Scale •Bespoke scales³
At-risk/hazardous alcohol use	Sum of scores or positive indication for AUDIT and CAGE or outcomes, which captured a combination of alcohol consumption, problems and dependency	<ul style="list-style-type: none"> •AUDIT •CAGE •Bespoke scales³
Alcohol problems/consequences	Frequency or number of problems/consequences related to alcohol use	<ul style="list-style-type: none"> •AUDIT (problem items only)/AUDIT-P •Drinker Inventory of Consequences •Rutgers Alcohol Problem Index •Addiction severity index •Brief Michigan Alcoholism Screening test •Young adult alcohol consequences questionnaire •Bespoke scales³
Presence–absence of alcohol use	Indication of the presence or absence of alcohol use	<ul style="list-style-type: none"> •National Household Survey on Drug Abuse •Bespoke scales³
Cannabis use	Frequency of use Quantity of use Frequency × quantity of use	<ul style="list-style-type: none"> •Youth Risk Behaviour Surveillance Scale •Monitoring the Future •World Health Composite International Diagnostic Interview •Youth risk behaviour survey •Bespoke scales³
Presence–absence of cannabis use	Indication of the presence or absence of cannabis use	<ul style="list-style-type: none"> •National Household Survey on Drug Abuse •Bespoke scales³

(Continues)

TABLE 1 (Continued)

AOD outcome	Operationalisation/definition	Example measurements
Cannabis problems/consequences	Frequency or number of problems/consequences related to cannabis use	<ul style="list-style-type: none"> • Brief Marijuana Consequences Questionnaire • Bespoke scales^a
At-risk/hazardous cannabis use	Sum of scores or positive indication on CUDIT and its revised version	<ul style="list-style-type: none"> • CUDIT
Illicit substance use	Frequency of use Quantity of use Frequency × quantity of use Referring to substances that are prohibited by law and the use of prescription drugs without a prescription from a medical professional. Cannabis was modelled as a separate outcome to illicit substance use because of the variability in its legality status across time, countries and states	<ul style="list-style-type: none"> • Youth Risk Behaviour Surveillance Scale-Illicit drug use subscale • Monitoring the Future • World Health Composite International Diagnostic Interview • Youth risk behaviour survey • The Diagnostic Interview Schedule for Children • Addiction severity index • Bespoke scales^a
Substance use disorder	Indications of substance abuse or dependence as per DSM-IV or substance use disorder as per DSM-V, excluding alcohol and tobacco	<ul style="list-style-type: none"> • World Mental Health Composite International Diagnostic Interview • DSM-V criteria • National Institute of Alcohol Abuse, Alcoholism, Alcohol use disorder and Associated Disability Interview Schedule • Alcohol Use Disorder and Associated Disabilities Interview Schedule-5
Substance use problems	Frequency or number of problems/consequences related to substance use, excluding alcohol and tobacco	<ul style="list-style-type: none"> • Minnesota Survey of Substance Use Problems • DAST • Addiction Severity Index • Bespoke scales^a

Abbreviations: AOD, alcohol and other drug use; AUDIT, Alcohol Use Disorder Identification Test; CAGE, Cut-down, Annoyed, Guilty and Eye-open questionnaire; CDC, Center of Disease Control; CUDIT, Cannabis Use Disorder Identification Test; DAST, Drug Abuse Screening Test; DSM, Diagnostic and Statistical Manual of Mental Disorders; US, United States.

^aBespoke scales refer to non-standardised or psychometrically tested measures/questionnaires.

Outcomes of interest

Effect sizes were categorised into discrete outcome domains if ≥ 4 effect sizes were available for each domain [62]. Therefore, some of the extracted effect sizes could not be included in this meta-analysis as their corresponding AOD outcome occurred at a frequency of less than 4. Categorisation of outcomes resulted in 17 distinct AOD domains. See Table 1 for operationalisation and measurement of the outcome domains.

Statistical analysis

A series of 17 univariate meta-analytic models, using inverse-variance weighting, were implemented.

Random-effects models were chosen as effect sizes were expected to vary across studies.

Heterogeneity was assessed via Cochran's Q test, where $P < 0.05$ indicates heterogeneity [63]. The I^2 statistic was used to identify the percentage of variation in effect sizes because of heterogeneity, where a value of 75% indicates considerable heterogeneity [63, 64]. The statistical analysis was performed in R Studio using the *meta*, *dmatar* and *metasens* packages.

Calculating a summary effect size across all 17 outcomes was not possible because of violations of the assumption of independence. As some studies reported separate effect sizes for multiple outcomes for the same sample, combining them would result in participant duplication and dependent effects. Moreover, for studies with shared secondary samples, management of dependency was conducted at the outcome level to ensure only one effect size per sample was present in each univariate model; therefore, collating them within one model would result in dependent effects [65, 66].

Subgroup analysis

Where possible, subgroup analysis was performed to explore heterogeneity. The moderators of interest in this analysis were race/ethnicity, age group, gender, study design and timing of exposure. Analysis of subgroups was only possible for subgroups containing ≥ 2 effect sizes. Our approach for identifying subgroups was data-driven, whereby the categorisation of subgroups was informed by the studies deemed eligible for inclusion and their associated sample and methodological characteristics.

Publication bias

Publication bias assessment for outcomes with >10 effect sizes was conducted via visual inspection of funnel plots and the Eggers test, where a significant ($P < 0.05$) result indicates plot asymmetry [67, 68]. However, for outcomes with ≤ 10 effect sizes, tests of funnel plot asymmetry are underpowered [69, 70]. As such, doiplots were created and inspected for asymmetry, and the Luis Furuya-Kanamori (LFK) index was used to quantify asymmetry. In which a value that falls between -1 and 1 was deemed to be indicative of plot symmetry [71].

RESULTS

Study selection

A total of 1901 studies were identified via database searching and screened for eligibility at the title and abstract level, where 1494 were excluded for violating the eligibility criteria. A total of 398 were screened at the full-text level, where 225 were deemed eligible. A further 32 records were identified via citation and journal searching and underwent full-text screening, where 10 were considered eligible. The results were that 235 studies were eligible, 159 of which provided relevant effect sizes or data to calculate an effect size, 11 studies were removed from the analytical pool during the dependency management process across studies, and a further 18 studies were removed as their AOD outcomes occurred at a frequency of <4. Therefore, 130 studies, with 273 effect sizes, contributed to this analysis (Figure 1).

Identification of subgroups

Subgroups were categorised into the following: age groups—youth and/or adolescents, young adults and/or adults and mixed (i.e. multiple age groups); gender—male, female and mixed (i.e. both male and female participants); study design—longitudinal and cross-sectional; exposure timing—lifetime, past year and less than past year; and minoritised racial/ethnic groups—Black American (African and/or Afro-Caribbean heritage and residing in the United States), Latinx (Central and Southern American heritage and residing in the United States), Asian American (Asian heritage and residing in the United States), Indigenous North American (Indigenous peoples of North America), Black Canadians (African and/or Afro-Caribbean heritage and residing in Canada), Aboriginal Australian and Torres Strait Islander (Indigenous Australian or Torres Strait Islands heritage and residing in Australia), South Asian (South Asian heritage and residing in Hong Kong), multi-racial/ethnic (heritage from multiple racial/ethnic groups, irrespective of country), and diverse (multiple different racial/ethnic groups not analysed separately, irrespective of country).

The diverse race/ethnicity group, the mixed gender group and the mixed age group were not considered meaningful categories for comparison and were not included in the subgroup analyses.

Study characteristics

Characteristics of each study are displayed in Table 2. Studies were conducted/published between 1997 and 2024. Sample sizes ranged from 55 to 17 115 and 75% of studies used cross-sectional designs, and the length of follow-up for longitudinal studies ranged from up to 3 weeks to 13 years. A total of 109 of the studies were published in academic journals, 20 were dissertations/theses and one was a pre-print. The majority of studies were conducted in the United States (94%), and the remainder were conducted in Canada, Hong Kong and Australia. In the US-based studies, 56 had Black American-only samples, 24 had Latinx-only samples, nine had Asian American-only samples, six had Indigenous North American-only samples and one had a multi-racial/ethnic only sample. In the Canada-based studies, one had a Black Canadian-only sample and two had Indigenous North American-only samples. The Australia-based study had an Aboriginal and Torres Strait Islander only sample, and the Hong Kong-based study had a South Asian only sample. The remaining studies had a diverse sample of minoritised racial/ethnic groups that were not analysed separately or had multiple different minoritised racial/ethnic groups that were stratified for analytical purposes. A total of 70% of studies used a secondary data source, and 73% of studies had predominantly female samples and mean ages ranged from 9.5 to 49. With regards to methodological quality, 50 studies were rated as poor, 77 were rated as fair and three were rated as good. The most common methodological quality concerns among 'poor' rated studies were: a lack of clarity regarding the study eligibility criteria, inability to determine if the exposure preceded the outcome and insufficient information or no information regarding the reliability and validity of the outcome measurement.

Summary effect sizes

The summary effect sizes, 95% CI, P -values, heterogeneity indices and prediction intervals for each AOD outcome are presented in Table 3. The data supporting these results can be found in Data S3.

Positive associations between racial discrimination and 16 AOD outcomes were identified. The median effect size across outcomes was 0.15. The strongest associations were observed for at-risk/hazardous alcohol use ($r = 0.24$, 95% CI = 0.17–0.3, $I^2 = 94.8\%$, $m = 29$, $n = 9445$), at-risk/hazardous cannabis use ($r = 0.24$, 95% CI = 0.18–0.29, $I^2 = 0\%$, $m = 4$, $n = 462$) and substance use disorder ($r = 0.25$, 95% CI = 0.14–0.36, $I^2 = 97.7\%$, $m = 5$, $n = 21\,051$). The weakest association was observed for tobacco use ($r = 0.07$, 95% CI = 0.002–0.14, $I^2 = 91\%$, $m = 17$, $n = 13\,256$). See Data S4 for forest plots. Results of the sensitivity analysis with only fair/good-rated studies can be found in Data S5.

Differences across AOD outcome domains

Based on non-overlapping 95% CI, racial discrimination has a stronger association with at-risk/hazardous drinking, alcohol use problems/

TABLE 2 Study characteristics.

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Khazvand et al. 2022 [72]	501	Cross-sectional	Journal	United States	Composite substance use	Index of Race-Related Stress-Brief	Unknown	59.50	23.75	Diverse	0.17	Poor
Layland 2020 [73]	217	Longitudinal (2 y)	Dissertation	United States	Alcohol use problems; alcohol use; at-risk alcohol use; binge drinking; cannabis use; tobacco use; substance use disorder	Bespoke scale ^a	Healthy Young Mens Cohort	NA	22.3	Diverse	0.21; 0.13; 0.16; 0.13; 0.16; 0.23; 0.22	Fair
Lee et al. 2018 [74]	465	Longitudinal (4 y)	Journal	United States	Alcohol use problems; alcohol use	Daily Life Experiences scale	Flint Adolescent study	Unknown	Unknown	Black American	0.16; 0.25	Fair
Gerrard et al. 2017 [75]	508	Longitudinal (9 y)	Journal	United States	Alcohol use problems; alcohol use	Schedule of Racist Events (modified)	FACHS	94	Unknown	Black American	0.07; -0.01	Fair
Tran 2016 [76]	131	Cross-sectional	Dissertation	United States	At-risk alcohol use	Asian American Racism-Related Stress Inventory	NA	50.40	32.49	Asian American	0.09	Fair
Drazdowski et al. 2016 [77]	200	Cross-sectional	Journal	United States	Cannabis use; illicit substance use	Racism and Life Experiences scale (daily life experiences subscale)	Unknown	53	Unknown	Diverse	0.00; 0.17	Fair
Lorenzo-Blanco et al. 2015 [78]	1919	Longitudinal (2 y)	Journal	United States	Tobacco use	Unknown	Project RED	52	14.1	Latinx	0.07	Fair
Sanders-Phillips et al. 2014 [79]	567	Cross-sectional	Journal	United States	Alcohol use; cannabis use	Bespoke scale ^a	Unknown	61	15.6	Black American	0.06; 0.00	Poor
Ornelas et al. 2011 [80]	275	Cross-sectional	Journal	United States	Binge drinking	Bespoke scale ^a	Men as Navigators for Health and Hombres Manteniendo Bienestar y Relaciones Saludables	0	28.4	Latinx	0.09	Fair
	232-268		Journal				Unknown	Unknown	46.40			Fair

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Copeland-Linder <i>et al.</i> 2010 [81]		Longitudinal (2 y)		United States	Alcohol use; cannabis use; tobacco use	Racism and Life Experiences Scale				Black American	0.01; 0.06; -0.07; 0.07; 0.01; 0.02	
Flores <i>et al.</i> 2010 [82]	110	Longitudinal (6 months)	Journal	United States	Alcohol use; illicit substance use	Discrimination Stress Scale	NA	46	18.8	Latinx	0.35; 0.22; 0.16	Fair
Stone <i>et al.</i> 2017 [83]	4249	Cross-sectional	Journal	United States	Alcohol use; cannabis use; tobacco use	Bespoke scale ^a	Health Behaviours in School Aged Children	51.7; 54.1; 49.7; 50.6; 50.8	Unknown	Black American; Latinx; Asian American; other ethnic minority, multi-racial/ethnic	-0.13; 0.05; 0.02; 0.05; 0.14; -0.097; 0.03; 0.17; -0.06; -0.03; -0.097; -0.03; -0.5; -0.03; 0.05	Poor
Berkel <i>et al.</i> 2022 [84]	571	Longitudinal (1 y)	Journal	United States	Substance use problems	Racism and Life Experiences Scale	NA	54	Unknown	Black American	0.29	Fair
Mata-Greve <i>et al.</i> 2018 [85]	233	Cross-sectional	Journal	United States	At-risk alcohol use	The Brief Perceived Ethnic Discrimination Questionnaire	NA	73	36.32	Latinx	0.23	Poor
Liu <i>et al.</i> 2022 [86]	289	Cross-sectional	Journal	United States	At-risk alcohol use	AAP1 Hate Reporting Centre's Incident Report Questionnaire	NA	43	33.1	Asian American	-0.09	Fair
Song <i>et al.</i> 2022 [87]	602	Longitudinal (5 y)	Journal	United States	Alcohol use	Bespoke scale ^a	Unknown	54	12.92	Latinx	0.03	Fair
Su <i>et al.</i> 2022 [88]	383	Cross-sectional	Journal	United States	Alcohol use problems	Schedule of Racist Events	Cultural Experiences and Alcohol Use study	81	20.65	Black American	0.13	Fair
Iwamoto <i>et al.</i> 2022 [89]	1432	Cross-sectional	Journal	United States	Alcohol use problems	The Everyday Racial Discrimination Scale	Unknown	73.20	19.81	Asian American	0.22	Fair
Heads <i>et al.</i> 2020 [90]	266	Cross-sectional	Journal	United States	At-risk alcohol use; illicit substance use	The Scale of Ethnic Experience - Perceived	Multi-site university study of identity and culture	71.80	19.8	Black American	0.14; 0.1	Fair

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Zimmerman et al. 2022 [91]	1333	Cross-sectional	Journal	United States	Presence-absence of alcohol use; Presence-absence of cannabis use; Presence-absence of tobacco use	Discrimination subscale Unknown	Project on Human Development in Chicago Neighbourhoods	52.44	17.6	Diverse	0.23; 0.2; 0.17	Poor
Steele et al. 2022 [92]	291	Longitudinal (unknown length)	Journal	United States	Binge drinking	Schedule of Racist Events	FACHS	100	Unknown	Black American	0.07	Fair
Schick et al. 2021 [93]	106	Cross-sectional	Journal	Canada	Alcohol use; alcohol use problems	Bespoke scale ^a	Unknown	50	14.6	Indigenous North American	0.3; 0.29	Fair
Crichlow et al. 2022 [94]	1514	Cross-sectional	Journal	United States	Composite substance use	Bespoke scale ^a	Unknown	56.90	13.56	Black American	0.12	Poor
Su et al. 2021 [95]	165	Cross-sectional	Journal	United States	Alcohol use	Daily Life Experiences scale	Unknown	75	21.56	Black American	0.09	Poor
Keum et al. 2021 [96]	387	Cross-sectional	Journal	United States	At-risk alcohol use	Perceived Online Racism Scale	NA	57	Unknown	Diverse	0.47; 0.37	Poor
Zapolski et al. 2021 [97]	399	Cross-sectional	Journal	United States	At-risk alcohol use; at-risk cannabis use	The Racial and Ethnic Microaggression scale	NA	61.40	20.7	Black American	0.23; 0.24	Fair
Bakhtiari et al. 2020 [98]	121	Cross-sectional	Journal	United States	Cannabis use	Adolescent Discrimination Distress index	Schools, Peers, and Adolescent Development Project	54	15.56	Latinx	0.02	Poor
Brown et al. 2021 [99]	399	Cross-sectional	Journal	United States	Illicit substance use	Everyday Discrimination scale	NA	26.80	34	Diverse	0.4	Poor
Nalven et al. 2021 [100]	598	Cross-sectional	Journal	United States	Binge drinking	Unknown	National Epidemiologic Survey on Alcohol and Related Conditions-III	54.40	40.28	Diverse	0.095	Poor

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Clifton <i>et al.</i> 2021 [101]	147	Cross-sectional	Journal	United States	Composite substance use	Daily life Experiences Scale	NA	81.70	23.16	Black American	0.22	Poor
Marks <i>et al.</i> 2021 [102]	196	Cross-sectional	Journal	United States	Alcohol use; alcohol use problems	Inventory of Microaggressions Against Black Individuals	NA	Unknown	Unknown	Black American	0.2; 0.01	Fair
Motley <i>et al.</i> 2021 [103]	300	Cross-sectional	Dissertation	United States	Alcohol use problems; alcohol use; illicit substance use; substance use problems	Classes of Racism Frequency of Racial Experiences scale	NA	50.70	19	Black American	0.014; 0.256; 0.15; 0.131	Fair
Waldron <i>et al.</i> 2021 [104]	245	Longitudinal (1 y)	Journal	United States	Alcohol use; alcohol use problems	Schedule of Racist Events (modified)	NA	73.10	Unknown	Latinx	0.23; 0.09	Fair
Kogan <i>et al.</i> 2020 [105]	505	Longitudinal (3 y)	Journal	United States	Binge drinking; cannabis use	Schedule of Racist Events	African American Mens Project	0	20.26	Black American	0.1; 0.14	Fair
Glass <i>et al.</i> 2020 [106]	17 115	Cross-sectional	Journal	United States	Alcohol use disorder	Experiences of Discrimination scale (modified)	National Epidemiologic Survey On Alcohol and Related Conditions III	52.60	Unknown	Diverse	0.11	Fair
Lui 2020 [107]	988	Cross-sectional	Journal	United States	Alcohol use problems; alcohol use	Everyday Discrimination scale	NA	42; 60.4; 64.7	22.42; 22.69; 23.02	Black American; Asian American; Latinx	-0.16; 0.23; 0.08; 0.05; 0.08; -0.06	Poor
Meca <i>et al.</i> 2020 [108]	1101	Longitudinal (3 y)	Journal	United States	Alcohol use	Unknown	Project RED	51.20	13.99	Latinx	0.14	Fair
Jelsma <i>et al.</i> 2019 [109]	610	Longitudinal (3 y)	Journal	United States	Alcohol use; cannabis use	Bespoke scale ^a	Maryland Adolescent Development in Context Study	49	Unknown	Black American	0.17; 0.16	Fair
Su <i>et al.</i> 2020 [110]	383	Cross-sectional	Journal	United States	Alcohol use	Schedule of Racist Events	Cultural Experiences and Alcohol Use study	81	20.65	Black American	0.07	Fair

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Hicks <i>et al.</i> 2018 [111]	505	Longitudinal (1.5 y)	Journal	United States	Tobacco use	Schedule for Racist Events (modified)	African American Men's Health Project	0	20.26	Black American	0.19	Fair
Nieri <i>et al.</i> 2022 [112]	259	Longitudinal (unknown length)	Journal	United States	Alcohol use; binge drinking; cannabis use	Unknown	NA	61	15	Diverse	-0.088; -0.033; 0.004	Poor
Piña-Watson <i>et al.</i> 2019 [113]	796	Cross-sectional	Journal	United States	At-risk alcohol use	Perceived racism scale for Latinxs - Frequency of exposure to racism subscale	NA	66.30	19.45	Latinx	0	Fair
Desalu <i>et al.</i> 2017 [42]	251	Cross-sectional	Journal	United States	Alcohol use problems; binge drinking	The Perceived Ethnic Discrimination Questionnaire	NA	66	20	Black American	0.3; -0.01	Fair
Le <i>et al.</i> 2019 [114]	311	Longitudinal (1 y)	Journal	United States	Alcohol use; alcohol use problems	Everyday Discrimination scale	Unknown	55	18.1	Asian American	0.15; 0.01	Fair
Dickerson <i>et al.</i> 2019 [43]	182	Cross-sectional	Journal	United States	Alcohol use problems; alcohol use; binge drinking; cannabis use; tobacco use; cannabis use problems	Microaggressions Distress Scale	NA	50	15.6	Indigenous North American	0.35; 0.13	Fair
Franco <i>et al.</i> 2019 [115]	466	Cross-sectional	Journal	United States	Composite substance use	Multiracial Challenge and Resilience scale (General discrimination subscale)	NA	66.20	29.7	Multi-racial/ethnic	0.1	Poor
Zapolski <i>et al.</i> 2019 [116]	612	Cross-sectional	Journal	United States	Composite substance use	Bespoke scale ^a	Unknown	58.40	Unknown	Black American	0.15	Poor
Zapolski <i>et al.</i> 2018 [117]	388	Cross-sectional	Journal	United States	Alcohol use	Schedule of Racist Events	NA	62.40	20.6	Black American	0.56	Fair
Gibbons <i>et al.</i> 2018 [118]	889	Longitudinal (13 y)	Journal	United States	Smoking status; tobacco use	Schedule of Racist Events	FACHS	54	15.5	Black American	0.1; 0.12	Fair

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Lee et al. 2018 [119]	681	Longitudinal (3 y)	Journal	United States	At-risk alcohol use	Daily Life Experiences scale	Unknown	51	Unknown	Black American	0.1	Fair
Metzger et al. 2018 [120]	235	Cross-sectional	Journal	United States	Alcohol use, binge drinking	Daily Life Experiences scale	Activities and Behaviours in College study	73.60	20.56	Black American	0.16; 0.21	Poor
Pittman et al. 2018 [121]	469	Cross-sectional	Journal	United States	At-risk alcohol use	Index of Race-Related Stress (brief version)	Unknown	100	20.24	Black American	0.18	Poor
Ornelas et al. 2015 [122]	5313	Cross-sectional	Journal	United States	Binge drinking	Brief Perceived Ethnic Discrimination Questionnaire (community version)	Hispanic Community Health study/ Study of Latinos - Sociocultural ancillary study	55	42	Latinx	0.1	Fair
Demianczyk 2015 [123]	418	Cross-sectional	Dissertation	United States	Alcohol use problems	The Racial and Ethnic Microaggression scale	NA	Unknown	Unknown	Asian American; Black American; Latinx; multi-racial/ethnic	0.44; 0.35; 0.38; 0.3	Poor
Zapolski et al. 2016 [124]	1521	Cross-sectional	Journal	United States	Composite substance use	Bespoke scale ^a	Unknown	56.30	Unknown	Black American	0.07	Poor
Thompson et al. 2016 [125]	144	Cross-sectional	Journal	United States	Alcohol use, at-risk alcohol use, smoking status	Experiences of Discrimination scale	The Black LIFE	52	44.6	Black American	0.0325; 0.229; 0.58	Poor
Greenfield 2015 [126]	347	Cross-sectional	Dissertation	United States	Alcohol use; binge drinking; illicit substance use	The Microaggressions scale	NA	61.50	28.45	Indigenous North American	0.022; 0.014; 0.134	Fair
Armenta et al. 2015 [127]	674	Longitudinal (7 y)	Journal	United States; Canada	Alcohol use disorder; presence-absence of alcohol use	Schedule of Racist Events	Unknown	Unknown	Unknown	Indigenous North American	0.15; 0.07	Good
Tse et al. 2014 [128]	202	Cross-sectional	Journal	Hong Kong	At-risk alcohol use	Unknown	NA	0	Unknown	South Asian	0.03	Poor
Rodriguez-Seijas et al. 2015 [129]	5191	Cross-sectional	Journal	United States	Alcohol use disorder; substance use disorder	Bespoke scale ^a	National Survey of American Life	Unknown	Unknown	Black American	0.23; 0.22	Poor

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Brondolo <i>et al.</i> 2015 [130]	518	Longitudinal (up to 3 weeks)	Journal	United States	Smoking status	Perceived Ethnic Discrimination Questionnaire (community version)	Unknown	Unknown	Unknown	Black American	0.19; 0.03	Fair
Cano <i>et al.</i> 2015 [131]	129	Cross-sectional	Journal	United States	At-risk alcohol use	Environmental scale from the Social attitudes, Familial, and Environmental Acculturation scale	NA	70	19.41	Latinx	0.23	Poor
Cheng <i>et al.</i> 2015 [132]	203	Longitudinal (1 y)	Journal	United States	At-risk alcohol use	General Ethnic Discrimination scale	NA	59.10	24.06	Latinx	0.18	Fair
Spence <i>et al.</i> 2014 [133]	340	Cross-sectional	Journal	Canada	Presence-absence of cannabis use	Measure of Indigenous Racism Experience Interpersonal racism scale	Researching Health in Ontario Communities	54.90	41	Indigenous North American	0	Fair
Kapadia 2013 [134]	13 914	Cross-sectional	Dissertation	United States	Alcohol use disorder	Experiences of Discrimination scale	National Epidemiologic survey on Alcohol and related conditions II	61	Unknown	Diverse	0.16; 0.14	Fair
Hurd <i>et al.</i> 2014 [26]	681	Longitudinal (3 y)	Journal	United States	Alcohol use; tobacco use	Unknown	Unknown	Unknown	Unknown	Black American	0.21; 0.02	Fair
Otiniano Verissimo <i>et al.</i> 2014 [135]	2312	Cross-sectional	Journal	United States	Alcohol use; alcohol use disorder; illicit substance use; substance use disorder	Everyday Discrimination scale	NLAAS	55	Unknown	Latinx	0.11; 0.13; 0.4; 0.23; 0.24; 0.22; 0.5; 0.25	Fair
Latzman <i>et al.</i> 2013 [136]	336	Cross-sectional	Journal	United States	Alcohol use problems	Unknown	NA	70.50	20.4	Diverse	0.56	Poor
Borrell <i>et al.</i> 2012 [137]	1169	Longitudinal (13 y)	Journal	United States	Presence-absence of alcohol use	Bespoke scale ^a	CARDIA	Unknown	Unknown	Black American	0.21	Fair

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Thoma <i>et al.</i> 2013 [138]	276	Cross-sectional	Journal	United States	Alcohol use; binge drinking; cannabis use; tobacco use	Schedule of Racist Events	Diverse Adolescents Sexual Health study	33	17.45	Black American	-0.02; 0.15; 0.22; 0.1	Poor
Horton <i>et al.</i> 2011 [139]	573	Cross-sectional	Journal	United States	Tobacco use	General Ethnic Discrimination scale	Unknown	47	Unknown	Black American; Latinx	0.17; 0.03	Poor
Gibbons <i>et al.</i> 2013 [140]	889	Longitudinal (8 y)	Journal	United States	Composite substance use	Schedule of Racist Events	FACHS	54	18.5	Black American	0.1	Good
Park 2010 [141]	1628	Cross-sectional	Dissertation	United States	Alcohol use	Bespoke scale ^a	NLAAS	52.50	41.6; 41.9; 43	Asian American	0.05; -0.03; 0.23	Poor
Respress 2010 [142]	514	Cross-sectional	Dissertation	United States	Alcohol use; binge drinking; cannabis use; presence-absence of cannabis use	Bespoke scale ^a	The National Longitudinal Study of Adolescent Health	52.50	Unknown	Black American	0.042; 0.082; 0.196; 0.16	Poor
Krieger <i>et al.</i> 2011 [143]	504	Cross-sectional	Journal	United States	Smoking status	Everyday Discrimination scale	My body, My story	69.20	48.6	Black American	0.01	Fair
Kam <i>et al.</i> 2011 [144]	728	Longitudinal (2 y)	Journal	United States	Composite substance use	Bespoke scale ^a	Unknown	54	12.3	Latinx	0.11	Fair
Gallher <i>et al.</i> 2010 [145]	133	Cross-sectional	Journal	United States	Composite substance use; substance use problems	Unknown	NA	Unknown	Unknown	Indigenous North American	0.371; -0.229	Fair
Borrell <i>et al.</i> 2010 [44]	2266	Cross-sectional	Journal	United States	Smoking status	Detroit Area Study Discrimination Questionnaire	Multi-ethnic study of Atherosclerosis	51.4; 51.9	Unknown	Asian American; Latinx	0.1; 0.14	Poor
Kwate <i>et al.</i> 2009 [146]	139	Cross-sectional	Journal	United States	Binge drinking; at-risk alcohol use	Daily Life Experiences scale (race and bother scales)	Unknown	100	34	Black American	0.071; -0.097	Fair
Yoo <i>et al.</i> 2009 [147]	271	Cross-sectional	Journal	United States	Presence-absence of alcohol use	Unknown	Asian Pacific Arizona Initiative survey	52.20	43.6	Asian American	0.05	Poor
Semino 2008 [148]	110	Cross-sectional	Dissertation	United States	At-risk alcohol use	Schedule of Racist Events	NA	100	32.6	Black American	0.13	Fair

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Kulis <i>et al.</i> 2009 [149]	1374	Cross-sectional	Dissertation	United States	Alcohol use; cannabis use; illicit substance use; tobacco use	Bespoke scale ^a	Unknown	51.20	10.36	Latinx	0.14; 0.165; 0.119; 0.154	Poor
Gibbons <i>et al.</i> 2007 [150]	606	Longitudinal (5 y)	Journal	United States	Cannabis use; illicit substance use	Schedule of Racist Events	FACHS	Unknown	10.5	Black American	0.15; 0.08	Fair
Kwate <i>et al.</i> 2003 [151]	33–34	Longitudinal (unknown length)	Journal	United States	Alcohol use; tobacco use	Schedule of Racist Events	Unknown	100	44.4	Black American	0.23; 0.13	Poor
Guthrie <i>et al.</i> 2002 [152]	178	Cross-sectional	Journal	United States	Presence-absence of tobacco use	Everyday Discrimination scale	Female Adolescent Substance Experience study	100	15.45	Black American	0.35	Poor
Lui <i>et al.</i> 2020 [153]	740	Cross-sectional	Pre-print	United States	At-risk alcohol use	Everyday Discrimination scale	NA	53	Unknown	Asian American; Black American	0.1; 0.24; 0.18; 0.12	Poor
Keum <i>et al.</i> 2023 [154]	407	Cross-sectional	Journal	United States	At-risk alcohol use	The Perceived Online Racism scale	NA	57	34.12	Diverse	0.45	Fair
Cave <i>et al.</i> 2019 [155]	424–443	Longitudinal (5 y)	Journal	Australia	Presence-absence of alcohol use; Presence-absence of tobacco use	Bespoke scale ^a	Footprints in time: The Longitudinal study of Indigenous Children	49.60	Unknown	Aboriginal Australian and Torres Strait Islanders	0.088; 0.38	Fair
Yen <i>et al.</i> 1999 [156]	716	Cross-sectional	Journal	United States	Alcohol use problems; at-risk alcohol use	Bespoke scale ^a	1993–1995 San Francisco Muni Health and Safety study	Unknown	Unknown	Diverse	0.07; 0.19	Poor
Greenfield <i>et al.</i> 2021 [157]	347	Cross-sectional	Journal	United States	Tobacco use	Experiences of Discrimination scale	NA	65.60	28.45	Indigenous North American	0.26	Poor
Assari <i>et al.</i> 2019 [158]	595	Longitudinal (13 y)	Journal	United States	Cannabis use	Daily Life Experiences scale	Flint Adolescent Study	53	14.8; 14.9	Black American	-0.04; 0.18	Fair
Tao <i>et al.</i> 2022 [159]	450	Cross-sectional	Journal	United States	Composite substance use		Unknown	52.40	20.84	Diverse	0.26	Fair

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Walsh <i>et al.</i> 2021 [160]	139	Cross-sectional	Journal	United States	At-risk alcohol use; substance use problems	Experiences of Discrimination scale	Unknown	100	26.78	Diverse	0.03; 0.1	Fair
Currie <i>et al.</i> 2021 [161]	210	Cross-sectional	Journal	Canada	Composite substance use	Everyday Discrimination scale	Unknown	47.10	Unknown	Diverse	0.34	Poor
Chae <i>et al.</i> 2008 [162]	2073	Cross-sectional	Journal	United States	Alcohol use disorder	Unknown	NLAAS	52.40	41	Asian American	0.08	Fair
Keum <i>et al.</i> 2022 [163]	322	Cross-sectional	Journal	United States	At-risk alcohol use	Perceived Online Racism Scale	NA	57	23.3	Diverse	0.44	Fair
Otiniano Verissimo <i>et al.</i> 2014 [46]	6294	Cross-sectional	Journal	United States	Substance use disorder	Experiences of Discrimination scale	National Epidemiological Survey on Alcohol and Related conditions II	49.18	43.82	Latinx	0.16	Fair
Squires <i>et al.</i> 2017 [164]	203	Cross-sectional	Journal	United States	Alcohol use; smoking status	Unknown	Unknown	32	44.1	Black American	0.098; 0.15	Fair
Martin <i>et al.</i> 2019 [165]	674	Longitudinal (5 y)	Journal	United States	Composite substance use	Unknown	NA	50	Unknown	Latinx	0.13	Good
Buckner <i>et al.</i> 2022 [166]	347	Cross-sectional	Journal	United States	Alcohol use; alcohol use problems	Perceived Ethnic Discrimination questionnaire	Unknown	Unknown	21.4	Latinx	0.15; -0.04	Fair
Buckner <i>et al.</i> 2021 [167]	160	Cross-sectional	Journal	United States	At-risk alcohol use	Perceived Ethnic Discrimination questionnaire	Unknown	82.90	21.7	Black American	0.27	Fair
Zaso <i>et al.</i> 2022 [168]	241	Cross-sectional	Journal	United States	Alcohol use	Perceived Ethnic Discrimination questionnaire	Unknown	63; 72	20.03; 20.06	Black American	0.2; -0.01	Fair
Call 2001 [169]	97	Cross-sectional	Dissertation	United States	Alcohol use; alcohol use problems; illicit substance use; substance use problems	Index of Race-Related Stress	NA	100	33.9	Black American	0.174; 0.073; 0.216; 0.084	Fair

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Woodson 2021 [170]	1146	Cross-sectional	Dissertation	United States	Composite substance use; presence-absence of alcohol use; presence-absence of cannabis use; presence-absence of tobacco use	Everyday Discrimination scale	National Survey of American Life Adolescent supplement	50	15	Black American	0.21; 0.19; 0.14; 0.16	Poor
Breeden 2004 [171]	599	Cross-sectional	Dissertation	United States	Cannabis use; illicit substance use	Bespoke scale ^a	Woodlawn project	51.80	Unknown	Black American	0.34; 0.37	Poor
Swann <i>et al.</i> 2020 [172]	352	Cross-sectional	Journal	United States	At-risk alcohol use; at-risk cannabis use	Brief Perceived Ethnic Discrimination questionnaire (community version)	Female-assigned at birth sexual and gender minorities	100	20.27	Diverse	0.17; 0.17; 0.26	Fair
Lee <i>et al.</i> 2014 [173]	136	Cross-sectional	Journal	United States	Composite substance use	Bespoke scale ^a	Korean Adoption Project	54	15.16	Asian American	0.19	Poor
Greene 1997 [174]	189	Cross-sectional	Dissertation	United States	Composite substance use	Bespoke scale ^a	NA	49.70	Unknown	Latinx	-0.27	Poor
Pittman <i>et al.</i> 2017 [175]	649	Cross-sectional	Journal	United States	At-risk alcohol use	Index of Race-Related Stress (brief version)	Unknown	74.70	20.42	Black American	0.2	Fair
Whitbeck <i>et al.</i> 2002 [176]	195	Cross-sectional	Journal	United States	Alcohol use problems; composite substance use	Unknown	NA	46	12.1	Indigenous North American	0.18; 0.29	Poor
Pro <i>et al.</i> 2017 [177]	322	Cross-sectional	Journal	United States	Cannabis use	Racial and Ethnic Microaggression scale	NA	66.40	22.6	Diverse	0.08	Poor
Somerville 2024 [178]	199	Cross-sectional	Dissertation	United States	Binge drinking; cannabis use; illicit substance use	Index of Race-Related Stress	Unknown	100	Unknown	Black American	0.14; 0.2; 0.11	Fair
Arreola 2024 [179]	115	Cross-sectional	Dissertation	United States	At-risk alcohol use	Brief Perceived Ethnic Discrimination questionnaire	NA	81.70	Unknown	Latinx	0.28	Fair

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement (community version)	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Jones 2024 [180]	108	Cross-sectional	Dissertation	United States	Alcohol use problems; alcohol use; alcohol use disorder; at-risk alcohol use	Perceived Online Racism scale	NA	52.80	21.7	Black American	0.279; 0.036; 0.257; 0.231	Fair
McDowell 2023 [181]	126	Cross-sectional	Dissertation	United States	At-risk alcohol use; at-risk cannabis use	Schedule of Racist Events	NA	39	23.6	Black American	0.43; 0.16	Fair
Dean 2019 [182]	152	Longitudinal (up to 2 months)	Dissertation	United States	Composite substance use	Schedule of Racist Events	NA	84.20	19.4	Black American	0.11	Fair
Centeno et al. 2023 [183]	703	Cross-sectional	Journal	United States	Illicit substance use	Adult and Peer Discrimination scale	Unknown	47.60	16	Latinx	0.12	Poor
Dyar et al. 2023 [184]	304	Longitudinal (up to 44 days)	Journal	United States	Alcohol use problems; cannabis use problems; alcohol use; cannabis use	Experiences of Discrimination scale	Unknown	Unknown	Unknown	Black American; Latinx; other ethnic minority	0.11; -0.01; 0.07; 0.26; -0.08; 0.03; 0.07; 0.03; 0.13; -0.02; 0.09; 0.05	Fair
Mora 2023 [185]	55	Cross-sectional	Dissertation	United States	Composite substance use	General Ethnic Discrimination scale	NA	57	Unknown	Latinx	0.35	Poor
Moreno et al. 2024 [186]	164	Cross-sectional	Journal	United States	Tobacco use	Experiences of Discrimination scale (modified)	Spit for Science study	81.10	19.9	Diverse	0.27	Poor
Assari 2023 [187]	2514	Longitudinal (Up to 36 months)	Journal	United States	Presence-absence of cannabis use; Presence-absence of tobacco use	Bespoke scale ^a	Adolescent Brain Cognitive Development Study	49.50	9.5	Black American	0.083; 0.028	Fair
Buckner et al. 2024 [188]	164	Cross-sectional	Journal	United States	Alcohol use problems; alcohol use	Perceived Ethnic Discrimination questionnaire	Unknown	82.90	21.7	Black American	0.27; 0.17	Fair
Zapolski and Depperman 2023 [189]	390	Cross-sectional	Journal	United States	At-risk alcohol use; at-risk cannabis use	Schedule of Racist Events	NA	62	20.6	Black American	0.67; 0.24	Fair
C��nat et al. 2023 [190]	860	Cross-sectional	Journal	Canada	Composite substance use	Schedule of Racist Events	Black Community	75.10	25	Black Canadian	0.348	Fair

(Continues)

TABLE 2 (Continued)

Study author and date	n	Design	Type	Country	Outcomes	Racial discrimination measurement	Secondary source	% female	Mean age	Race/ethnicity	Effect size	Study quality
Schick <i>et al.</i> 2023 [191]	52; 1743	Cross-sectional	Journal	United States; Canada	Alcohol use	Everyday Discrimination scale Perceived Discrimination scale	Mental Health Project Our Youth, Our Future	50; 45.2	15.4	Indigenous North American	0.31; 0.14	Fair
Espinosa <i>et al.</i> 2023 [192]	7037	Cross-sectional	Journal	United States	Substance use disorder	Experiences of Discrimination scale	National Epidemiological survey on alcohol and related conditions wave 3	56.10	39.9	Latinx	0.13	Fair
Macias Burgos <i>et al.</i> 2024 [193]	426	Cross-sectional	Journal	United States	At-risk alcohol use	Perceived Discrimination scale	Community Health Research and Implementation Science Data	65.50	40	Latinx	0.41	Fair
Nie 2024 [194]	356	Cross-sectional	Journal	United States	Tobacco use	Bespoke scale ^a	NA	49.90	48.3	Asian American	0.13	Poor
Barry <i>et al.</i> 2023 [195]	510	Cross-sectional	Journal	United States	Alcohol use; cannabis use; illicit substance use	Bespoke scale ^a	NA	52	Unknown	Indigenous North American	0.03; 0.07; 0.0	Poor
Morris <i>et al.</i> 2023 [196]	152	Cross-sectional	Journal	United States	Alcohol use; tobacco use; cannabis use	Daily Life Experiences and Racism scale	Unknown	74.50	21.5	Black American	0.018; -0.045; 0.024	Poor

Note: Multiple values within one column refer to values for multiple subgroups within a study or multiple outcomes per study.

Abbreviations: AAPI, Asian American and Pacific Islander; CARDIA, Coronary Artery Risk Development in Young Adults Study; FACHS, Family and Community Health Study; NA, Not applicable; Unknown, data not available; NLAAS, National Latino and Asian American Study.

^aBespoke scale refers to non-standardised or psychometrically tested measures/questionnaires.

TABLE 3 Results of main effect analyses.

AOD outcome domain	<i>n</i>	<i>m</i>	<i>k</i>	<i>r</i>	95% CI LL	95% CI UL	<i>P</i>	<i>Q</i>	PI LL	PI UL	<i>I</i> ² (%)
Tobacco use	13 256	17	23	0.07	0.002	0.14	0.04	250.34	-0.26	0.4	91
Alcohol use	23 623	41	55	0.09	0.06	0.13	<0.001	393.82	-0.13	0.32	86
Cannabis use	12 630	20	28	0.08	0.04	0.12	<0.001	170.46	-0.12	0.29	84.20
Illicit substance use	8022	14	15	0.18	0.12	0.24	<0.001	97.42	-0.05	0.41	85.60
Binge drinking	9601	15	15	0.09	0.07	0.11	<0.001	20.12	0.07	0.11	30.40
At-risk/hazardous alcohol use	9445	29	33	0.24	0.17	0.3	<0.001	614.2	-0.12	0.59	94.80
Alcohol use problems/consequences	8127	23	30	0.2	0.15	0.25	<0.001	184.56	-0.06	0.47	84.30
Substance use problems/consequences	1240	5	5	0.08	-0.09	0.25	0.33	32.25	-0.5	0.62	87.60
Alcohol use disorder	41 387	7	9	0.19	0.13	0.26	<0.001	177.67	-0.05	0.43	96
Substance use disorder	21 051	5	6	0.25	0.14	0.36	<0.001	218.45	-0.15	0.64	97.70
Composite substance use	10 578	19	19	0.17	0.11	0.23	<0.001	134.6	-0.1	0.45	86.60
Smoking status	4795	7	9	0.15	0.04	0.26	0.009	80.39	-0.26	0.56	90.00
Presence-absence of alcohol use	5017	6	6	0.15	0.09	0.21	<0.0001	21.61	-0.06	0.36	76.90
Presence-absence of tobacco use	5614	5	5	0.21	0.08	0.34	0.001	78.6	-0.28	0.7	94.90
Presence-absence of cannabis use	6174	7	7	0.13	0.08	0.18	<0.001	19.68	-0.01	0.27	69.50
At-risk/hazardous cannabis use	462	4	4	0.24	0.18	0.29	<0.001	1.01	0.12	0.35	0
Cannabis use problems/consequences	1267	2	4	0.09	0.001	0.18	0.05	2.1	-0.11	0.29	0

Abbreviations: AOD, alcohol and other drug use; CI LL, confidence interval lower limit; CI UL, confidence interval upper limit; *k*, number of effect sizes; *m*, number of studies; *n*, sample size; PI LL, prediction interval lower limit; PI UL, prediction interval upper limit.

consequences and alcohol use disorder (AUD) than with alcohol use. Similarly, at-risk/hazardous cannabis use and substance use disorder had stronger associations with racial discrimination than with cannabis use. However, illicit substance use has a stronger association with racial discrimination than with cannabis use. AOD outcomes with overlapping 95% CI, however, do not necessarily indicate any differences. Although for AOD outcomes whose 95% CI contain the mean correlation coefficient for another AOD outcome, equivalent effects can be inferred [197]. As such, no differences were observed between tobacco use and alcohol use, cannabis use and smoking status. No differences were found between alcohol use, cannabis use and binge drinking. Furthermore, no differences were identified between cannabis use and cannabis problems, or substance use disorder and AUD.

Publication bias

Across tobacco use, alcohol use, cannabis use, illicit substance use and alcohol use problems/consequences outcomes, funnel plots did not indicate asymmetry, which was supported by non-significant Eggers tests (*P* = 0.06–0.96). Correspondingly, doiplots and the LFK index across these domains did not suggest plot asymmetry (LFKs = -0.77 to 0.6). However, for the binge drinking domain, minor asymmetry was suspected in the funnel plot, yet the Eggers test was non-significant (*t* = -0.88, *P* = 0.4) and doiplots and LFK index indicated minor plot asymmetry (LFK = -1.36). Similarly, a non-significant Eggers test was observed (*t* = 0.54, *P* = 0.59) for the composite

substance use domain with minor plot asymmetry in doiplots and LFK index (1.53). Contrastingly, for at-risk/hazardous alcohol use, the Eggers test indicated plot asymmetry (*t* = -2.92, *P* = 0.007), while doiplot and LFK index did not. Moreover, for cannabis use problems/consequences and at-risk/hazardous cannabis use, doiplots and LFK index indicated minor plot asymmetry (LFK = -1.35, 1.92). For the substance use problems/consequences, AUD, substance use disorder, presence-absence of alcohol use, presence-absence of tobacco use domains, major plot asymmetry was detected via diplot and LFK index (LFKs = -4.16, 3.24). Doiplots and LFK index for smoking status and presence-absence of cannabis use did not indicate plot asymmetry (LFK = 0.84, -0.35).

Moderation analysis

Table 4 provides effect sizes, 95% CI, *P*-values and *I*² values for subgroup analyses.

The results of the subgroup analyses can be found in Table 4. The majority of these analyses did not provide evidence for moderation effects. Yet across racial/ethnic groups, differences were found for tobacco use, with Black American and Latinx subgroups having comparable positive correlation coefficients, however, Indigenous North Americans had the strongest positive associations, and a negative association was observed for Asian Americans. Likewise, differences were also identified in the composite substance use outcome, with Indigenous North Americans again having the strongest associations, compared to Black Americans and Latinxs. Within the at-risk/

TABLE 4 Summary of subgroup analyses.

AOD domain	Moderator	k	r	95% CI LL	95% CI UL	I ² (%)	P (subgroup differences)
Tobacco use	Study design						0.45
	Longitudinal	9	0.1	0.05	0.14	55.60	
	Cross-sectional	14	0.05	-0.05	0.16	94	
	Race/ethnicity						<0.001
	Black American	11	0.06	0.01	0.12	81.70	
	Latinx	4	0.06	-0.023	0.14	89.20	
	Indigenous North American	2	0.27	0.2	0.35	0	
	Asian American	2	-0.18	-0.8	0.43	99	
	Gender						0.22
	Male	3	0.14	0.02	0.27	72.50	
	Female	2	0.03	-0.09	0.15	0	
	Age group						0.1
	Youth and adolescents	11	0.06	-0.11	0.12	94.60	
	Young adult and adults	5	0.13	0.04	0.22	76.20	
	Exposure timing						0.05
Lifetime	3	0.18	0.06	0.29	62.80		
Past year	4	0.09	-0.05	0.23	80.60		
Less than past year	7	-0.06	-0.21	0.1	94.1		
Alcohol use	Study design						0.77
	Longitudinal	17	0.1	0.04	0.16	75.50	
	Cross-sectional	38	0.09	0.05	0.13	88.70	
	Race/ethnicity						0.72
	Black American	27	0.11	0.05	0.17	91.40	
	Latinx	11	0.08	0.03	0.14	73	
	Asian American	6	0.06	-0.01	0.14	77.10	
	Indigenous North American	6	0.12	0.03	0.21	71.50	
	Gender						0.5
	Male	3	0.09	0.04	0.15	18.10	
	Female	4	0.12	0.07	0.17	0	
	Age group						0.25
	Youth and adolescents	20	0.08	0.04	0.13	83.60	
	Young adult and adults	13	0.15	0.05	0.13	92.50	
	Exposure timing						0.09
Lifetime	6	0.06	-0.01	0.12	32		
Past year	12	0.16	0.07	0.25	93.10		
Less than past year	14	0.04	-0.02	0.09	75.6		
Cannabis use	Study design						0.95
	Longitudinal	11	0.08	0.03	0.14	58.10	
	Cross-sectional	17	0.08	0.02	0.14	89.00	
	Race/ethnicity						0.78
	Black American	15	0.1	0.04	0.17	89.50	
	Latinx	4	0.08	-0.01	0.16	80.80	
	Indigenous North American	2	0.07	-0.001	0.15	0.00	
	Gender						0.9
	Male	3	0.09	-0.06	0.23	81	

TABLE 4 (Continued)

AOD domain	Moderator	k	r	95% CI LL	95% CI UL	I ² (%)	P (subgroup differences)
Illicit substance use	Female	3	0.07	-0.06	0.21	73.00	0.1
	Age group						
	Youth and adolescents	16	0.05	0.006	0.1	83.60	
	Young adult and adults	5	0.16	0.04	0.28	81	0.52
	Exposure timing						
	Lifetime	2	0.17	-0.16	0.5	97.30	
	Past year	6	0.08	-0.01	0.17	67.30	0.44
	Less than past year	11	0.03	-0.02	0.09	72.3	
	Study design						
	Longitudinal	2	0.13	-0.003	0.26	49.30	0.28
	Cross-sectional	13	0.18	0.12	0.25	86.60	
	Race/ethnicity						0.13
	Black American	6	0.17	0.07	0.27	86.50	
Latinx	5	0.18	0.12	0.24	72.40		
Indigenous North American	2	0.06	-0.07	0.2	73.50	0.03	
Age group							
Young adult and adults	2	0.26	0.05	0.48	90.80		
Youth and adolescents	5	0.10	0.05	0.14	49.10	0.46	
Exposure timing							
Lifetime	2	0.32	0.18	0.46	54.80		
Past year	3	0.15	0.08	0.21	0	0.84	
Study design							
Longitudinal	4	0.07	0.009	0.13	25.10		
Cross-sectional	11	0.1	0.07	0.12	35.50	0.42	
Race/ethnicity							
Black American	8	0.09	0.04	0.14	45.60		
Latinx	2	0.1	0.07	0.13	0	0.23	
Indigenous North American	2	0.07	-0.05	0.19	48.40		
Gender							
Male	3	0.1	0.04	0.17	0	0.01	
Female	3	0.05	-0.08	0.17	58.40		
Age group							
Young adult and adults	2	0.15	0.04	0.25	51.70	0.06	
Youth and adolescents	3	0.06	-0.03	0.15	45.80		
Study design							
Longitudinal	3	0.13	0.07	0.19	0	0.1	
Cross-sectional	30	0.24	0.18	0.31	95.00		
Race/ethnicity							
Black American	14	0.27	0.16	0.37	96.20	0.94	
Latinx	6	0.22	0.1	0.34	91.70		
Asian American	4	0.07	-0.05	0.2	74.50		
Gender						0.1	
Male	5	0.19	0.04	0.35	84.70		
Female	7	0.19	0.12	0.26	57.10		
Exposure timing						0.94	

(Continues)

TABLE 4 (Continued)

AOD domain	Moderator	k	r	95% CI LL	95% CI UL	I ² (%)	P (subgroup differences)
Alcohol use problems/consequences	Lifetime	6	0.23	0.12	0.34	86.10	
	Past year	3	0.26	-0.15	0.67	99	
	Less than past year	6	0.26	0.09	0.44	95.80	
	Study design						0.03
	Longitudinal	8	0.14	0.08	0.19	24.90	
	Cross-sectional	22	0.23	0.16	0.29	86.90	
	Race/ethnicity						0.23
	Black American	12	0.16	0.08	0.23	73	
	Latinx	5	0.16	0.05	0.27	61.30	
	Asian American	4	0.25	0.14	0.36	73.20	
	Indigenous North American	3	0.28	0.17	0.38	38.80	
Age group						0.04	
Young adult and adults	11	0.15	0.1	0.2	49.70		
Youth and adolescents	3	0.28	0.17	0.38	38.80		
Exposure timing						0.13	
Lifetime	3	0.08	0.02	0.13	0		
Past year	4	0.16	0.03	0.29	80.20		
Less than past year	11	0.19	0.08	0.30	78.1		
Alcohol use disorder	Race/ethnicity						0.33
	Black American	2	0.23	0.2	0.26	0	
	Latinx	2	0.32	0.15	0.48	95.20	
	Gender						0.45
	Male	2	0.28	0.04	0.51	98.50	
	Female	2	0.18	0.09	0.27	89.90	
Composite substance use	Study design						0.64
	Longitudinal	5	0.15	0.07	0.23	65	
	Cross-sectional	14	0.18	0.1	0.26	89	
	Race/ethnicity						0.003
	Black American	7	0.13	0.09	0.18	62.80	
	Latinx	4	0.07	-0.17	0.31	91.30	
	Indigenous North American	3	0.29	0.23	0.35	0	
	Age group						0.01
	Young adult and adults	2	0.25	0.18	0.33	0	
	Youth and adolescents	10	0.11	0.03	0.19	83.90	
Smoking status	Study design						0.67
	Longitudinal	2	0.11	-0.04	0.27	70.70	
	Cross-sectional	7	0.16	0.02	0.3	92.20	
	Race/ethnicity						0.5
	Black American	5	0.2	0.01	0.4	94.40	
	Latinx	2	0.1	-0.002	0.2	60.90	
	Asian American	2	0.09	0.03	0.14	0	
	Exposure timing						0.36
	Lifetime	3	0.27	-0.03	0.57	96.60	
	Past week	2	0.11	-0.04	0.27	70.70	

TABLE 4 (Continued)

AOD domain	Moderator	k	r	95% CI LL	95% CI UL	I ² (%)	P (subgroup differences)
Presence-absence of alcohol use	Study design						0.55
	Longitudinal	3	0.13	0.04	0.22	81.10	
	Cross-sectional	3	0.17	0.07	0.27	74.10	
Presence-absence of cannabis use	Study design						0.36
	Longitudinal	3	0.09	0.06	0.13	0	
	Cross-sectional	4	0.13	0.05	0.21	74.20	
Presence-absence tobacco use	Study design						0.94
	Longitudinal	2	0.02	-0.14	0.55	98.30	
	Cross-sectional	3	0.22	0.1	0.33	72.00	

Note: Bold values denote significance as per 95% CI's that do not include zero.

Abbreviations: CI LL, confidence interval lower limit; CI UL, confidence interval upper limit; k, number of effect sizes.

hazardous alcohol use domain, however, Black Americans had the strongest association, followed by Latinx and then Asian Americans.

Moderation by gender did not reveal any differences between male and female-only samples across all AOD outcome domains.

In the alcohol use problems/consequences domain, adolescents and/or youths had stronger associations than young adults and/or adults. However, across the tobacco use, alcohol use, cannabis use, illicit substance use and binge drinking domains, there was a general trend of larger effect sizes in the young adult and/or adult subgroups.

Concerning moderation by study design, in the at-risk/hazardous alcohol use and alcohol use problems/consequences domains, stronger associations were observed for cross-sectional studies, compared to longitudinal studies.

Subgroup analysis by racial discrimination exposure timing demonstrated that, in the illicit substance use domain, lifetime exposure had a stronger association than past-year exposure. Likewise, in the tobacco use domain, lifetime exposure also had the strongest positive association, followed by past year exposure and a negative association was observed for less than past year exposure.

DISCUSSION

We used meta-analytic methods to understand the association between racial and AOD outcomes. The findings suggest that there is considerable evidence to suggest that racial discrimination is a consistent correlate of distinct AOD outcomes in minoritised racial/ethnic groups, predominantly based in the United States. Across AOD outcomes, all the associations were in the small range [198], but varied in magnitude. This study also found preliminary evidence that race/ethnicity, age group, exposure timing and study design moderate these associations to some degree.

Given that most of the participants included within this review resided in the United States, it is likely that our findings mainly reflect the nature of racial discrimination and AOD in the United States context. Our findings, therefore, demonstrate that the United States' history of racism continues to harm racially and ethnically minoritised

groups residing in the country. However, considering all of the studies included in this review were conducted in post-colonial and imperialist states/regions, the findings also point to enduring negative effects of these systems.

Previous research

The findings of this study align with previous meta-analyses, which report significant, positive associations between racial discrimination and AOD [35, 36, 199]. The magnitude of the associations between racial discrimination and alcohol use, binge drinking and alcohol use problems/consequences in the current study were similar to those reported by Desalu *et al.* [200], but the current study reports larger effect sizes for at-risk/hazardous alcohol use and AUD. This may arise from the current study using the full Alcohol Use Disorder Identification Test (AUDIT) scale to measure at-risk/hazardous alcohol use, whereas Desalu *et al.* [200] use the Alcohol Use Disorders Identification Test-Consumption (AUDIT-C). The full AUDIT captures health-harming aspects of alcohol use, such as dependency and problems related to use, which have been previously demonstrated to have stronger associations with racial discrimination than use alone [95, 201, 202]. Moreover, despite both studies using the same operationalisation for AUD, differences in the racial discrimination-AUD relationship across race/ethnicity might explain this discrepancy, as this study included a diverse minoritised racial/ethnic sample, while Desalu *et al.*'s [200] sample was Black American only.

Stronger associations between racial discrimination and at-risk/hazardous alcohol use, alcohol problems and AUD compared to alcohol use have been reported in previous work [46, 93, 110, 202]. This suggests that more harmful alcohol outcomes are more closely related to racial discrimination, rather than just use. Substance use motives may explain this, as motives to avoid negative internal states are more related to maladaptive alcohol use, whereas social and enhancement motives are stronger predictors of use [32,203,204]. Unexpectedly, comparable associations between alcohol use and binge drinking were found, despite the unhealthy nature of binge drinking. Yet some

evidence suggests that social motives are the strongest predictors of binge drinking [205, 206].

Our finding that racial discrimination had a weaker association with cannabis use, compared to other illicit substance use, is important. It demonstrates that incorporating cannabis into measures of illicit substance use in the context of racial discrimination is inappropriate and suggests that minoritised racial/ethnic groups exposed to racial discrimination may be at specific risk for illicit substance use. This finding corresponds to that reported by Garrett *et al.* [39] in their analysis of Cherokee Nation adolescents, which also observed that effect sizes for prescription and other illicit drug use were larger than for cannabis use. A recent analysis of diverse racial/ethnic groups (including White respondents) also reported larger effect sizes for the association between discrimination and illicit substances such as methamphetamines, than for cannabis, tobacco or alcohol, but smaller or comparable effect sizes for other illicit substances, including cocaine [207]. As the current study used a composite outcome for illicit substance use, the larger effect size may be driven by racial discrimination's stronger association with specific illicit substances. Yet it should be noted that, as the studies that contributed to both the illicit substance and cannabis use outcomes all used US-based samples, these findings are likely only applicable to minoritised racial/ethnic groups based in the United States.

The finding that Indigenous North Americans appear to be at higher risk for tobacco use when exposed to racial discrimination compared to Black Americans, Latinxs and Asian Americans, may be because of the accessibility of tobacco, as Indigenous North Americans living on reservations report paying less for tobacco than Black Americans, Latinxs or Asian Americans [208] because of the exploitative marketing practices of tobacco companies [209, 210]. Therefore, the higher price point for tobacco products for other minoritised racial/ethnic groups may make the use of tobacco to cope with racial discrimination stress unviable. The similar finding observed for the composite substance use outcome suggests that Indigenous North Americans may be particularly vulnerable to the pernicious effects of racial discrimination. However, the current study is the first to document these findings, as studies that have assessed the moderating role of race/ethnicity in the racial discrimination-AOD associations have consistently not included Indigenous North American participants.

The smaller effect sizes observed for Asian Americans, compared to Black Americans and Latinxs in the at-risk/hazardous drinking domain, could be accounted for by the model minority myth (MMM). As there is some evidence to suggest that internalisation of the MMM impedes the ability to accurately perceive discrimination [211, 212], which may affect the degree to which discrimination is appraised as stressful. Accordingly, Asian Americans may be less likely to engage in maladaptive coping strategies, such as AOD, to cope with the stress of racial discrimination.

The larger effect sizes for young adults and/or adults across six of the AOD outcome domains, compared to adolescents and/or youths, may be accounted for by the simultaneous depletion of familial protective influences and increased exposure to racial discrimination, which have been documented to occur with aging into

adulthood [213–215]. However, the opposite trend observed in the alcohol problems/consequences domain was unexpected. Notably, all the participants in the youth and/or adolescent subgroup for this outcome were Indigenous North American, who may be at particular risk for AOD when exposed to racial discrimination as discussed above. Therefore, this effect may be more driven by race/ethnicity than age.

The subgroup analyses identified that cross-sectional studies produced larger effect sizes than longitudinal studies in the at-risk/hazardous alcohol use and alcohol use problems domains. This finding aligns with Paradies *et al.* [216] meta-analyses, where they noted that racism produced stronger effects on negative mental health in cross-sectional studies, which has also been reported for minoritised ethnic groups living in the United Kingdom [217]. These findings suggest that the effects of racial discrimination may attenuate over time, potentially because of the progressive development of resiliency or the recruitment of protective resources, post-exposure to racial discrimination. Alternatively, there is the possibility that the larger effect sizes observed for cross-sectional studies reflect common-method bias, which can inflate effect size estimates, as cross-sectional studies are particularly vulnerable to this form of bias [218–220].

Our findings that lifetime exposure to racial discrimination had a stronger association with illicit substance and tobacco use, compared to recent exposure, are consistent with Carter *et al.*'s [36] results. Together, these findings support the weathering hypothesis [221], whereby as risk accumulates across the life course, so does the likelihood of negative health outcomes. Yet it is unclear why exposure timing is a significant moderator for some AOD outcomes and not others.

Limitations

The present study should be interpreted in the context of some limitations. First, our subgroup analysis by race/ethnicity could only be conducted across broad racial categories. It was uncommon in the primary studies to capture data on distinct ethnic identities, and therefore, grouped participants were grouped primarily by the continent of heritage. This overlooks the substantial heterogeneity within these broad racial/ethnic categorisations. Therefore, future research should aim to collect detailed data on the ethnic identities of participants to facilitate more thorough investigations of how the racial discrimination-AOD associations operate across distinct ethnic identities. Second, for some of the AOD outcomes, including at-risk/hazardous cannabis use and cannabis use problems/consequences, only a small number of studies contributed to effect sizes and therefore should be interpreted with caution. Moreover, the low number of effect sizes available within subgroups, notably in the male and female-only samples, likely limited our statistical power to detect moderation effects. Third, a small minority of studies included in this analysis were rated as good methodology quality, therefore, the inclusion of predominantly low to moderate-quality studies can threaten the reliability and validity of these findings.

Future research

Our findings have identified key areas for future research. First, the racial discrimination-AOD relationships warrant further research in Indigenous North American populations, as this study provides preliminary evidence that they may be especially vulnerable to the impacts of racial discrimination. Second, as the vast majority of studies included in this review were based on US samples, research on this association in minoritised racial/ethnic groups outside of the United States is required. Third, this study suggests that future research should give considerably more attention to how the timing of racial discrimination impacts different AOD outcomes.

CONCLUSIONS

In summary, the present study provides consistent evidence that racial discrimination is associated with AOD outcomes in minoritised racial/ethnic groups, yet this association varies to some degree across distinct AOD outcomes. We, therefore, provide evidence against the use of composite AOD measurements in this field. Moreover, the present study also suggests that these associations are somewhat modified by race/ethnicity, age, exposure timing and study design. The findings of this study could be informative for the development of prevention and intervention practices to mitigate the harmful effects of racism within minoritised racial/ethnic groups.

AUTHOR CONTRIBUTIONS

Evie Gates: Conceptualization (equal); data curation (lead); formal analysis (lead); investigation (equal); methodology (equal); project administration (lead); validation (lead); writing—original draft (lead); writing—review and editing (lead). **Matthew Cant:** Data curation (supporting); investigation (supporting); methodology (supporting); project administration (supporting); validation (supporting); writing—review and editing (supporting). **Rebecca Elliott:** Conceptualization (equal); formal analysis (supporting); investigation (supporting); methodology (equal); supervision (lead); writing—original draft (supporting); writing—review and editing (supporting). **Patricia Irizar:** Data curation (supporting); investigation (supporting); methodology (supporting); project administration (supporting); supervision (supporting); writing—review and editing (supporting). **Christopher J. Armitage:** Conceptualization (equal); formal analysis (supporting); investigation (equal); methodology (equal); supervision (lead); writing—original draft (supporting); writing—review and editing (supporting).

ACKNOWLEDGEMENTS

We acknowledge and thank the Economic and Social Research Council and the Biotechnology and Biological Sciences Research Council for funding this project. We also thank Martyna Kosciuszko for taking time out of her PhD to contribute to this project. C.J.A. is supported by National Institute for Health and Care Research (NIHR) Manchester Biomedical Research Centre and NIHR Greater Manchester Patient Safety Research Collaboration. Views of the authors do not

necessarily represent those of the NIHR or Department of Health and Social Care. R.E. is supported by NIHR Manchester Biomedical Research Centre. Views of the authors do not necessarily represent those of the NIHR.

DECLARATION OF INTERESTS

None.

DATA AVAILABILITY STATEMENT

The data that support the findings of this study are available in supplementary materials 5.

CLINICAL TRIAL REGISTRATION

PROSPERO registration ID CRD42022381762 (https://www.crd.york.ac.uk/prospero/display_record.php?RecordID=381762)

ORCID

Evie Gates  <https://orcid.org/0000-0003-4662-7418>

REFERENCES

- Krieger N. A glossary for social epidemiology. *J Epidemiol Community Health* (1978). 2001;55(10):693–700.
- Corbie-Smith G, Henderson G, Blumenthal C, Dorrance J, Estroff S. Conceptualizing race in research. *J Natl Med Assoc*. 2008;100(10):1235–43.
- Bryant BE, Jordan A, Clark US. Race as a social construct in psychiatry research and practice. *JAMA Psychiatry*. 2022;79(2):93.
- National Human Genome Research Institute. Talking glossary of genomic and genetic terms National Human Genome Research Institute; 2023.
- Ford CL, Harawa NT. A new conceptualization of ethnicity for social epidemiologic and health equity research. *Soc Sci Med*. 2010;71(2):251–8.
- APA dictionary of psychology - race American Psychological Association. American Psychological Association; 2023.
- Canadian National Institute of Health Information. Canadian institute for health information Ottawa: Racialized Group Stratifier: Guidance on Measuring and Reporting Inequalities; 2022.
- Diversity Council Australia. Race overview Diversity Council Australia; 2025.
- O'Connor P. Ethnic minorities and ethnicity in Hong Kong. In: *Routledge handbook of contemporary Hong Kong* 1st ed. Routledge; 2018. p. 259–74.
- Population Census Office of the Census and Statistics Department. Census and Statistics Department - The Government of the Hong Kong Special Administrative Region. 2022. 2021 Population Census – Thematic Report: Ethnic Minorities.
- Australian Bureau of Statistics. Australian Bureau of Statistics Australian Standard Classification of Cultural and Ethnic Groups (ASCEG); 2019.
- Clarke D, Colantonio A, Rhodes A, Escobar M. Ethnicity and mental health: conceptualization, definition and operationalization of ethnicity from a Canadian context. *Chronic Dis Canada*. 2008;28(4):128–47.
- American Psychological Association. APA dictionary of psychology - ethnicity American Psychological Association; 2023.
- National Cancer Insitute. Ethnicity National Institutes of Health.
- United Nations. Indigenous peoples and ethnic minorities: Marginalization is the norm. In: *The report on the world social situation 2018 promoting inclusion through social protection*; 2018. p. 97–108.

16. Wu LT. Racial/ethnic variations in substance-related disorders among adolescents in the United States. *Arch Gen Psychiatry*. 2011; 68(11):1176.
17. Swaim RC, Stanley LR. Substance use among American Indian youths on reservations compared with a National Sample of US adolescents. *JAMA Netw Open*. 2018;1(1):e180382.
18. Shih RA, Miles JNV, Tucker JS, Zhou AJ, D'Amico EJ. Racial/ethnic differences in adolescent substance use: mediation by individual, family, and school factors. *J Stud Alcohol Drugs*. 2010;71(5):640–51.
19. Patrick ME, Schulenberg JE. Prevalence and predictors of adolescent alcohol use and binge drinking in the United States. *Alcohol Res*. 2013;35(2):193–200.
20. Vogt Yuan AS. Black-WHITE differences in aging out of substance use and abuse. *Sociol Spectrum*. 2010;31(1):3–31.
21. Mulia N. Alcohol-related disparities among women: evidence and potential explanations. *Alcohol Res*. 2020;40(2):9.
22. Brondolo E, Brady ver Halen N, Pencille M, Beatty D, Contrada RJ. Coping with racism: a selective review of the literature and a theoretical and methodological critique. *J Behav Med*. 2009;32(1):64–88.
23. Contrada RJ, Ashmore RD, Gary ML, Coups E, Egeth JD, Sewell A, et al. Measures of ethnicity-related stress: psychometric properties, ethnic group differences, and associations with well-being¹. *J Appl Soc Psychol*. 2001;31(9):1775–820.
24. Contrada RJ, Ashmore RD, Gary ML, Coups E, Egeth JD, Sewell A, et al. Ethnicity-related sources of stress and their effects on well-being. *Curr Dir Psychol Sci*. 2000;9(4):136–9.
25. Banks DE, Zapolski TCB. The crossover effect: a review of racial/ethnic variations in risk for substance use and substance use disorder across development. *Curr Addict Rep*. 2018;5(3):386–95.
26. Hurd NM, Varner FA, Caldwell CH, Zimmerman MA. Does perceived racial discrimination predict changes in psychological distress and substance use over time? An examination among black emerging adults. *Dev Psychol*. 2014;50(7):1910–8.
27. Keyes KM, Vo T, Wall MM, Caetano R, Suglia SF, Martins SS, et al. Racial/ethnic differences in use of alcohol, tobacco, and marijuana: is there a cross-over from adolescence to adulthood? *Soc Sci Med*. 2015;124:132–41.
28. Gerrard M, Stock ML, Roberts ME, Gibbons FX, O'Hara RE, Weng CY, et al. Coping with racial discrimination: the role of substance use. *Psychol Addict Behav*. 2012;26(3):550–60.
29. Amaro H, Sanchez M, Bautista T, Cox R. Social vulnerabilities for substance use: stressors, socially toxic environments, and discrimination and racism. *Neuropharmacology*. 2021;188:108518.
30. Lazarus RS, Folkman S. *Stress, appraisal, and coping* Springer Publishing Company; 1984.
31. Greeley J, Oei T. Alcohol and tension reduction. In: *Psychological theories of drinking and alcoholism* 2nd ed.; 1999. p. 14–53.
32. Cooper ML, Kuntsche E, Levitt A, Barber LL, Wolf S. In: Sher KJ, editor *Motivational models of substance use* 1 Oxford University Press; 2015.
33. Khantzian EJ. The self-medication hypothesis of substance use disorders: a reconsideration and recent applications. *Harv Rev Psychiatry*. 1997;4(5):231–44.
34. Carter RT, Lau MY, Johnson V, Kirkinis K. Racial discrimination and health outcomes among racial/ethnic minorities: a meta-analytic review. *J Multicult Couns Devel*. 2017;45(4):232–59.
35. Benner AD, Wang Y, Shen Y, Boyle AE, Polk R, Cheng YP. Racial/ethnic discrimination and well-being during adolescence: a meta-analytic review. *Am Psychol*. 2018;73(7):855–83.
36. Carter RT, Johnson VE, Kirkinis K, Roberson K, Muchow C, Galgay C. A meta-analytic review of racial discrimination: relationships to health and culture. *Race Soc Probl*. 2019;11(1):15–32.
37. Dai HD, Thiel G, Hafer D. Perceived racism and discrimination and youth substance use in the United States – intersections with sex and ethnicity. *Prev Med (Baltim)*. 2024;178:107811.
38. Tobler AL, Maldonado-Molina MM, Staras SAS, O'Mara RJ, Livingston MD, Komro KA. Perceived racial/ethnic discrimination, problem behaviors, and mental health among minority urban youth. *Ethn Health*. 2013;18(4):337–49.
39. Garrett BA, Livingston BJ, Livingston MD, Komro KA. The effects of perceived racial/ethnic discrimination on substance use among youths living in the Cherokee nation. *J Child Adolesc Subst Abuse*. 2017;26(3):242–9.
40. Mattingly DT, Fleischer NL, Colston DC, Mezuk B. Perceived racial discrimination and polysubstance use among African American and afro-Caribbean adults: results from the National Survey of American life. *J Ethn Subst Abuse*. 2022;21(4):1199–218.
41. Reyes L, Treitler P, Peterson NA. Testing relationships between racial-ethnic identity, racial-ethnic discrimination, and substance misuse among black and Latinx older adults in a nationally representative sample. *Res Aging*. 2022;44(1):96–106.
42. Desalu JM, Kim J, Zaso MJ, Corridors SR, Loury JA, Minter ML, et al. Racial discrimination, binge drinking, and negative drinking consequences among black college students: serial mediation by depressive symptoms and coping motives. *Ethn Health*. 2019;24(8): 874–88.
43. Dickerson DL, Brown RA, Klein DJ, Agniel D, Johnson C, D'Amico EJ. Overt perceived discrimination and racial microaggressions and their association with health risk behaviors among a sample of urban American Indian/Alaska native adolescents. *J Racial Ethn Health Disparities*. 2019;6(4):733–42.
44. Borrell LN, Diez Roux AV, Jacobs DR, Shea S, Jackson SA, Shrager S, et al. Perceived racial/ethnic discrimination, smoking and alcohol consumption in the multi-ethnic study of atherosclerosis (MESA). *Prev Med (Baltim)*. 2010;51(3–4):307–12.
45. Assari S, Mistry R, Caldwell C. Perceived discrimination and substance use among Caribbean black youth; gender differences. *Brain Sci*. 2018;8(7):131.
46. Otiniano Verissimo AD, Grella CE, Amaro H, Gee GC. Discrimination and substance use disorders among Latinos: the role of gender, nativity, and ethnicity. *Am J Public Health*. 2014;104(8): 1421–8.
47. Sartor CE, Woerner J, Haeny AM. The contributions of everyday and major experiences of racial discrimination to current alcohol use and regular smoking in black adults: considering variation by demographic characteristics and family history. *Addict Behav*. 2021;114: 106711.
48. Chen S, Mallory AB. The effect of racial discrimination on mental and physical health: a propensity score weighting approach. *Soc Sci Med*. 2021;285:114308.
49. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;29:n71.
50. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app for systematic reviews. *Syst Rev*. 2016;5(1):210.
51. National Heart Lung and Blood Institute. *Study quality assessment tools* National Institutes of Health; 2021.
52. Harvey LA, Dijkers MP. Should trials that are highly vulnerable to bias be excluded from systematic reviews? *Spinal Cord*. 2019;57(9): 715–6.
53. Metelli S, Chaimani A. Challenges in meta-analyses with observational studies. *Evidence Based Mental Health*. 2020;23(2):83–7.
54. Schünemann H, Brożek B, Guyatt G, Oxman A. *GRADE Handbook*. 2013.
55. Pedro Lima J, Chu X, Guyatt G. Tangamornsukan1 2, Wimonchat. Certainty of evidence, why? *J Bras Pneumol*. 2023;e20230167.
56. Villacura-Herrera C, Kenner N. rESCMa: a brief summary on effect size conversion for meta-analysis OSF Preprints; 2020.
57. Wilson DB. *Practical meta-analysis effect size calculator* [online calculator] Campbell Collaboration; 2023.

58. Rupinski MT, Dunlap WP. Approximating Pearson product-moment correlations from Kendall's tau and spearman's rho. *Educ Psychol Meas.* 1996;56(3):419–29.
59. Jacobs P, Viechtbauer W. Estimation of the biserial correlation and its sampling variance for use in meta-analysis. *Res Synth Methods.* 2017;8(2):161–80.
60. Field AP. Meta-analysis of correlation coefficients: a Monte Carlo comparison of fixed- and random-effects methods. *Psychol Methods.* 2001;6(2):161–80.
61. Borenstein M, Hedges LV, Higgins JPT, Rothstein HR. effect sizes based on correlations. In: *Introduction to Meta-Analysis*; 2009.
62. Fu R, Gartlehner G, Grant M, Shamliyan T, Sedrakyan A, Wilt T, et al. Conducting quantitative synthesis when comparing medical interventions: AHRQ and the effective health care program. *J Clin Epidemiol.* 2011;64(11):1187–97.
63. Higgins JPT, Chandler J, Cumpston M, Li T, Page MJ, Welch VA. *Cochrane handbook for systematic reviews of interventions version 6.3* Cochrane; 2022.
64. Huedo-Medina TB, Sánchez-Meca J, Marín-Martínez F, Botella J. Assessing heterogeneity in meta-analysis: Q statistic or I^2 index? *Psychol Methods.* 2006;11(2):193–206.
65. Gucciardi DF, Lines RLJ, Ntoumanis N. Handling effect size dependency in meta-analysis. *Int Rev Sport Exerc Psychol.* 2022;15(1):152–78.
66. Bracken MB. Meta-analysis requires independent observations and freedom from bias. *Br J Clin Pharmacol.* 2016;81(6):1191–3.
67. Egger M, Smith GD, Schneider M, Minder C. Bias in meta-analysis detected by a simple, graphical test. *BMJ.* 1997;315(7109):629–34.
68. Soeken K, Sripusanapan A. Assessing publication bias in meta-analysis. *Nursing Research.* 2003;52(1):57–60.
69. Sterne J, Egger M, Moher D, Boutron I. Addressing reporting biases. In: *Cochrane handbook for systematic reviews of interventions, version 5.2.0* Cochrane; 2017. p. 2017.
70. Sterne JAC, Sutton AJ, Ioannidis JPA, Terrin N, Jones DR, Lau J, et al. Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised controlled trials. *BMJ.* 2011;343(jul22 1):d4002.
71. Furuya-Kanamori L, Barendregt JJ, Doi SAR. A new improved graphical and quantitative method for detecting bias in meta-analysis. *Int J Evid Based Healthc.* 2018;16(4):195–203.
72. Khazvand S, Zapolski TCB, Cyders MA, Pietri ES. The relationship between racial discrimination and substance use: does locus of control help explain risk? *Addict Behav Rep.* 2022;15:100429.
73. Layland EK. Leveraging latent class modeling at the intersection of racism and homonegativism: identifying subgroups of black and Latino sexual minority Young men and links with substance use dissertation abstracts international: section B: the sciences and engineering 83(3B The Pennsylvania State University; 2020.
74. Lee DB, Hope MO, Heinze JE, Cunningham M, Caldwell CH, Zimmerman MA. Psychological pathway from racial discrimination to the physical consequences of alcohol consumption: religious coping as a protective factor. *J Ethn Subst Abuse.* 2020;19(3):453–75.
75. Gerrard M, Gibbons FX, Fleischli ME, Cutrona CE, Stock ML. Moderation of the effects of discrimination-induced affective responses on health outcomes. *Psychol Health.* 2018;33(2):193–212.
76. Tran V. Investigation of the relationship of socio-cultural factors on the mental health and alcohol use of Vietnamese Americans [PhD] Alliant International University; 2016.
77. Drazdowski TK, Perrin PB, Trujillo M, Sutter M, Benotsch EG, Snipes DJ. Structural equation modeling of the effects of racism, LGBTQ discrimination, and internalized oppression on illicit drug use in LGBTQ people of color. *Drug Alcohol Depend.* 2016;1(159):255–62.
78. Lorenzo-Blanco EI, Unger JB. Ethnic discrimination, acculturative stress, and family conflict as predictors of depressive symptoms and cigarette smoking among Latina/o youth: the mediating role of perceived stress. *J Youth Adolesc.* 2015;44(10):1984–97.
79. Sanders-Phillips K, Kliever W, Tirmazi T, Nebbitt V, Carter T, Key H. Perceived racial discrimination, drug use, and psychological distress in African American youth: a pathway to child health disparities. *J Soc Issues.* 2014;70(2):279–97.
80. Ornelas IJ, Eng E, Perreira KM. Perceived barriers to opportunity and their relation to substance use among Latino immigrant men. *J Behav Med.* 2011;34(3):182–91.
81. Copeland-Linder N, Lambert SF, Chen YF, Jalongo NS. Contextual stress and health risk behaviors among African American adolescents. *J Youth Adolesc.* 2011;40(2):158–73.
82. Flores E, Tschann JM, Dimas JM, Pasch LA, de Groat CL. Perceived racial/ethnic discrimination, posttraumatic stress symptoms, and health risk behaviors among Mexican American adolescents. *J Couns Psychol.* 2010;57(3):264–73.
83. Stone AL, Carlisle SK. Racial bullying and adolescent substance use: an examination of school-attending young adolescents in the United States. *J Ethn Subst Abuse.* 2017;16(1):23–42.
84. Berkel C, Murry VM, Thomas NA, Bekele B, Debreaux ML, Gonzalez C, et al. The strong African American families program: disrupting the negative consequences of racial discrimination through culturally tailored, family-based prevention. *Prev Sci.* 2022;25:44–55.
85. Mata-Greve F, Torres L. Rejection and Latina/o mental health: intragroup marginalization and intragroup separation. *Am J Orthopsychiatry.* 2019;89(6):716–26.
86. Liu MA, Prestigiacomo CJ, Karim MFA, Ashburn-Nardo L, Cyders MA. Psychological outcomes and culturally relevant moderators associated with events of discrimination among Asian American adults. *Cultur Divers Ethnic Minor Psychol.* 2022;30(2):363–73.
87. Song J, Ip KI, Yan J, Lui PP, Kamata A, Kim SY. Pathways linking ethnic discrimination and drug-using peer affiliation to underage drinking status among Mexican-origin adolescents. *Exp Clin Psychopharmacol.* 2022;30(5):609–19.
88. Su J, Trevino AD, Kuo SIC, Aliev F, Williams CD, Guy MC, et al. Racial discrimination and alcohol problems: examining interactions with genetic risk and impulsivity among African American Young adults. *J Youth Adolesc.* 2022;51(8):1552–67.
89. Iwamoto DK, Kane JC, Negi NJ, Collado A, Tofighi D. Racial discrimination, distress, coping motives, and alcohol-related problems among U.S.-born Asian American young adults. *Asian. Am J Psychol.* 2022;13(2):177–84.
90. Heads AM, Glover AM, Castillo LG, Blozis S, Kim SY, Ali S. Perceived discrimination and risk behaviors in African American students: the potential moderating roles of emotion regulation and ethnic socialization. *J Racial Ethn Health Disparities.* 2021;8(2):494–506.
91. Zimmerman GM, Trovato D, Miller-Smith A. Discrimination in context: examining neighborhood-level variation in the incidence and adverse effects of perceived racial and ethnic discrimination among Chicago youth. *Race Soc Probl.* 2022;15:304–27.
92. Steele ME, Sutton TE, Brown A, Simons LG, Warren PY. A test of general strain theory: explaining intimate partner violence and alcohol use among black women. *Fem Criminol.* 2022;17(2):163–84.
93. Schick MR, Nalven T, Crawford MC, Spillane NS. Perceived racial discrimination, alcohol use, and alcohol-related problems: the moderating role of self-compassion in reserve-dwelling first nation youth. *Transl Issues Psychol Sci.* 2021;7(4):405–18.
94. Crichlow QJ, Banks DE, Carson I, Fisher S, Barnes-Najor JV, Zapolski TCB. Racial discrimination and substance use among African American youth: personal and collective self-esteem as mechanisms. *J Ethn Subst Abuse.* 2022;27:1–14.
95. Su J, Seaton EK, Williams CD, Spit for Science Working Group, Dick DM. Racial discrimination, depressive symptoms, ethnic-racial identity, and alcohol use among black American college students. *Psychol Addict Behav.* 2021;35(5):523–35.

96. Keum BTH, Cano MÁ. Online racism, psychological distress, and alcohol use among racial minority women and men: a multi-group mediation analysis. *Am J Orthopsychiatry*. 2021;91(4):524–30.
97. Zapolski TCB, Rowe AT, Clifton RL, Khazvand S, Crichlow QJ, Micah F. Examining the unique and additive effect of trauma and racial microaggressions on substance use risk among black young adults. *Cultur Divers Ethnic Minor Psychol*. 2021;29(3):289–301.
98. Bakhtiari F, Boyle AE, Benner AD. Pathways linking school-based ethnic discrimination to Latino/a adolescents' marijuana approval and use. *J Immigr Minor Health*. 2020;22(6):1273–80.
99. Brown P, Watts V, Hanna M, Rizk M, Tucker E, Saddlemire A, et al. Two epidemics and a pandemic: the collision of prescription drug misuse and racism during COVID-19. *J Psychoactive Drugs*. 2021; 53(5):413–21.
100. Nalven T, Spillane NS, Rossi JS. Racial discrimination, racial identity affiliation, and heavy alcohol use among multiracial individuals. *Alcohol Clin Exp Res*. 2021;45(8):1653–63.
101. Clifton RL, Rowe AT, Banks DE, Ashburn-Nardo L, Zapolski TCB. Examining the effects of implicit and explicit racial identity on psychological distress and substance use among black young adults. *Exp Clin Psychopharmacol*. 2021;29(5):479–86.
102. Marks LR, Acuff SF, Withers AJ, MacKillop J, Murphy JG. Adverse childhood experiences, racial microaggressions, and alcohol misuse in black and White emerging adults. *Psychol Addict Behav*. 2021;35(3): 274–82.
103. Motley RO. Racism-based trauma and policing among black emerging adults [PhD] Louis: Washington University in St; 2021.
104. Waldron KA, Turrissi RJ, Mallett KA, Romano E. Examining parental permissiveness toward drinking and perceived ethnic discrimination as risk factors for drinking outcomes among Latinx college students. *Addict Behav*. 2021;118:106900.
105. Kogan SM, Bae D. Racial discrimination, protective parenting, and binge drinking among emerging adult black men. *Alcohol Clin Exp Res*. 2020;44(11):2343–9.
106. Glass JE, Williams EC, Oh H. Racial/ethnic discrimination and alcohol use disorder severity among United States adults. *Drug Alcohol Depend*. 2020;216:108203.
107. Lui PP. Racial microaggression, overt discrimination, and distress: (in) direct associations with psychological adjustment. *Couns Psychol*. 2020;48(4):551–82.
108. Meca A, Gonzales-Backen M, Davis R, Rodil J, Soto D, Unger JB. Discrimination and ethnic identity: establishing directionality among Latino/a youth. *Dev Psychol*. 2020;56(5):982–92.
109. Jelsma E, Varner F. African American adolescent substance use: the roles of racial discrimination and peer pressure. *Addict Behav*. 2020; 101:106154.
110. Su J, Kuo SIC, Derlan CL, Hagiwara N, Guy MC, Dick DM. Racial discrimination and alcohol problems among African American young adults: examining the moderating effects of racial socialization by parents and friends. *Cultur Divers Ethnic Minor Psychol*. 2020;26(2): 260–70.
111. Hicks MR, Kogan SM. The influence of racial discrimination on smoking among young black men: a prospective analysis. *J Ethn Subst Abuse*. 2020;19(2):311–26.
112. Nieri T, Ayón C, Yoo M, Webb M. Perceived ethnic discrimination, ethnic-racial socialization, and substance use among ethnic minority adolescents. *J Ethn Subst Abuse*. 2022;21(1):70–89.
113. Piña-Watson B, Cox K, Neduveilil A. Mexican descent college student risky sexual behaviors and alcohol use: the role of general and cultural based coping with discrimination. *J am Coll Health*. 2021;69(1): 82–9.
114. Le TP, Iwamoto DK. A longitudinal investigation of racial discrimination, drinking to cope, and alcohol-related problems among underage Asian American college students. *Psychol Addict Behav*. 2019;33(6): 520–8.
115. Franco M, Carter S. Discrimination from family and substance use for multiracial individuals. *Addict Behav*. 2019;92:203–7.
116. Zapolski TCB, Beutlich MR, Fisher S, Barnes-Najor J. Collective ethnic-racial identity and health outcomes among African American youth: examination of promotive and protective effects. *Cultur Divers Ethnic Minor Psychol*. 2019;25(3):388–96.
117. Zapolski TCB, Faidley MT, Beutlich MR. The experience of racism on behavioral health outcomes: the moderating impact of mindfulness. *Mindfulness (N Y)*. 2019;10(1):168–78.
118. Gibbons FX, Fleischli ME, Gerrard M, Simons RL. Reports of perceived racial discrimination among African American children predict negative affect and smoking behavior in adulthood: a sensitive period hypothesis. *Dev Psychopathol*. 2018;30(5):1629–47.
119. Lee DB, Heinze JE, Neblett EW, Caldwell CH, Zimmerman MA. Trajectories of racial discrimination that predict problematic alcohol use among African American emerging adults. *Emerging Adulthood*. 2018;6(5):347–57.
120. Metzger IW, Salami T, Carter S, Halliday-Boykins C, Anderson RE, Jernigan MM, et al. African American emerging adults' experiences with racial discrimination and drinking habits: the moderating roles of perceived stress. *Cultur Divers Ethnic Minor Psychol*. 2018;24(4): 489–97.
121. Pittman DM, Kaur P. Examining the role of racism in the risky alcohol use behaviors of black female college students. *J am Coll Health*. 2018;66(4):310–6.
122. Ornelas JJ, Lapham GT, Salgado H, Williams EC, Gotman N, Womack V, et al. Binge drinking and perceived ethnic discrimination among Hispanics/Latinos: results from the Hispanic community health study/study of Latinos sociocultural ancillary study. *J Ethn Subst Abuse*. 2016;15(3):223–39.
123. Demianczyk A. Potential moderators of the relation between microaggressions and mental health among racial and ethnic minority college students [PhD] Temple University; 2015.
124. Zapolski TCB, Fisher S, Hsu WW, Barnes J. What can parents do? Examining the role of parental support on the negative relationship among racial discrimination, depression, and drug use among African American youth. *Clin Psychol Sci*. 2016;4(4):718–31.
125. Thompson AB, Goodman MS, Kwate NOA. Does learning about race prevent substance abuse? Racial discrimination, racial socialization and substance use among African Americans. *Addict Behav*. 2016; 61:1–7.
126. Greenfield BL. Discrimination, substance use, and cultural buffers among native American college students [PhD] The University of New Mexico; 2015.
127. Armenta BE, Sittner KJ, Whitbeck LB. Predicting the onset of alcohol use and the development of alcohol use disorder among indigenous adolescents. *Child Dev*. 2016;87(3):870–82.
128. Tse WS, Wong KKF. Comparing of the mediation and the moderation role of coping motive in the relationship between perceived discrimination and hazardous drinking. *J Subst Use*. 2015;20(6):439–46.
129. Rodriguez-Seijas C, Stohl M, Hasin DS, Eaton NR. Transdiagnostic factors and mediation of the relationship between perceived racial discrimination and mental disorders. *JAMA Psychiatry*. 2015;72(7): 706–13.
130. Brondolo E, Monge A, Agosta J, Tobin JN, Cassells A, Stanton C, et al. Perceived ethnic discrimination and cigarette smoking: examining the moderating effects of race/ethnicity and gender in a sample of black and Latino urban adults. *J Behav Med*. 2015;38(4):689–700.
131. Cano MÁ, de Dios MA, Castro Y, Vaughan EL, Castillo LG, Lorenzo-Blanco EI, et al. Alcohol use severity and depressive symptoms among late adolescent Hispanics: testing associations of acculturation and enculturation in a bicultural transaction model. *Addict Behav*. 2015;49:78–82.
132. Cheng HL, Mallinckrodt B. Racial/ethnic discrimination, posttraumatic stress symptoms, and alcohol problems in a longitudinal study

- of Hispanic/Latino college students. *J Couns Psychol.* 2015;62(1):38–49.
133. Spence N, Wells S, George J, Graham K. An examination of marijuana use among a vulnerable population in Canada. *J Racial Ethn Health Disparities.* 2014;1(4):247–56.
 134. Kapadia AS. Major depression, and alcohol use disorder among US-born and immigrant minorities: using a nationally representative sample to test the moderating relationships of cultural and social factors [PhD] Columbia University; 2013.
 135. Otiniano Verissimo AD, Gee GC, Ford CL, Iguchi MY. Racial discrimination, gender discrimination, and substance abuse among Latina/os nationwide. *Cultur Divers Ethnic Minor Psychol.* 2014;20(1):43–51.
 136. Latzman RD, Chan WY, Shishido Y. Impulsivity moderates the association between racial discrimination and alcohol problems. *Addict Behav.* 2013;38(12):2898–904.
 137. Borrell LN, Kiefe CI, Diez-Roux AV, Williams DR, Gordon-Larsen P. Racial discrimination, racial/ethnic segregation, and health behaviors in the CARDIA study. *Ethn Health.* 2013;18(3):227–43.
 138. Thoma BC. Health consequences of racist and antigay discrimination for multiple minority adolescents [M.S] The University of Utah; 2012.
 139. Horton KD, Loukas A. Discrimination, religious coping, and tobacco use among White, African American, and Mexican American vocational school students. *J Relig Health.* 2013;52(1):169–83.
 140. Gibbons FX, O'Hara RE, Stock ML, Gerrard M, Weng CY, Wills TA. The erosive effects of racism: reduced self-control mediates the relation between perceived racial discrimination and substance use in African American adolescents. *J Pers Soc Psychol.* 2012;102(5):1089–104.
 141. Park SY. Socio-cultural factors related to alcohol use among Asian Americans [PhD] New York University; 2010.
 142. Respress BN. Social determinants of adolescent risk behaviors: an examination of depressive symptoms and sexual risk, substance use, and suicide risk behaviors [PhD] Case Western Reserve University; 2010.
 143. Krieger N, Waterman PD, Kosheleva A, Chen JT, Carney DR, Smith KW, et al. Exposing Racial Discrimination: Implicit & Explicit Measures—The My Body, My Story Study of 1005 US-Born Black & White Community Health Center Members. *PLoS ONE.* 2011;6(11):e27636.
 144. Kam JA, Cleveland MJ. Perceived discrimination as a risk factor for Latina/o youth's substance use: do parent- and peer-based communication and relationship resources act as protective factors? *Health Commun.* 2011;26(2):111–24.
 145. Galliher RV, Jones MD, Dahl A. Concurrent and longitudinal effects of ethnic identity and experiences of discrimination on psychosocial adjustment of Navajo adolescents. *Dev Psychol.* 2011;47(2):509–26.
 146. Kwate NOA, Meyer IH, Eniola F, Dennis N. Individual and group racism and problem drinking among African American women. *J Black Psychol.* 2010;36(4):446–57.
 147. Yoo HC, Gee GC, Lowthrop CK, Robertson J. Self-reported racial discrimination and substance use among Asian Americans in Arizona. *J Immigr Minor Health.* 2010;12(5):683–90.
 148. Semino SJ. Substance use and mental health outcomes of heterosexual and racist events in lesbian, gay, and bisexual black women [PhD] Fordham University; 2009.
 149. Kulis S, Marsiglia FF, Nieri T. Perceived ethnic discrimination versus acculturation stress: influences on substance use among Latino youth in the southwest. *J Health Soc Behav.* 2009;50(4):443–59.
 150. Gibbons FX, Yeh HC, Gerrard M, Cleveland MJ, Cutrona C, Simons RL, et al. Early experience with racial discrimination and conduct disorder as predictors of subsequent drug use: A critical period hypothesis. *Drug alcohol depend. Apr;88 Suppl.* 2007;1(Suppl 1):S27–37.
 151. Kwate NOA, Valdimarsdottir HB, Guevarra JS, Bovbjerg DH. Experiences of racist events are associated with negative health consequences for African American women. *J Natl Med Assoc.* 2003;95(6):450–60.
 152. Guthrie BJ, Young AM, Williams DR, Boyd CJ, Kintner EK. African American girls' smoking habits and day-to-day experiences with racial discrimination. *Nurs Res.* 2002;51(3):183–90.
 153. Lui PP. Everyday discrimination, police-related discrimination, and racial identity: predictive roles in internalizing symptoms, hazardous alcohol use, and life satisfaction. *PsyArXiv Preprints.* 2020.
 154. Keum BT, Li X. Online racism, rumination, and vigilance: impact on distress, loneliness, and alcohol use. *Couns Psychol.* 2023;51(3):422–48.
 155. Cave L, Cooper MN, Zubrick SR, Shepherd CCJ. Caregiver-perceived racial discrimination is associated with diverse mental health outcomes in aboriginal and Torres Strait islander children aged 7–12 years. *Int J Equity Health.* 2019;18(1):142.
 156. Yen IH. Research article. Racial discrimination and alcohol-related behavior in urban transit operators: findings from the San Francisco muni health and safety study. *Public Health Rep.* 1999;114(5):448–58.
 157. Greenfield BL, Elm JHL, Hallgren KA. Understanding measures of racial discrimination and microaggressions among American Indian and Alaska native college students in the Southwest United States. *BMC Public Health.* 2021;21(1):1099.
 158. Assari S, Mistry R, Lee DB, Caldwell CH, Zimmerman MA. Perceived racial discrimination and marijuana use a decade later; gender differences among black youth. *Front Pediatr.* 2019;22:7.
 159. Tao X, Yip T, Fisher CB. Psychological well-being and substance use during the COVID-19 pandemic: ethnic/racial identity, discrimination, and vigilance. *J Racial Ethn Health Disparities.* 2022;11:62–71.
 160. Walsh K, Gilmore AK, Barr SC, Frazier P, Ledray L, Acierno R, et al. The role of discrimination experiences in Posttrauma adjustment among racial and ethnic minority women. *J Interpers Violence.* 2022;37(19–20):NP17325–43.
 161. Currie CL, Higa EK. The impact of racial and non-racial discrimination on health behavior change among visible minority adults during the COVID-19 pandemic. *J Racial Ethn Health Disparities.* 2022;9(6):2551–9.
 162. Chae DH, Takeuchi DT, Barbeau EM, Bennett GG, Lindsey JC, Stoddard AM, et al. Alcohol disorders among Asian Americans: associations with unfair treatment, racial/ethnic discrimination, and ethnic identification (the national Latino and Asian Americans study, 2002–2003). *J Epidemiol Community Health.* 1978;62(11):973–9.
 163. Keum BT, Ángel CM. Online racism, depressive and anxiety symptoms, coping-related drinking motives, and alcohol use severity among black, Latina/o/x, and Asian emerging adults. *Addict Behav.* 2023;136:107468.
 164. Squires LE, Palfai TP, Allensworth-Davies D, Cheng DM, Bernstein J, Kressin N, et al. Perceived discrimination, racial identity, and health behaviors among black primary-care patients who use drugs. *J Ethn Subst Abuse.* 2018;17(4):460–77.
 165. Martin MJ, Bacher KB, Conger RD, Robins RW. Prospective relationships between ethnic discrimination and substance use by Mexican-American adolescents. *Child Dev.* 2019;90(6):2019–34.
 166. Buckner JD, Lewis EM, Shepherd JM, Zvolensky MJ. Ethnic discrimination and alcohol-related problem severity among Hispanic/Latin drinkers: the role of social anxiety in the minority stress model. *J Subst Abuse Treat.* 2022;138:108730.
 167. Buckner JD, Glover NI, Shepherd JM, Zvolensky MJ. Racial discrimination and hazardous drinking among black drinkers: the role of social anxiety in the minority stress model. *Subst Use Misuse.* 2022;57(2):256–62.
 168. Zaso MJ, Kim J, Desalu JM, Goodhines PA, Marciano MA, Park A. Racial/ethnic discrimination, *ADH1B*3*, and coping-motivated

- drinking among black college students. *Am J Addict.* 2022;31(5): 415–22.
169. Call CR. Substance problems in women with histories of child abuse, partner violence, and racism [PhD] University of Illinois at Chicago; 2001.
 170. Woodson C. Investigating racial discrimination and substance use in black adolescents [M.S] University of Delaware; 2021.
 171. Breedon G. Childhood, adolescent, and young adult determinants of perceived racial discrimination in adulthood and its relation to frequency of cocaine and marijuana drug use [PhD] The Johns Hopkins University; 2005.
 172. Swann G, Stephens J, Newcomb ME, Whitton SW. Effects of sexual/gender minority- and race-based enacted stigma on mental health and substance use in female assigned at birth sexual minority youth. *Cultur Divers Ethnic Minor Psychol.* 2020;26(2):239–49.
 173. Lee JP, Lee RM, Hu AW, Kim OM. Ethnic identity as a moderator against discrimination for transracially and transnationally adopted Korean American adolescents. *Asian Am J Psychol.* 2015;6(2): 154–63.
 174. Greene MA. Biculturalism and mental health among Mexican-American adolescents [PhD] Pennsylvania: United States; 1997.
 175. Pittman DM, Brooks JJ, Kaur P, Obasi EM. The cost of minority stress: risky alcohol use and coping-motivated drinking behavior in African American college students. *J Ethn Subst Abuse.* 2019;18(2): 257–78.
 176. Whitbeck LB, Hoyt DR, McMorris BJ, Chen X, Stubben JD. Perceived discrimination and early substance abuse among American Indian children. *J Health Soc Behav.* 2001;42(4):405.
 177. Pro G, Sahker E, Marzell M. Microaggressions and marijuana use among college students. *J Ethn Subst Abuse.* 2018;17(3):375–87.
 178. Somerville. Race and risk: the influence of racial stress on internalizing symptoms and health behaviors among college-aged black women Kent State University; 2024.
 179. Arreola J. Mi Familia y mi Comunidad son mi Fuerza: understanding the protective role of family and Community for Latina/o/es experiencing racialized stress Irvine: University of California; 2024.
 180. Jones. Online racism, alcohol-related problems, and posttraumatic stress symptoms: evaluating the impacts of social media in a college sample Xavier University; 2024.
 181. McDowell. Understanding relationships and experiences of race-related stress, historical loss, social support, and substance misuse among black Young adults Drexel University; 2023.
 182. Dean. The impact of experimentally-induced perceived discrimination on substance use Louisiana State University and Agricultural & Mechanical College; 2019.
 183. Centeno B, Bayazitli I, Purnell S, Bravo DY, Mello ZR. Colorism unveiled: examining how skin color discrimination is associated with academic achievement, mental health, and substance use among LATINX adolescents. *Res Hum Dev.* 2023;20(3–4):123–40.
 184. Dyar C, Feinstein BA, Mallory AB, Morgan E. Intersectional effects of sexual orientation and racial/ethnic discrimination on substance use among young adult sexual minority cisgender women and nonbinary people of color: testing additive, prominence, and multiplicative hypotheses. *Psychol Sex Orientat Gend Divers.* 2023;12(2):321–36.
 185. Mora. A mixed methods study of whether post-traumatic growth moderates the relationship between discrimination experience and substance use in Latinx individuals College of Saint Elizabeth; 2023.
 186. Moreno O, Derlan Williams C, Muñoz G, Santana A, Hernandez C, de Jesus EM, et al. Interpersonal ethnic-racial discrimination and tobacco products: the moderating role of critical action. *Cultur Divers Ethnic Minor Psychol.* 2024;31(3):421–8.
 187. Assari S. Racial differences in biopsychosocial pathways to tobacco and marijuana use among youth. *J Racial Ethn Health Disparities.* 2024;1–13.
 188. Buckner JD, Sullivan JM, Thomas KL, Shepherd JM, Zvolensky MJ. Racism and alcohol-related problems among black adults: the role of negative emotionality to experiencing racism. *J Subst Use Addict Treat.* 2024;165:209448.
 189. Zapolski TCB, Deppermann VA. Examining promotive and protective effects of ethnic identity on alcohol and cannabis use among black young adults. *J Subst Use Addict Treat.* 2023;153:209009.
 190. Cénat JM, Dromer É, Auguste E, Dalexis RD, Darius WP, Kogan CS, et al. Frequency and factors related to substance use among black individuals aged 15–40 years old in Canada: the role of everyday racial discrimination. *Psychol Addict Behav.* 2023;37(5):695–708.
 191. Schick MR, Nalven T, Egan A, Spillane NS. The role of culture in the association between racial discrimination and alcohol use among north American indigenous adolescents reporting recent drinking. *Alcohol: clinical and experimental. Research.* 2023;47(6):1109–18.
 192. Espinosa A, Ruglass LM, Conway FN. The relative contribution of ethnic identity and ethnic discrimination on alcohol, tobacco, and other drug use disorders among Hispanic/Latin American individuals. *J Subst Use Addict Treatm.* 2023;153:208963.
 193. Macias Burgos MA, Bautista TG, Cruz-Carrillo Y, Cisco M, Sahbaz S, Nehme L, et al. Investigating the association between discrimination, internalizing symptoms, and alcohol use among Latino/a immigrants in the United States. *Front Psych.* 2024;5:15.
 194. Nie F. Is Asian hate just about race? Religious discrimination and smoking among Asian and Asian American adults in the USA. *J Racial Ethn Health Disparities.* 2024;12:1041–51.
 195. Barry CM, Livingston MD, Livingston BJ, Kominsky TK, Komro KA. School racial composition as a moderator of the effect of discrimination on mental health and substance use among American Indian adolescents. *J Adolesc Health.* 2024;74(1):44–50.
 196. Morris KS, Seaton EK. Depressive symptoms, racism, and school belonging: examining correlates of substance use behaviors among black college students. *J Ethn Subst Abuse.* 2023;30:1–21.
 197. Greenland S, Senn SJ, Rothman KJ, Carlin JB, Poole C, Goodman SN, et al. Statistical tests, P values, confidence intervals, and power: a guide to misinterpretations. *Eur J Epidemiol.* 2016;31(4):337–50.
 198. Schober P, Boer C, Schwarte LA. Correlation coefficients. *Anesth Analg.* 2018;126(5):1763–8.
 199. Civitillo S, Mayer AM, Jugert P. A systematic review and meta-analysis of the associations between perceived teacher-based racial-ethnic discrimination and student well-being and academic outcomes. *J Educ Psychol.* 2024;116(5):719–41.
 200. Desalu JM, Goodhines PA, Park A. Racial discrimination and alcohol use and negative drinking consequences among black Americans: a meta-analytical review. *Addiction.* 2019;114(6):957–67.
 201. Gilbert PA, Zemore SE. Discrimination and drinking: a systematic review of the evidence. *Soc Sci Med.* 2016;161:178–94.
 202. Boynton MH, O'Hara RE, Covault J, Scott D, Tennen H. A mediational model of racial discrimination and alcohol-related problems among african american college students. *J Stud Alcohol Drugs.* 2014;75(2):228–34.
 203. Kuntsche E, Knibbe R, Gmel G, Engels R. Why do young people drink? A review of drinking motives. *Clin Psychol Rev.* 2005;25(7): 841–61.
 204. Bresin K, Mekawi Y. The “why” of drinking matters: a meta-analysis of the association between drinking motives and drinking outcomes. *Alcohol Clin Exp Res.* 2021;45(1):38–50.
 205. Gilson KM, Bryant C, Bei B, Komiti A, Jackson H, Judd F. Validation of the drinking motives questionnaire (DMQ) in older adults. *Addict Behav.* 2013;38(5):2196–202.
 206. Robillard CL, Legg NK, Ames ME, Turner BJ. Support for a transdiagnostic motivational model of self-damaging behaviors: comparing the salience of motives for binge drinking, disordered eating, and nonsuicidal self-injury. *Behav Ther.* 2022;53(6):1219–32.

207. Qeadan F, Azagba S, Barbeau WA, Gu LY, Mensah NA, Komaromy M, et al. Associations between discrimination and substance use among college students in the United States from 2015 to 2019. *Addict Behav.* 2022;125:107164.
208. Golden SD, Kong AY, Ribisl KM. Racial and ethnic differences in what smokers report paying for their cigarettes. *Nicotine Tob Res.* 2016;18(7):1649–55.
209. D'Silva J, O'Gara E, Villaluz NT. Tobacco industry misappropriation of American Indian culture and traditional tobacco. *Tob Control.* 2018;27(e1):e57–64.
210. Lempert LK, Glantz SA. Tobacco industry promotional strategies targeting American Indians/Alaska natives and exploiting tribal sovereignty. *Nicotine Tob Res.* 2019;21(7):940–8.
211. Kiang L, Witkow MR, Thompson TL. Model minority stereotyping, perceived discrimination, and adjustment among adolescents from Asian American backgrounds. *J Youth Adolesc.* 2016;45(7):1366–79.
212. Yi J, La R, Lee BA, Saw A. Internalization of the model minority myth and sociodemographic factors shaping Asians/Asian Americans' experiences of discrimination during COVID-19. *Am J Community Psychol.* 2023;71(1–2):123–35.
213. Pearlín LI, Schieman S, Fazio EM, Meersman SC. Stress, health, and the life course: some conceptual perspectives. *J Health Soc Behav.* 2005;46(2):205–19.
214. Arnett JJ, Brody GH. A fraught passage: the identity challenges of African American emerging adults. *Hum Dev.* 2008;51(5–6):291–3.
215. Arnett JJ. Emerging adulthood: a theory of development from the late teens through the twenties. *Am Psychol.* 2000;55(5):469–80.
216. Paradies Y, Ben J, Denson N, Elias A, Priest N, Pieterse A, et al. Racism as a determinant of health: a systematic review and meta-analysis. *PLoS ONE.* 2015;10(9):e0138511.
217. Hackett RA, Ronaldson A, Bhui K, Steptoe A, Jackson SE. Racial discrimination and health: a prospective study of ethnic minorities in the United Kingdom. *BMC Public Health.* 2020;20(1):1652.
218. Lindell MK, Whitney DJ. Accounting for common method variance in cross-sectional research designs. *J Appl Psychol.* 2001;86(1):114–21.
219. Cooper B, Eva N, Zarea Fazlelahi F, Newman A, Lee A, Obschonka M. Addressing common method variance and endogeneity in vocational behavior research: a review of the literature and suggestions for future research. *J Vocat Behav.* 2020;121:103472.
220. Kock F, Berbekova A, Assaf AG. Understanding and managing the threat of common method bias: detection, prevention and control. *Tour Manag.* 2021;86:104330.
221. Geronimus AT, Thompson JP, TO Denigrate. IGNORE, OR DISRUPT: racial inequality in health and the impact of a policy-induced breakdown of African American communities. *Du Bois Rev.* 2004;1(02):247–79.

SUPPORTING INFORMATION

Additional supporting information can be found online in the Supporting Information section at the end of this article.

How to cite this article: Gates E, Cant M, Elliott R, Irizar P, Armitage CJ. A meta-analytic review of the relationship between racial discrimination and alcohol and other drug use outcomes in minoritised racial/ethnic groups. *Addiction.* 2025. <https://doi.org/10.1111/add.70131>