

## CORRECTION


# Correction: Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile

Ian J. C. MacCormick, Bryan M. Williams, Yalin Zheng, Kun Li, Baidaa Al-Bander, Silvester Czanner, Rob Cheeseman, Colin E. Willoughby, Emery N. Brown, George L. Spaeth, Gabriela Czanner

The second author, Bryan M. Williams, should also be listed as a corresponding author. Dr. Williams' email address is: [bryan.williams@liverpool.ac.uk](mailto:bryan.williams@liverpool.ac.uk).

## Reference

1. MacCormick IJC, Williams BM, Zheng Y, Li K, Al-Bander B, Czanner S, et al. (2019) Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile. PLoS ONE 14(1): e0209409. <https://doi.org/10.1371/journal.pone.0209409> PMID: [30629635](https://pubmed.ncbi.nlm.nih.gov/30629635/)



## OPEN ACCESS

**Citation:** MacCormick IJC, Williams BM, Zheng Y, Li K, Al-Bander B, Czanner S, et al. (2019) Correction: Accurate, fast, data efficient and interpretable glaucoma diagnosis with automated spatial analysis of the whole cup to disc profile. PLoS ONE 14(4): e0215056. <https://doi.org/10.1371/journal.pone.0215056>

**Published:** April 3, 2019

**Copyright:** © 2019 MacCormick et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.